

REFERENCES

- Adams, D. J. (2004). Fungal cell wall chitinases and glucanases. *Microbiology*, 150(7), 2029-2035.
- Alexandre, H., Plourde, L., Charpentier, C., & Francois, J. (1998). Lack of correlation between trehalose accumulation, cell viability and intracellular acidification as induced by various stresses in *Saccharomyces cerevisiae*. *Microbiology*, 144(4), 1103-1111.
- Arroyo, J., Bermejo, C., Garcia, R., & Rodriguez-Pena, J. M. (2009). Genomics in the detection of damage in microbial systems: cell wall stress in yeast. *Clin Microbiol Infect*, 15(1), 44-46.
- Auesukaree, C., Damnernsawad, A., Kruatrachue, M., Pokethitiyook, P., Boonchird, C., Kaneko, Y., et al. (2009). Genome-wide identification of genes involved in tolerance to various environmental stresses in *Saccharomyces cerevisiae*. *J Appl Genet*, 50(3), 301-310.
- Bandara, A., Fraser, S., Chambers, P. J., & Stanley, G. A. (2009). Trehalose promotes the survival of *Saccharomyces cerevisiae* during lethal ethanol stress, but does not influence growth under sublethal ethanol stress. *FEMS Yeast Res*, 9(8), 1208-1216.
- Bao, M. Z., Schwartz, M. A., Cantin, G. T., Yates, J. R., 3rd, & Madhani, H. D. (2004). Pheromone-dependent destruction of the Tec1 transcription factor is required for MAP kinase signaling specificity in yeast. *Cell*, 119(7), 991-1000.
- Bardwell, L. (2004). A walk-through of the yeast mating pheromone response pathway. *Peptides*, 25(9), 1465-1476.
- Barnett, J. A. (2003). Beginnings of microbiology and biochemistry: the contribution of yeast research. *Microbiology*, 149(3), 557-567.
- Bermejo, C., Rodriguez, E., Garcia, R., Rodriguez-Pena, J. M., de la Concepcion, M. L. R., Rivas, C., et al. (2008). The sequential activation of the yeast HOG

- and SLT2 pathways is required for cell survival to cell wall stress. *Molecular Biology of the Cell*, 19(3), 1113-1124.
- Bickle, M., Delley, P. A., Schmidt, A., & Hall, M. N. (1998). Cell wall integrity modulates RHO1 activity via the exchange factor ROM2. *EMBO J*, 17(8), 2235-2245.
- Bowman, S. M., & Free, S. J. (2006). The structure and synthesis of the fungal cell wall. *Bioessays*, 28(8), 799-808.
- Breitkreutz, A., & Tyers, M. (2002). MAPK signaling specificity: it takes two to tango. *Trends Cell Biol*, 12(6), 254-257.
- Bringezu, S., Schutz, H., Arnold, K., Merten, F., Kabasci, S., Borelbach, P., et al. (2009). Global implications of biomass and biofuel use in Germany - Recent trends and future scenarios for domestic and foreign agricultural land use and resulting GHG emissions. *Journal of Cleaner Production*, 17, S57-S68.
- Buehrer, B. M., & Errede, B. (1997). Coordination of the mating and cell integrity mitogen-activated protein kinase pathways in *Saccharomyces cerevisiae*. *Mol Cell Biol*, 17(11), 6517-6525.
- Cabib, E., Roh, D. H., Schmidt, M., Crotti, L. B., & Varma, A. (2001). The yeast cell wall and septum as paradigms of cell growth and morphogenesis. *J Biol Chem*, 276(23), 19679-19682.
- Chen, R. E., & Thorner, J. (2007). Function and regulation in MAPK signaling pathways: lessons learned from the yeast *Saccharomyces cerevisiae*. *Biochim Biophys Acta*, 1773(8), 1311-1340.
- Cid, V. J., Duran, A., del Rey, F., Snyder, M. P., Nombela, C., & Sanchez, M. (1995). Molecular basis of cell integrity and morphogenesis in *Saccharomyces cerevisiae*. *Microbiol Rev*, 59(3), 345-386.
- D'Amore, T., Panchal, C. J., Russell, I., & Stewart, G. G. (1990). A study of ethanol tolerance in yeast. *Crit Rev Biotechnol*, 9(4), 287-304.
- Daum, G., Lees, N. D., Bard, M., & Dickson, R. (1998). Biochemistry, cell biology and molecular biology of lipids of *Saccharomyces cerevisiae*. *Yeast*, 14(16), 1471-1510.

- de Nobel, H., Ruiz, C., Martin, H., Morris, W., Brul, S., Molina, M., et al. (2000). Cell wall perturbation in yeast results in dual phosphorylation of the Slt2/Mpk1 MAP kinase and in an Slt2-mediated increase in FKS2-lacZ expression, glucanase resistance and thermotolerance. *Microbiology*, 146 (9), 2121-2132.
- de Nobel, J. G., Klis, F. M., Priem, J., Munnik, T., & van den Ende, H. (1990). The glucanase-soluble mannoproteins limit cell wall porosity in *Saccharomyces cerevisiae*. *Yeast*, 6(6), 491-499.
- Elion, E. A. (2000). Pheromone response, mating and cell biology. *Curr Opin Microbiol*, 3(6), 573-581.
- Firon, A., Lesage, G., & Bussey, H. (2004). Integrative studies put cell wall synthesis on the yeast functional map. *Curr Opin Microbiol*, 7(6), 617-623.
- Fuchs, B. B., & Mylonakis, E. (2009). Our Paths Might Cross: the Role of the Fungal Cell Wall Integrity Pathway in Stress Response and Cross Talk with Other Stress Response Pathways. *Eukaryotic Cell*, 8(11), 1616-1625.
- Garcia, R., Rodriguez-Pena, J. M., Bermejo, C., Nombela, C., & Arroyo, J. (2009). The high osmotic response and cell wall integrity pathways cooperate to regulate transcriptional responses to zymolyase-induced cell wall stress in *Saccharomyces cerevisiae*. *J Biol Chem*, 284(16), 10901-10911.
- Garrels, J. I. (2002). Yeast genomic databases and the challenge of the post-genomic era. *Funct Integr Genomics*, 2(4-5), 212-237.
- Gimeno, C. J., & Fink, G. R. (1994). Induction of pseudohyphal growth by overexpression of PHD1, a *Saccharomyces cerevisiae* gene related to transcriptional regulators of fungal development. *Mol Cell Biol*, 14(3), 2100-2112.
- Gray, J. V., Ogas, J. P., Kamada, Y., Stone, M., Levin, D. E., & Herskowitz, I. (1997). A role for the Pkc1 MAP kinase pathway of *Saccharomyces cerevisiae* in bud emergence and identification of a putative upstream regulator. *EMBO J*, 16(16), 4924-4937.
- Gustin, M. C., Albertyn, J., Alexander, M., & Davenport, K. (1998). MAP kinase pathways in the yeast *Saccharomyces cerevisiae*. *Microbiol Mol Biol Rev*, 62(4), 1264-1300.

- Harrison, J. C., Zyla, T. R., Bardes, E. S., & Lew, D. J. (2004). Stress-specific activation mechanisms for the "cell integrity" MAPK pathway. *J Biol Chem*, 279(4), 2616-2622.
- Hill, J., Nelson, E., Tilman, D., Polasky, S., & Tiffany, D. (2006). Environmental, economic, and energetic costs and benefits of biodiesel and ethanol biofuels. *Proceedings of the National Academy of Sciences of the United States of America*, 103(30), 11206-11210.
- Hohmann, S. (2002). Osmotic stress signaling and osmoadaptation in yeasts. *Microbiol Mol Biol Rev*, 66(2), 300-372.
- Hohmann, S. (2009). Control of high osmolarity signalling in the yeast *Saccharomyces cerevisiae*. *FEBS Lett*, 583(24), 4025-4029.
- Hohmann, S., Krantz, M., & Nordlander, B. (2007). Yeast osmoregulation. *Methods Enzymol*, 428, 29-45.
- Hu, C. K., Bai, F. W., & An, L. J. (2005). Protein amino acid composition of plasma membranes affects membrane fluidity and thereby ethanol tolerance in a self-flocculating fusant of *Schizosaccharomyces pombe* and *Saccharomyces cerevisiae*. *Sheng Wu Gong Cheng Xue Bao*, 21(5), 809-813.
- Ingram, L. O. (1976). Adaptation of membrane lipids to alcohols. *J Bacteriol*, 125(2), 670-678.
- Inoue, S. B., Qadota, H., Arisawa, M., Anraku, Y., Watanabe, T., & Ohya, Y. (1996). Signaling toward yeast 1,3-beta-glucan synthesis. *Cell Struct Funct*, 21(5), 395-402.
- Iyer, V. R., Horak, C. E., Scafe, C. S., Botstein, D., Snyder, M., & Brown, P. O. (2001). Genomic binding sites of the yeast cell-cycle transcription factors SBF and MBF. *Nature*, 409(6819), 533-538.
- Jung, U. S., Sobering, A. K., Romeo, M. J., & Levin, D. E. (2002). Regulation of the yeast Rlm1 transcription factor by the Mpk1 cell wall integrity MAP kinase. *Mol Microbiol*, 46(3), 781-789.
- Kapteyn, J. C., Ram, A. F., Groos, E. M., Kollar, R., Montijn, R. C., Van Den Ende, H., et al. (1997). Altered extent of cross-linking of beta1,6-glucosylated mannoproteins to chitin in *Saccharomyces cerevisiae* mutants with reduced cell wall beta1,3-glucan content. *J Bacteriol*, 179(20), 6279-6284.

- Kelley, M. J., Bailis, A. M., Henry, S. A., & Carman, G. M. (1988). Regulation of phospholipid biosynthesis in *Saccharomyces cerevisiae* by inositol. Inositol is an inhibitor of phosphatidylserine synthase activity. *J Biol Chem*, 263(34), 18078-18085.
- Kim, K. Y., Truman, A. W., & Levin, D. E. (2008). Yeast Mpk1 mitogen-activated protein kinase activates transcription through Swi4/Swi6 by a noncatalytic mechanism that requires upstream signal. *Mol Cell Biol*, 28(8), 2579-2589.
- Klis, F. M. (1994). Review: cell wall assembly in yeast. *Yeast*, 10(7), 851-869.
- Klis, F. M., Boorsma, A., & De Groot, P. W. (2006). Cell wall construction in *Saccharomyces cerevisiae*. *Yeast*, 23(3), 185-202.
- Leeuw, T., et al. (1995). Pheromone response in yeast: association of Bem1p with proteins of the MAP kinase cascade and actin. *Science*, 270(5239), 1210-1213.
- Lesage, G., & Bussey, H. (2006). Cell wall assembly in *Saccharomyces cerevisiae*. *Microbiol Mol Biol Rev*, 70(2), 317-343.
- Levin, D. E. (2005). Cell wall integrity signaling in *Saccharomyces cerevisiae*. *Microbiol Mol Biol Rev*, 69(2), 262-291.
- Lipke, P. N., & Ovalle, R. (1998). Cell wall architecture in yeast: new structure and new challenges. *J Bacteriol*, 180(15), 3735-3740.
- Ma, M., & Liu, Z. L. (2010). Mechanisms of ethanol tolerance in *Saccharomyces cerevisiae*. *Appl Microbiol Biotechnol*, 87(3), 829-845.
- Mazur, P., Morin, N., Baginsky, W., el-Sherbeini, M., Clemas, J. A., Nielsen, J. B., et al. (1995). Differential expression and function of two homologous subunits of yeast 1,3-beta-D-glucan synthase. *Mol Cell Biol*, 15(10), 5671-5681.
- O'Rourke, S. M., Herskowitz, I., & O'Shea, E. K. (2002). Yeast go the whole HOG for the hyperosmotic response. *Trends Genet*, 18(8), 405-412.
- Philip, B., & Levin, D. E. (2001). Wsc1 and Mid2 are cell surface sensors for cell wall integrity signaling that act through Rom2, a guanine nucleotide exchange factor for Rho1. *Mol Cell Biol*, 21(1), 271-280.
- Popolo, L., Gilardelli, D., Bonfante, P., & Vai, M. (1997). Increase in chitin as an essential response to defects in assembly of cell wall polymers in the

- ggp1delta mutant of *Saccharomyces cerevisiae*. *J Bacteriol*, 179(2), 463-469.
- Popolo, L., Gualtieri, T., & Ragni, E. (2001). The yeast cell-wall salvage pathway. *Med Mycol*, 39(1), 111-121.
- Popolo, L., & Vai, M. (1999). The Gas1 glycoprotein, a putative wall polymer cross-linker. *Biochim Biophys Acta*, 1426(2), 385-400.
- Posas, F., & Saito, H. (1997). Osmotic activation of the HOG MAPK pathway via Ste11p MAPKKK: scaffold role of Pbs2p MAPKK. *Science*, 276(5319), 1702-1705.
- Qadota, H., Python, C. P., Inoue, S. B., Arisawa, M., Anraku, Y., Zheng, Y., et al. (1996). Identification of yeast Rho1p GTPase as a regulatory subunit of 1,3-beta-glucan synthase. *Science*, 272(5259), 279-281.
- Qi, M., & Elion, E. A. (2005). MAP kinase pathways. *J Cell Sci*, 118(16), 3569-3572.
- Quintas, C., Lima-Costa, E., & Loureiro-Dias, M. C. (2000). The effect of ethanol on the plasma membrane permeability of spoilage yeasts. *Food Technology and Biotechnology*, 38(1), 47-51.
- Rensing, L., & Ruoff, P. (2009). How can yeast cells decide between three activated MAP kinase pathways? A model approach. *J Theor Biol*, 257(4), 578-587.
- Rosa, M. F., & Sa-Correia, I. (1991). In vivo activation by ethanol of plasma membrane ATPase of *Saccharomyces cerevisiae*. *Appl Environ Microbiol*, 57(3), 830-835.
- Saito, H., & Tatebayashi, K. (2004). Regulation of the osmoregulatory HOG MAPK cascade in yeast. *J Biochem*, 136(3), 267-272.
- Schwartz, M. A., & Madhani, H. D. (2004). Principles of MAP kinase signaling specificity in *Saccharomyces cerevisiae*. *Annu Rev Genet*, 38, 725-748.
- Scrimale, T., Didone, L., de Mesy Bentley, K. L., & Krysan, D. J. (2009). The unfolded protein response is induced by the cell wall integrity mitogen-activated protein kinase signaling cascade and is required for cell wall integrity in *Saccharomyces cerevisiae*. *Molecular Biology of the Cell*, 20(1), 164-175.
- Serrano, R., Martin, H., Casamayor, A., & Arino, J. (2006). Signaling alkaline pH stress in the yeast *Saccharomyces cerevisiae* through the Wsc1 cell surface sensor and the Slt2 MAPK pathway. *J Biol Chem*, 281(52), 39785-39795.

- Smits, G. J., Kapteyn, J. C., van den Ende, H., & Klis, F. M. (1999). Cell wall dynamics in yeast. *Curr Opin Microbiol*, 2(4), 348-352.
- Swan, T. M., & Watson, K. (1998). Stress tolerance in a yeast sterol auxotroph: role of ergosterol, heat shock proteins and trehalose. *FEMS Microbiol Lett*, 169(1), 191-197.
- Takagi, H., Takaoka, M., Kawaguchi, A., & Kubo, Y. (2005). Effect of L-proline on sake brewing and ethanol stress in *Saccharomyces cerevisiae*. *Appl Environ Microbiol*, 71(12), 8656-8662.
- Teixeira, M. C., Raposo, L. R., Mira, N. P., Lourenco, A. B., & Sa-Correia, I. (2009). Genome-wide identification of *Saccharomyces cerevisiae* genes required for maximal tolerance to ethanol. *Appl Environ Microbiol*, 75(18), 5761-5772.
- Utsugi, T., Minemura, M., Hirata, A., Abe, M., Watanabe, D., & Ohya, Y. (2002). Movement of yeast 1,3-beta-glucan synthase is essential for uniform cell wall synthesis. *Genes to Cells*, 7(1), 1-9.
- Verna, J., Lodder, A., Lee, K., Vagts, A., & Ballester, R. (1997). A family of genes required for maintenance of cell wall integrity and for the stress response in *Saccharomyces cerevisiae*. *Proc Natl Acad Sci U S A*, 94(25), 13804-13809.
- Vianna, C. R., Silva, C. L., Neves, M. J., & Rosa, C. A. (2008). *Saccharomyces cerevisiae* strains from traditional fermentations of Brazilian cachaca: trehalose metabolism, heat and ethanol resistance. *Antonie Van Leeuwenhoek*, 93(1-2), 205-217.
- Westfall, P. J., Ballon, D. R., & Thorner, J. (2004). When the stress of your environment makes you go HOG wild. *Science*, 306(5701), 1511-1512.
- Widmann, C., Gibson, S., Jarpe, M. B., & Johnson, G. L. (1999). Mitogen-activated protein kinase: conservation of a three-kinase module from yeast to human. *Physiol Rev*, 79(1), 143-180.
- You, K. M., Rosenfield, C. L., & Knipple, D. C. (2003). Ethanol tolerance in the yeast *Saccharomyces cerevisiae* is dependent on cellular oleic acid content. *Applied and Environmental Microbiology*, 69(3), 1499-1503.

- Zhao, X. Q., & Bai, F. W. (2009). Mechanisms of yeast stress tolerance and its manipulation for efficient fuel ethanol production. *J Biotechnol*, 144(1), 23-30.