

เอกสารอ้างอิง

- จิตติมา แก้วเรือง. (2551). การแยกและคัดเลือกรวมจุลินทรีย์ที่สามารถย่อยสลายน้ำมันหล่อลื่น เครื่องยนต์ที่ใช้แล้วและการประยุกต์ใช้ที่ดิน. วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต สาขาวิชาเทคโนโลยีชีวภาพอุตสาหกรรม บัณฑิตวิทยาลัย มหาวิทยาลัยสงขลานครินทร์.
- ชนิด โสรรัตน์. (2555). การเข้าสู่ประชาคมเศรษฐกิจอาเซียน (AEC) ของอุตสาหกรรมผลิตภัณฑ์ยาง. ค้นเมื่อ 25 ธันวาคม 2557, จาก <http://www.tanitsorat.com/v2/showcontent.php?id=625>
- นันทนิตย์ ยี่วาศนา, กนกพร บุญทรง, นันทวรรณ สงวนนาม. (2555). พอลิไฮดรอกซีอัลคาโนเอต (Polyhydroxyalkanoate หรือ PHA). ค้นเมื่อ 20 เมษายน 2555, จาก <http://www.biodegradablermutk.ac.th/PHA.html>
- ศิริวรรณ ระเด่นอามัด. (2552). สภาพที่เหมาะสมต่อการผลิตพอลิไฮดรอกซีบิวทีเรต-โค-ไฮดรอกซีวาเลอเรตจากน้ำเสียโรงงานอาหารทะเลโดยใช้แบคทีเรียที่แยกได้จากระบบเอสบิโออาร์. วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต สาขาเทคโนโลยีชีวภาพ บัณฑิตวิทยาลัย มหาวิทยาลัยสงขลานครินทร์.
- สุพจน์ ประทีปรัตน์ทอง. (2556). ชนิดของวัสดุกันกระแทก. สถาบันวิจัยวิทยาศาสตร์และเทคโนโลยีแห่งประเทศไทย (วท.). ค้นเมื่อ 6 กรกฎาคม 2556, จาก http://www.tistr.or.th/t/publication/page_area_show_bc.asp?i1=85&i2=9&noshow=1
- สำนักหอสมุดและศูนย์สารสนเทศวิทยาศาสตร์และเทคโนโลยี. (2553). พลาสติกย่อยสลายได้ทางชีวภาพ (Biodegradable Plastics). ค้นเมื่อ 6 กรกฎาคม 2556, จาก <http://siweb.dss.go.th/repack/fulltext/IR12.pdf>
- สุภาสินี ลิ้มปานานภาพ. (2555). ความรู้เบื้องต้นเกี่ยวกับพอลิเมอร์. ค้นเมื่อ 22 เมษายน 2555, จาก <http://www.physics.kku.ac.th/315205/sites/default/files/chapter09.pdf>
- อรรถวิท เตชะวิบูลย์วงศ์. (2009). นวัตกรรมพลาสติกชีวภาพอีกก้าวของเทคโนโลยี เพื่อสิ่งแวดล้อม [ฉบับอิเล็กทรอนิกส์]. วารสาร For Quality, 15(138), 67-71.

- Abou-Zeid, D.M. (2001). **Anaerobic Biodegradation of Natural and Synthetic Polyesters**. Ph.D. Dissertations in Science, Technical University Carolo-Wilhelmina at Brunswick, Germany.
- Acevedo, M.E., Quijada, R., Vallette, M.C. (2008), Study of the effect of branching in degradation of polyethylenes obtained via metallocene catalyst. **Journal of the Chilean Chemical Society**, **53**, 1490-1493.
- Avella, M., Martuscelli, E. and Raimo, M. (2000). Review Properties of blends and composites based on poly(3-hydroxy)butyrate (PHB) and poly(3-hydroxybutyrate-hydroxyvalerate) (PHBV) copolymers. **Journal of Materials Science**, **35**, 523-545.
- Avérous, L. and Pollet, E. (2012). **Environmental silicate nano-biocomposites**. London: Springer-Verlag.
- Bernardet, J. F., Segers, P., Vancanneyt, M., Berthe, M., Kersters, K. and Vandamme, P. (1996). Cutting a Gordian knot: emended classification and description of the genus *Flavobacterium*, emended description of the family Flavobacteriaceae, and proposal of *Flavobacterium hydatis* nom. nov. (basonym, *Cytophaga aquatilis* Strohl and Tait 1978). **International Journal of Systematic Bacteriology**, **46**, 128-148.
- Bhatt, R., Shah, D., Patel, K.C., and Trivedi, U. (2007). PHA-rubber blends: Synthesis, Characterization and biodegradation. **Bioresource Technology**, **99**(11), 4615-4620.
- Brandl, H., Gross, R.A., Lenz, R.W., and Fuller, R.C. (1990). Plastics from bacteria and for bacteria: poly (b-hydroxyalkanoates) as natural, biocompatible, and biodegradable polymers. **Advances in Biochemical Engineering/Biotechnology**, **41**, 77-93.
- Brandl, H., Bachofen, R., Mayer, J. and Wintermantel, E. (1995). Degradation and Applications of Polyhydroxyalkanoates. **Canadian Journal of Microbiology**, **41**, 143-153.
- Bombach, P., Richnow, H.H., and Kästner, M. (2010). Fischer Current approaches for the assessment of *In situ* biodegradation. **Applied Microbiology and Biotechnology**, **86**, 839-52.
- Boyandin, A.N., Prudnikova, S.V., Filipenko, M.L., Khrapov, E.A., Vasil'ev, A.D. and Volova, T.G. (2012). Biodegradation of polyhydroxyalkanoates by soil microbial communities of different structures and detection of PHA degrading microorganisms. **Applied Biochemistry and Microbiology**, **48**(1), 28-36.

- Byrom, D. (1987). Polymer synthesis by microorganisms: technology and economics. **Trends Biotechnol**, **5**, 246-250.
- Chanprateep, S. (2010). Current trends in biodegradable polyhydroxyalkanoates. **Journal of Bioscience and Bioengineering**, **110**(6), 621-632.
- Chen, G.Q. and Wu, Q. (2005). The application of polyhydroxyalkanoates as tissue engineering materials. **Biomaterials**, **26**(33), 6565-6578.
- Chen, G.Q. (2010). Plastics from Bacteria: Natural Functions and Applications. **Microbiology Monographs**, **14**, 17-37.
- Cornell, D.D. (2007). Biopolymers in the existing postconsumer plastics recycling stream. **Journal of Polymers and the Environment**, **15**, 295-9.
- Declercq, A.M., Haesebrouck, F., Broeck, W.V., Bossier, P. and Decostere, A. (2013). Columnaris disease in fish: a review with emphasis on bacterium-host interactions. **Veterinary Research**, **44**, 1-27.
- Deng, X., Hao, J., Yuan, M., Xiong, C., and Zhao, S. (2001) Miscibility, thermal behaviour, morphology and mechanical properties of binary blends of poly[(R)-3-hydroxybutyrate] with poly(Y-benzyl-L-glutamate). **Polymer International**, **50**, 37-44.
- Imam, S.H., Gordon, S.H., Schogren, R.L., Tosteson, T.R., Govind, N.S., and Greene, R.V. (1999). Degradation of starch-poly(beta-hydroxybutyrate-co-beta-hydroxyvalerate) bioplastic in tropical coastal waters. **Applied and Environmental Microbiology**, **65**(2), 431-437.
- Ha, C.S. and Cho, W.J. (2002). Miscibility, properties and biodegradability of microbial polyester containing blends. **Progress in Polymer Science**, **27**, 759-809.
- Holmes, P.A. (1988). **Developments in crystalline polymers**. New York: Elsevier Press.
- Gonçalves, S.P.C. and Martins-Franchetti, S.M. (2013). Respirometric evaluation of the biodegradability of films of PE/PHBV blends. **International Journal of Material Science**, **3**(2), 54-60.
- Jendrossek, D. and Handrick, R. (2002). Microbial degradation of Polyhydroxyalkanoates. **Annual Review of Microbiology**, **56**, 403-432.

- Kaewkannetra, P. and Promkotra, S. (2011). Microstructural evolution of synthesized Polyhydroxyalkanoates (PHAs) corresponding to their blends. **Defect and Diffusion Forum**, 312-315, 688-693.
- _____, and Promkotra, S. (2013). Quality improvement and characteristics of Polyhydroxyalkanoates (PHAs) and Natural Latex Rubber blends. **Defect and Diffusion Forum**, 334-335, 49-54.
- Kessler, B. and Witholt, R. (1999). Encyclopedia of bioprocess technology: fermentation, biocatalysis and bioseparation. In: Polyhydroxyalkanoates. **Wiley journal**, 5, 2024-2041.
- Kessler, B. and Witholt, B. (2001). Factors involved in the regulatory network of polyhydroxyalkanoate metabolism. **Journal of Biotechnology**, 86, 97-104.
- Khanna, S. and Srivastava, A.K. (2005). Recent advances in microbial polyhydroxyalkanoates. **Process Biochemistry**, 40, 607-619.
- Kim, D.Y., Kim, W.H., Chung, G.M. and Rhee, H.Y. (2007). Biosynthesis, modification and biodegradation of bacterial medium-chain length polyhydroxyalkanoates. **The Journal of Microbiology**, 45(2), 87-97.
- Kim, D.Y. and Rhee, Y.H. (2003). Biodegradation of microbial and synthetic polyesters by Fungi. **Applied Microbiology and Biochemistry**, 61, 300-8.
- Lee, S.Y., and Choi, J. (1999). Production and degradation of polyhydroxyalkanoates in waste environment. **Waste Management**, 19, 133-139.
- Leja, K. and Lewandowicz, G. (2010). Polymer biodegradation and biodegradable polymers. **Polish Journal of Environmental Studies**, 19(2), 255-266.
- Lewandowicz, G. and Leja, K. (2010). Polymer biodegradation and biodegradable polymers. **Polish Journal of Environmental Studies**, 19(2), 255-266.
- Liu, W.T., Mino, T., Matsuo, T. and Nakamura, K. (1996). Glycogen Accumulating Population and Its Anaerobic Substrate Uptake in Anaerobic-Activated Sludge without Biological Phosphorus Remove. **Water Research**, 26, 933-942
- Manna, A. and Paul, A.K. (2000). Degradation of microbial polyester poly(3-hydroxybutyrate) in environmental samples and in culture. **Biodegradation**, 11, 323-329.

- Mergaert, J., Glorieux, G., Hauben, L., Storms, V., Mau, M. and Swings, J. (1996). Biodegradation of Poly(3-hydroxyalkanoates) in Anaerobic Sludge and Characterization of a Poly(3-hydroxyalkanoates) Degrading Anaerobic Bacterium. **Systematic and Applied Microbiology**, **19**, 407-413.
- Modi, S., Koelling, K. and Vodovotz, Y. (2011). Assessment of PHB with varying hydroxyvalerate content for potential packaging applications. **European Polymer Journal**, **47**, 179-186.
- Nakason, C., Kaesaman, A. and Supasanthitkul, P. (2004). The grafting of maleic anhydride onto natural rubber. **Polymer Testing**, **23**, 35-41.
- Reis, K.C., Perelira, J., Smith, A.C., Carvalho, C.W.P., Wellher, N. and Takimets, I. (2008). Characterization of polyhydroxybutyrate-hydroxyvalerate (PHB-HV)/maiz starch blend films. **Journal of Food Engineering**, **89**, 361-369.
- Rehm, B.H.A. (2003). Polyester synthases: natural catalysis for plastics. **Biochemical Journal**, **376**, 15-33.
- Rose, K., Tenberge, K.B. and Steinbuche, A. (2005). Identification and characterization of genes from *Streptomyces* sp. strain K30 responsible for clear zone formation on natural rubber latex and poly (cis-1,4-isoprene) rubber degradation. **Biomacromolecules**, **6**, 180-188.
- Smith, R. (2005). **Biodegradable polymers for industrial applications**. Abington Hall: Woodhead.
- Sridewi, N., Bhubalan, K. and Sudesh, K. (2006). Degradation of commercially important polyhydroxyalkanoates in tropical mangrove ecosystem. **Polymer Degradation and Stability**, **91**, 2931-2940.
- Steinbuechel, A. and Valentin, H. (1995). Diversity of bacterial polyhydroxyalkanoic acids. **FEMS Microbiology Letters**, **128**, 219-228.
- Steinbüchel, A. and Doi, Y. (2001). **Biopolymer**. Weinheim: Wiley-VCH.
- Swift, G. (1993). Directions for environmentally biodegradable polymer research. **Accounts of Chemical Research**, **26**, 105-110.

- Tanrattanakul, V. and Chumaka, W. (2009). Effect of Potassium Persulfate on Graft Copolymerization and Mechanical Properties of Cassava Starch/Natural Rubber Foams. **Journal of Applied Polymer Science**, **116**, 93-105.
- Tao, J., et al. (2009). Thermal properties and degradability of poly(propylene carbonate)/poly(b-hydroxybutyrate-co-b-hydroxyvalerate) (PPC/PHBV) blends. **Polymer Degradation and Stability**, **94**, 575-583.
- Teramoto, N., Urata, K., Ozawa, K. and Shibata, M. (2004). Biodegradation of aliphatic polyester composites reinforced by abaca fiber. **Polymer Degradation and Stability**, **86**, 401-409.
- Tokiwa, Y. and Calabia, B.P. (2007). Biodegradability and biodegradation of polyesters. **Journal of Polymers and the Environment**, **15**, 259-67.
- Unger, M., Morita, S., Sato, H., Ozaki, Y. and Siesler, H.W. (2009). Variable-temperature fourier transform infrared spectroscopic investigations of poly(3-hydroxyalkanoates) and perturbation-correlation moving-window two-dimensional correlation analysis. Part II: Study of poly(epsilon-caprolactone) homopolymer and a poly(3-hydroxybutyrate)-poly(epsilon-caprolactone) blend. **Appl Spectrosc**, **63**(9), 1034-1040.
- Verhoogt, H., Ramsay, B., Favis, B. and Ramsay, J. (1996). The influence of thermal history on the properties of poly(3-hydroxybutyrate-co-12%-3-hydroxyvalerate). **Journal of Applied Polymer Science**, **61**, 87-96.
- Volova, T.G., et al. (2010). Biodegradation of polyhydroxyalkanoates (PHAs) in tropical coastal waters and identification of PHA-degrading bacteria. **Polymer Degradation and Stability**, **95**, 2350-2352.
- Weng, Y.X., Wang, Y., Wang, X.L. and Wang, Y.Z. (2010). Biodegradation behavior of PHBV films in a pilot-scale composting condition. **Polymer Testing**, **29**, 579-587.
- Yoshie, N., Saito, M. and Inoue, Y. (2001). Structural transition of lamella crystals in a isomorphous copolymer, poly(3-hydroxybutyrate-co-3-hydroxyvalerate). **Macromolecules**, **34**, 8953-8960.
- Zhang, Q., Zhang, Y., Wang, F. and Liu, L. (1998). Thermal properties of PHB/PEG Blends. **Journal of Materials Science & Technology**, **14**, 95-96.

Zhang, S., Kolvek, S., Goodwin, S. and Lenz, R.W. (2004). Poly(hydroxyalkanoic acid) Biosynthesis in *Ectothiorhodospira shaposhnikovii*: Characterization and Reactivity of a Type III PHA Synthase. **Biomacromolecules**, 5, 40-48.