

CONTENTS

	PAGE
ABSTRACT	ii
ACKNOWLEDGEMENTS	v
CONTENTS	vii
LIST OF TABLES	xv
LIST OF FIGURES	xviii
CHAPTER	
1. INTRODUCTION	1
1.1 Research Background	1
1.2 Objectives	4
1.3 Hypothesis	4
1.4 Scope of study	4
1.5 Benefits	5
2. LITERATURE REVIEWS	6
2.1 Background of rice	6
2.2 Structure of rice	7
2.3 Nutritional value	8
2.3.1 Major rice components	9
2.3.1.1 Starch	9
2.3.1.2 Structure of amylose and amylopectin	10
2.3.1.3 Protein	12
2.3.1.4 Lipids	12
2.4 Rice grain quality	13
2.4.1 Rice kernel form	14

	PAGE
2.4.1.1 Rough (paddy)	14
2.4.1.2 Brown (unmilled)	14
2.4.1.3 White (milled) rice	14
2.4.2 Grain shape	15
2.4.2.1 Long grain	15
2.4.2.2 Medium grain	15
2.4.2.3 Short grain	15
2.5 Rice quality	16
2.5.1 Physical property	16
2.5.1.1 Grain size and shape classification of milled rice	16
2.5.1.2 Grain appearance	16
2.5.1.3 Moisture content	17
2.5.1.4 Colour of grains	17
2.5.1.5 Determination to detect brown rice and milled rice	18
2.5.2 Chemical property	25
2.5.2.1 Amylose content	25
2.5.2.2 Starch properties of rice	28
2.5.2.3 Physicochemical characteristics of rice	29
2.6 Factor effecting cooking quality	31
2.6.1 Variety	31
2.6.1.1 Physical characteristics of rice	31
2.7 Drying methods	31
2.7.1 Sun drying method	32
2.7.1.1 Factor affecting of sun drying	34

	PAGE
2.7.2 Artificial drying	34
2.7.2.1 Batch dryers	34
2.7.2.2 Recirculating dryers	35
2.7.2.3 Continuous flow dryers	35
2.7.2.4 Portable dryer	36
2.7.3 Hot air oven dryer or oven drying	36
2.7.4 Quality change after drying	37
2.7.4.1 Physical properties of paddy	37
2.7.4.2 Physical properties of brown rice	38
2.7.4.3 Physical properties of milled rice	39
2.7.4.4 Cooking quality	40
2.8 Storage conditions and time on rice quality	42
2.8.1 Grain conditions	42
2.8.2 Storage time	42
2.8.3 High moisture content of storage	42
2.8.4 Quality changes of rice during storage	43
2.8.4.1 Physical properties of paddy	43
2.8.4.2 Physical properties of brown rice	43
2.8.4.3 Physical properties of milled rice quality	45
2.8.4.4 Chemical properties	45
2.8.5 Cooking quality	49
2.8.6 Factors affecting quality during storage	51
2.8.6.1 Cultivars	52
2.8.6.2 Grain history	52

	PAGE
2.8.6.3 Maturity	53
2.8.6.4 Grain processing	53
2.8.6.5 Drying method	53
2.9 High temperature treatment of aging rice	58
3. MATERIALS AND METHODS	59
3.1 Experiment I: Effect fo drying methods on rice quality	59
3.2 Experiment II: Effect of storage times on rice quality of ‘Suphan Buri 1’	61
3.3 Experiment III: Quality of ‘KDML 105’ and ‘Suphan Buri 1’ as affected by high temperature treatment	62
3.4 Analytical methods	63
3.4.1 Moisture content	63
3.4.2 Colour of paddy, brown and milled rice (L^* , a^* , b^* , h° values)	63
3.4.3 Determination to detect grains	63
3.4.4 Length, width and thickness of milled rice (Juliano, 1993)	65
3.4.5 Amylose content (%)	65
3.4.6 Elongation ratio (Juliano and Perez, 1984)	66
3.4.7 Water absorption (Daniels, 1998)	67
3.4.8 Texture of cooked rice	67
4. RESULTS	68
4.1 Experiment I: Effect of drying methods on rice quality	68
4.1.1 Moisture content of paddy (%)	68
4.1.2 Colour of paddy (value)	68
4.1.3 Colour of brown rice (value)	69
4.1.4 Determination to detect grains of brown rice	71

	PAGE
4.1.5 Colour of milled rice (value)	72
4.1.6 Determination to detect milled rice grains	74
4.1.7 Amylose content (%)	75
4.1.8 Elongation ratio (mm)	76
4.1.9 Water absorption (%)	76
4.1.10 Texture of cooked rice hardness of stickiness (N)	77
4.2 Effect of storage times on rice quality of ‘Suphan Buri 1’	78
4.2.1 Moisture content of paddy (%)	78
4.2.2 Colour of paddy (value)	78
4.2.3 Colour of brown rice (value)	79
4.2.4 Determination to detect of brown rice grains from stored paddy	80
4.2.5 Colour of milled rice from stored paddy (value)	81
4.2.6 Determination to detect milled rice grains from stored paddy	82
4.2.7 Colour of stored milled rice (value)	83
4.2.8 Determination to detect from stored milled rice	84
4.2.9 Amylose content (%)	85
4.2.10 Elongation ratio (mm)	86
4.2.11 Water absorption (%)	87
4.2.12 Texture of cooked rice hardness and stickiness (N)	88
4.3 Experiment III: Quality of ‘KDML 105’ and ‘Suphan Buri 1’ as affected by high temperature treatment	90
4.3.1 Quality of ‘KDML 105’	90
4.3.1.1 Moisture content of paddy (%)	90
4.3.1.2 Colour of paddy (value)	90

	PAGE
4.3.1.3 Color of Brown rice (value)	90
4.3.1.4 Determination to detect brown rice grains	91
4.3.1.5 Colour of milled rice (value)	92
4.3.1.6 Determination to detect milled rice grains	92
4.3.1.7 Kernel dimension of paddy and brown rice (length,width, and thickness)	93
4.3.1.8 Amylose content (%)	97
4.3.1.9 Elongation ratio (mm)	97
4.3.1.10 Water absorption (%)	97
4.3.1.11 Texture of cooked rice hardness and stickiness (N)	97
4.3.2 Quality of ‘Suphan Buri 1’	98
4.3.1.1 Moisture content of paddy (%)	98
4.3.2.2 Colour of paddy (values)	98
4.3.2.3 Colour of brown rice (values)	99
4.3.2.4 Determination to detect brown rice grains	99
4.3.2.5 Colour of milled rice (values)	101
4.3.2.6 Determination to detect milled rice grains	101
4.3.2.7 Kernel dimension (length, width and thickness) of paddy and brown rice	102
4.3.2.8 Amylose content (%)	106
4.3.2.9 Elongation ratio (mm)	106
4.3.2.10 Water absorption (%)	106
4.3.2.11 Texture of cooked rice hardness and stickiness (N)	106

	PAGE
5. DISCUSSION	108
5.1 Experiment I: Effect of drying methods on rice quality	108
5.1.1 Moisture content of paddy (%)	108
5.1.2 Colour of paddy, brown rice and milled rice	108
5.1.3 Determination to detect grains of brown rice	109
5.1.4 Determination to detect milled rice grains	111
5.1.5 Amylose content (%)	112
5.1.6 Elongation ratio (mm)	112
5.1.7 Water absorption (%)	113
5.1.8 Texture of cooked rice hardness and stickiness (N)	113
5.2 Effect of storage times on rice quality of ‘Suphan Buri 1’	114
5.2.1. Moisture content of paddy (%))	114
5.2.2. Colour of paddy and brown rice	114
5.2.3. Colour of milled rice from stored paddy and from stored milled rice	115
5.2.4 Determination to detect brown and milled rice grains (head rice of whole grains and imperfect grains) from stored paddy	115
5.2.5 Amylose content (%) of milled rice from stored paddy and stored milled rice	118
5.2.6 Elongation ratio (mm) of milled rice from stored paddy and stored milled rice during storage	118
5.2.7 Water absorption (%) of milled rice from stored paddy and stored milled rice	119
5.2.8 Texture of cooked rice hardness and stickiness (N) of milled rice from stored paddy and stored milled rice	120

	PAGE
5.3 Experiment III: Quality of ‘KDML 105’ and ‘Suphan Buri 1’ as affected by high temperature treatment	121
5.3.1 Moisture content of paddy (%)	121
5.3.2 Colour of paddy (Value)	121
5.3.3 Paddy, brown and milled rice dimension (mm)	121
5.3.4 Colour of brown rice (values)	122
5.3.5 Determination to detect brown rice grains	123
5.3.6 Colour of milled rice	125
5.3.7 Determination to detect milled rice grains	126
5.3.8 Amylose content (%)	127
5.3.9 Elongation ratio (mm)	128
5.3.10 Water absorption (%)	128
5.3.11 Texture of cooked rice hardness and stickiness (N)	129
6. CONCLUSIONS	130
6.1 Experiment I.: Effect of drying methods on rice quality	130
6.2 Experiment II.: Effects of storage times on rice quality of ‘Suphan Buri 1’	131
6.3 Experiment III: Quality of ‘KDML 105’ and ‘Suphan Buri 1’ as affected by high temperature treatment	132
REFERENCES	133
CURRICULUM VITAE	147

LIST OF TABLES

TABLE	PAGE
2.1 Proximate composition of rough rice and its milling fraction at 14 % MC	9
2.2. Standard classification of size and shape of milled rice.	16
2.3. Standard classification of grain appearance of milled rice.	17
2.4 Moisture content for storage of paddy and potential problems when the moisture content exceeds these limits.	32
4.1.1 Effects of drying methods on MC% (w.b.) and colour (L* a*, b* and h° values) of ‘Suphan Buri 1’ paddy.	69
4.1.2 Effects of drying methods on colour (L*, a*, b* and h° values) of ‘Suphan Buri 1’ brown rice.	70
4.1.3 Effect of drying methods on head yield of whole grains and imperfect grains of ‘Suphan Buri 1’ brown rice.	72
4.1.4 Effects of drying methods on L*, a*, b* and h° values of ‘Suphan Buri 1’ milled rice.	73
4.1.5 Table 4.1.5 Effect of drying methods on head yield of whole grains and imperfect grains of ‘Suphan Buri 1’ milled rice.	75
4.1.6 Effect of drying methods on cooking characteristics (amylose content elongation and water absorption) of ‘Suphan Buri 1’ milled rice.	76
4.1.7 Effects of drying methods on texture of the cooked rice hardness and stickiness of ‘Suphan Buri 1’ milled rice.	77

LIST OF TABLES (Cont.)

TABLE	PAGE
4.2.1 Effect of storage times on MC% (w.b.) and colour of (L*, a*, b* and ho values) of ‘Suphan Buri 1’ during storage.	79
4.2.2 Effect of storage times on L*, a*, b* and ho values of ‘Suphan Buri1’ brown rice during storage.	80
4.2.3 Effect of storage times on head yield of whole grains and imperfect grains of ‘Suphan Buri 1’ brown rice during storage.	81
4.2.4 Effect of storage times on L*, a*, b* and ho values of ‘Suphan Buri 1’ milled rice from stored paddy during storage.	82
4.2.5 Effect of storage time on the head yield of whole grains and imperfect grains of ‘Suphan Buri 1’ milled rice from stored paddy during storage.	83
4.2.6 Effect of storage times on L*, a*, b*, and h° values of ‘Suphan Buri 1’ milled rice storage.	84
4.2.7 Effect of storage times on the head rice yield of whole grains and imperfect grains of ‘Suphan Buri 1’ stored milled rice during storage.	85
4.2.8 Effect of storage times on the amylose content of ‘Suphan Buri 1’ milled rice from stored paddy and stored milled rice during storage.	86
4.2.9 Effect of storage times on the elongation of milled rice from stored paddy and milled rice during storage.	87

LIST OF TABLES (Cont.)

TABLE	PAGE
4.2.10 Effect of storage times on the water absorption of ‘Suphan Buri 1’ cooked of milled rice from stored paddy and stored milled rice during storage.	88
4.2.11 Texture of cooked rice (hardness and stickiness) of ‘Suphan Buri 1’ cooked of milled rice from stored paddy and milled rice during storage.	89
4.3.1 Physical characteristics of ‘KDML 105’ paddy incubated at 45°C for 1 month.	94
4.3.2 Physical characteristics of ‘KDML 105’ brown rice incubated at 45°C for 1 month.	95
4.3.3 Physical characteristics of ‘KDML 105’ milled rice incubated at 45 °C for 1 month.	96
4.3.4 Chemical and physicochemical characteristics of ‘KDML 105’ milled rice incubated at 45°C for 1 month.	98
4.3.5 Physical characteristics of ‘Suphan Buri 1’ paddy incubated at 45°C for 1 month.	103
4.3.6 Physical characteristics of ‘Suphan Buri 1’ brown rice incubated at 45°C for 1 month.	104
4.3.7 Physical characteristics of ‘Suphan Buri 1’ milled rice incubated at 45°C for 1 month.	105
4.3.8 Chemical and physicochemical characteristics of ‘Suphan Buri 1’ milled rice stored at 45°C for 1 month.	106

LIST OF FIGURES

FIGURE		PAGE
2.1	Structure of grain	7
2.2	Structure of linear fraction amylose of rice starch.	11
2.3	Structure of branched fraction amylopectin of rice starch.	11
2.4	Chalkiness of grains (Source: IRRI, 2005).	22
3.1	Standard curve of amylose content from rice cultivar Formula: $\% \text{ amylose } x = (y/2.5) - (0.001)/0.01$	66