

REFERENCES

- Abang M.M., Abraham W.-R., Asiedu R., Hoffmann P., Wolf G. and Winter S., 2009, "Secondary metabolite profile and phytotoxic activity of genetically distinct forms of *Colletotrichum gloeosporioides* from yam (*Dioscorea* spp.)", **Mycological Research**, Vol. 113, pp. 130-140.
- Arnold A. E., 2007, "Understanding the diversity of foliar endophytic fungi: Progress, challenges and frontiers", **Fungal Biology Reviews**, Vol. 21, pp. 51–66.
- Audhya T.K., and Russell D.W., 1975, "Enniatin Production by *Fusarium sambucinum* : Primary, Secondary, and Unitary Metabolism", **Journal of General Microbiology**. Vol. 86, pp. 327-331.
- Behmer C.J., and Demain A.L., 1983, "Further studies on carbon catabolite regulation of β -lactam antibiotic synthesis in *Cephalosporium acremonium*", **Current Microbiology**, Vol. 8, pp.107-114.
- Bertasso M., Hulzenkampfer M., Zeexk A., Doll Antonia F., and Fiedler H., 2001, "Bahremycin A and B, novel antibiotics from *Streptomyces* sp. TU. 4128", **Journal of Antibiotics**, Vol. 54, pp. 730–736.
- Betina, V., 1994, Physiological Regulation of Secondary Metabolism, In: Betina V., editor, "Bioactive secondary metabolite of microorganisms: process in industrial microbiology", Amsterdam & New York, **Elsevier Science**, Vol. 30, pp. 66-80.
- Boonmakard, C., Supatrakul, A., Vichitsoonthonkul, T., 2007, "Bioactive Compound Produced by Endophytic Fungi of *Stemona* spp.", **Journal of Agricultural Science**, Vol. 38, pp. 339-343.
- Box, G. E. P., Hunter, W. G., and Hunter, J. S., 1978, "Statistics for Experimenters: An Introduction to Design, Data Analysis, and Model Building", **John Wiley and Sons**.

Bruns, T. D., R. Vilgalys, S. M. Barns, D. Gonzalez, D. S. Hibbett, D. J. Lane, L. Simon, S. Stickel, T. M. Szaro, W. G. Weisburg, and Sogin M. L., 1992, "Evolutionary relationships within the fungi: analyses of nuclear small subunit rRNA sequences", **Molecular Phylogenetics and Evolution**, Vol. 1, pp. 231-241.

Bruns, T. D., R. Vilgalys, S. M. Barns, D. Gonzalez, D. S. Hibbett, D. J. Lane, L. Simon, S. Stickel, T. M. Szaro, W. G. Weisburg, and Sogin M. L., 1992, "Evolutionary relationships within the fungi: analyses of nuclear small subunit rRNA sequences", **Molecular Phylogenetics and Evolution**, Vol. 1, pp. 231-241.

Bu'Lock J.D., Detroy R.W., Hostalek Z. and Munim A., Shakarchi Al., 1974, "Regulation of secondary biosynthesis in *Gibberella fujikuroi*", **Transactions of the British Mycological Society**, Vol. 62, pp. 377-389.

Carlile, M.J. and Watkinson, S.C., 1994, *The Fungi*, **Academic Press**, London.

Carroll, G.C., 1988, "Fungal endophytes in stems and leaves: From latent pathogens to mutualistic symbiont", **Ecology**, Vol. 69, pp. 2-9.

Carlsonm, M., Osmondb, B.C. and Botsteind, D., 1981, "Mutants of yeast defective in sucrose utilization", **Genetics**, Vol. 98, pp. 25-40.

Carroll, G.C., 1988, "Fungal endophytes in stems and leaves: From latent pathogens to mutualistic symbiont", **Ecology**, Vol. 69, pp. 2-9.

Ceuro, R., and Ouellet, T., 2005, "Metal ions modulate gene expression and accumulation of the mycotoxins aflatoxin and zearalenone", **Journal of Applied Microbiology**, Vol. 98, pp. 598-605.

Chang, P.K., Hua, S.S.T., 2007, "Molasses supplementation promotes conidiation but suppresses aflatoxin production by small sclerotial *Aspergillus flavus*", **Letters in Applied Microbiology**, Vol. 44, pp. 131-137.

Cho, Y. J., Hwang, H. J., Kim, S.W., Song, C.H., Yun, J.W., 2002, "Effect of carbon source and aeration rate on broth rheology and fungal morphology during red

pigment production by *Paecilomyces sinclairii* in a batch bioreactor”, **Journal of Biotechnology**, Vol. 95, pp. 13-23.

Clay, K., 1988, “Fungal endophytes of grasses: A defensive mutualism between plants and fungi”, **Ecology**, Vol. 69, pp.10-16.

Cox, G.M., Schell, W.A., Scher, R.L. and Perfect, J.R., 1994, “First report of involvement of *Nodulisporium* species in human disease”, **Journal of Clinical Microbiology**, Vol. 32, pp. 2301.

Crozier, J., Thomas, S.E., Aime, M.C., Evans, H.C. and Holmes, K.A., 2006, “Molecular characterization of fungal endophytic morphospecies isolated from stems and pods of *Theobroma cacao*”, **Plant Pathology**, Vol. 55, pp. 783–791.

Dai, J., Krohn, K., Draeger, S., Schulz, B., 2009, “New naphthalene-chroman coupling products from the endophytic fungus, *Nodulisporium* sp. from *Erica arborea*”, **European Journal of Organic Chemistry**, Vol. 2009, pp.1564–1569.

Dai, J., Krohn, K., Flörke, U., Draeger, S., Schulz, B., Kiss-Szikszai, A., Antus, S., Kurtán, T. and van Ree, T., 2006b, “Metabolites from the endophytic fungus *Nodulisporium* sp. from *Juniperus cedre*”, **European Journal of Organic Chemistry**, Vol. 2006, pp. 3498-3506.

Demain, A.L., 1992, “Microbial Secondary Metabolism: a New Theoretical Frontier for Academia, a New Opportunity for Industry”, **In: Secondary Metabolites: Their Function and Evolution**, Chadwick, D.J., and Whealan, D., editors, Chichester, UK: John Wiley and Sons, p. 9.

Demain, A.L., 2000, “Microbial natural products: a past with a future”, In S. K. Wrigley, M. A. Hayes, R. Thomas, E. J. T. Chrystal, and N. Nicholson (ed.), **Biodiversity: new leads for pharmaceutical and agrochemical industries**, The Royal Society of Chemistry, Cambridge, United Kingdom, pp. 3-16.

Drew, S.W. and Demain, A.L., 1977, "Effect of primary metabolites on secondary metabolism", **Annual Reviews in Microbiology**, Vol. 31, pp. 343-356.

Elias, B.C., Saida, S., Albuquerque, S., Pupo, M.T., 2006, "The influence of culture conditions on the biosynthesis of secondary metabolites by *Penicillium verrucosum* Dierck", **Microbiological Research**, Vol. 161, pp. 273-280.

Eriksson, O.E. and Hawksworth, D.L., 1993, "Outline of the Ascomycetes", **System in Ascomycetes**, Vol. 12, pp. 51-257.

Esmon, P.C., Esmon, B.E., Schauer, I.E., Taylor, A. and Schekman, R.J., 1987, "Structure, assembly, and secretion of octameric invertase", **Biological Chemistry**, Vol. 262, pp. 4387-4394.

Fisher, R.A., 1935, **The Design of Experiments**, 1st edition, Oliver and Boyd.

Floss, H.G., 1976, "Biosynthesis of ergot alkaloids and related compounds", **Tetrahedron**, Vol. 32, pp. 873-912.

Ganley, R.J., Brunsfeld, S.J. and Newcombe, G., 2004, "A community of unknown, endophytic fungi in western white pine", **Proceedings of National Academy Sciences of the United States of America**, Vol. 101, pp. 10107-10112.

Gao, F.K., Dai, C.C. and Liu, X.Z., 2010, "Mechanisms of fungal endophytes in plant protection against pathogens", **African Journal of Microbiology Research**, Vol. 4, pp. 1346-1351.

Gardes, M. and Bruns, T.D., 1991, "Rapid characterization of ectomycorrhizae using RFLP pattern of their PCR amplified-ITS", **Mycological Society Newsletter**, Vol. 41, p. 14.

Ghanbary, M.A.T., Asnaashari, M., and Tazick, Z., 2012, "Optimization of penicillin G production by *Penicillium chrysogenum*", **Annals of Biological Research**, Vol. 3, pp. 5434-5454.

Gogoi D. K., Deka Boruah, H. P., Saikia R., and Bora, T.C., 2008, "Optimization of process parameters for improved production of bioactive metabolite by a novel endophytic fungus *Fusarium* sp. DF2 isolated from *Taxus wallichiana* of North East India", **World Journal of Microbiology and Biotechnology**, Vol. 24, pp. 79-87.

Gogoi, D.K., Mazumder, S., Saikia, R., and Bora, T.C., 2007, "Impact of submerged culture conditions on growth and bioactive metabolite produced by endophyte *Hypocrea* spp. NSF-08 isolated from *Dillenia indica* Linn. in North-East India", **Journal of Medical Mycology**, Vol. 18, pp.1-9.

Guo, L.D., Hyde, K.D. and Liew, E.C.Y., 2000, "Identification of endophytic fungi from *Livistona chinensis* based on morphology and rDNA sequences", **New Phytologist**, Vol. 147, pp. 617-630.

Hajjaj, H., Niederberger, P., Duboc, P., 2001, "Lovastatin Biosynthesis by *Aspergillus terreus* in a Chemically Defined Medium", **Applied and Environmental Microbiology**", Vol. 67, pp. 2596-2602.

Hao, X.C., 2006, "Production of Cellulase by *Trichoderma reesei* WX-112", **Food Technology and Biotechnology**, Vol. 44, pp. 89-94.

Hibbett, D.S., Donoghue, M.J., 1995, "Progress toward a phylogenetic classification of the Polyporaceae through parsimony analysis of mitochondrial ribosomal DNA sequences", **Canadian Journal of Botany**, Vol. 73, pp. S853-S861.

Hyde, K.D. and Soyong, K., 2007, "Understanding microfungal diversity-a critique", **Cryptogamie Mycologie**, Vol. 28, pp. 281-289.

Isaac, S., 1997, "Fungi Naturally From Many Diverse Biochemical Products, Some Of Which Are Now Commercially Important; How And Why Do They Do This?", School of biological sciences, life science building, university of liverpool, crown street, liverpool, Vol. 11, pp. 182-183.

Jeffries, T.W., 2006, "Engineering yeasts for xylose metabolism". **Current Opinion in Biotechnology**, Vol. 17, pp. 320-326.

Jia, B., Jin, Z.H. and Mei, L.H., 2008, "Medium Optimization Based on Statistical Methodologies for Pristinamycins Production by *Streptomyces pristinaespiralis*", **Applied Biochemistry and Biotechnology**, Vol. 144, pp. 133–143.

Keller, N.P., Nesbit, C., Sarr, B., Phillips, T.D. and Burrow, G.B., 1997, "pH Regulation of Sterigmatocystin and Aflatoxin Biosynthesis in *Aspergillus* spp.", **Phytopathology**, Vol. 87, pp. 643-648.

Kosalec, I., Pepeljnjak, S. and Jandrić, M., 2005, "Influence of media and temperature on gliotoxin production in *Aspergillus fumigatus* strains", **Archives of Industrial Hygiene and Toxicology**, Vol. 56(3), pp. 269-273.

Kuldau, G. and Bacon, C., 2008, "Clavicipitaceous endophytes: Their ability to enhance resistance of grasses to multiple stresses", **Biological Control**, Vol.46, pp. 57–71.

Lacap, D.C., Hyde, K.D. and Liew, E.C.Y., 2003, "An evaluation of the fungal 'morphotype' concept based on ribosomal DNA sequences", **Fungal Diversity**, Vol.12, pp. 53-66.

Lara, F., Mateos, R.C., Vazquez, C. and Sanchez, S., 1982, "Induction of penicillin biosynthesis by l-glutamate in *Penicillium chrysogenum*", **Biochemical and Biophysical Research Communications**, Vol. 105, p. 172.

Li, W.C., Zhou, J., Guo, S.Y. and Guo, L.D., 2007, "Endophytic fungi associated with lichens in Baihua mountain of Beijing", China, **Fungal Diversity**, Vol. 25, pp.69-80.

Lin X., Lu C., Huang Y., Zheng Z., Su W., Shen Y., 2007, "Endophytic fungi from a pharmaceutical plant, *Camptotheca acuminata*: isolation, identification and bioactivity", **World Journal of Microbiology and Biotechnology**, Vol. 23, pp. 1037-1040.

Lodge, D.J., Fisher, P.J. and Sutton, B.C., 1996, "Endophytic fungi of *Manilkara bidentata* leaves in Puerto Rico", **Mycologia**, Vol. 88, pp. 733-738.

Macedo, J.A., Sette, L.D. and Sato, H.H., 2007, "Optimization of medium composition for transglutaminase production by a Brazilian soil *Streptomyces* sp.", **Electronic Journal of Biotechnology**, Vol. 10, pp. 618-626.

Mao, X., Shen, Y., Yang, L., Chen, S., Yang, Y.P., 2007, "Optimizing the medium compositions for accumulation of the novel FR-008/Candicidin derivatives CS101 by a mutant of *Streptomyces* sp. using statistical experimental methods", **Process Biochemistry**, Vol. 42, pp. 78-83.

Martin, J. F., and Aharonowitz Y., 1983, "Regulation of biosynthesis of β -lactam antibiotics", pp. 229-254, In: A. L. Demain, and N. A. Solomon (ed.), **Antibiotics containing the β -lactam structure**, Vol. 1. Springer-Verlag, KG, Berlin, Germany.

Martin, J.F. and Demain, A.L., 1980, "Control of antibiotic biosynthesis", **microbiology Review**, Vol. 44, pp. 230-251.

Mateos, R.C., Vazquez, C. and Sanchez, S., 1984, "Effect of glutamine on penicillin formation in *Penicillium chrysogenum*", **Biotechnology Letters**, Vol. 6, p. 109.

Mathan, S., Subramanian, V. and Nagamony, S., 2013, "Optimization and antimicrobial metabolite production from endophytic fungi *Aspergillus terreus* KC 582297", **European Journal of Experimental Biology**, Vol. 3, pp. 138-144.

Mends, M.T., Yu, E., Strobel, G.A., Riyaz-Ul-Hassan, S. and Booth, E., 2012, "An endophytic *Nodulisporium* sp. producing volatile organic compounds having bioactivity and fuel potential", **Journal of Petroleum & Environmental Biotechnology**, Vol. 3, pp. 117.

Miller, J.D., Mackenzie, S., Foto, M., Adams, G.W., and Findlay, J.A., 2002, "Needles of white spruce inoculated with rugulosin producing endophytes contain rugulosin reducing spruce budworm growth rate", **Mycological Research**, Vol. 106, pp. 471-479.

Montgomery, D.C., 2001, “Design and Analysis of Experiments (5th ed.)”, Wiley, New York, Plackett, R.L.; Burman, J.P., 1946, The design of optimum multifactorial experiments, **Biometrika**, Vol. 33, pp. 305-325.

Mullis, K.B., 1983, **Nobel Lecture: The Polymerase Chain Reaction** [Online], Available: http://www.nobelprize.org/nobel_prizes/chemistry/laureates/1993/mullis-lecture.html [17 May 2014].

Multiple Sequence Alignment [Online], Available:

<http://www.ebi.ac.uk/Tools/msa/clustalw2/> [2012, March 12].

Muralidhar, R.V., Chirumamilla, R.R., Ramachandran, V.N., Marchant, R., and Nigam, P., 2001, “Racemic resolution of RS-baclofen using lipase from *Candida cylindracea*”, **Mededelingen**, Vol. 66, pp. 227-232.

Nazir, M., Riaz, N., Ashraf, M., Abida Ejaz Muhammad Saleem S., Ahmad I., Hussain, H., Schulz, B., Draeger, S., Jabbar, A. and Krohn, K., 2012, “Bioactive Secondary Metabolites of the fungus *Noduliosporium* sp. Isolated from *Dittrichia viscosa*”, **Journal of the Chemical Society of Pakistan**, Vol. 35, pp. 463-467.

Nigam, V.K., Verma, R., Kumar, A., Kundu, S. and Ghosh, P., 2007, “Influence of medium constituents on the biosynthesis of cephalosporin-C”, **Electronic Journal of Biotechnology**, Vol.10, pp. 230-239.

Nucleotide blast [Online], Available: <http://www.ncbi.nlm.nih.gov/BLAST> [2012, March 12]

Pairoj, T., Ratnarathorn, N., Anu-aun, J., and Vichitsunthornkul, T., 2010, “Medium optimization for antimicrobial compound production by an endophytic fungus of *Stemona burkilli* for plant pathogenic control”, **International Conference on Agriculture and Agro-Industry**, November 19-20, Food, Health and Trade, Chiangrai, Thailand.

Pangey, G.A., Sabath, L.D., 2004, “Clinical relevance of bacteriostatic versus bactericidal mechanisms of action in the treatment of Gram-positive bacterial infections”, **Clinical Infectious Diseases**. Vol. 38, pp. 864–870.

Park, M.S., Ahn, J., Choi, G.J., Choi, Y.H., Jang K.S. and Kim, J.-C., 2010, “Potential of the Volatile-Producing Fungus *Nodulisporium* sp. CF016 for the Control of Postharvest Diseases of Apple”, **Journal of Plant Pathology**, Vol 26, pp. 253-259.

Peintner, U., Moser, M.M., Thomas, K.A. and Manimohan, P., 2003, “First records of ectomycorrhizal *Cortinarius* species (Agaricales, Basidiomycetes) from tropical India and their phylogenetic position based on rDNA ITS sequences”, **Mycological Research**, Vol. 107, pp. 485-494.

Plant pathogens and diseases [Online], Available: http://en.wikipedia.org/wiki/Category:Plant_pathogens_and_diseases [2013, March 5].

Polishook, J.D.; Ondeyka, J.G.; Dombrowski, A.W.; Pelez, F.; Platas, G. and Teran, A.M., 2001, “Biogeography and relatedness of *Nodulisporium* strains producing nodulisporic acid”, **Mycologia**, Vol. 93, pp. 1125-1137.

Primer Sequences [Online], Available: <http://nature.berkeley.edu/brunslab> [2012, October 10].

Raeder, U. and Broda, P., 1985, “Rapid preparation of DNA from filamentous fungi”, **Letters in Applied Microbiology**, Vol. 1, pp. 17–20.

Rare active natural products [Online], Available: <http://www.bioviotica.com> [2012, May 3].

Ratnarathorn, N., Phoemsuk, K., and Vichitsoonthonkul, T., 2009, “Active Metabolites against Plant Pathogenic Fungi from Endophytic Fungi Isolated from *Stemona* spp.”, **Agricultural Science Journal**, Vol. 40, pp. 114-117.

Redlin, S.C., and Carris, L.M. (Eds.), 1997, "Endophytic Fungi in Grasses and Woody Plants" In: **Systematics, Ecology and Evolution**, APS Press, St Paul, Minnesota, p. 223.

Rehman, S., Tariq Mir, Kour, A., Qazi, P. H., Sultan P. and Shawl, A. S., 2011, "In vitro antimicrobial studies of *Nodulisporium* specie: An endophytic fungus", **Journal of Yeast and Fungal Research**, Vol. 2, pp. 53-58.

Rodríguez-Ortiz, R., Mehta, B.J., Avalos, J. and Limo'n, M.C., 2010, "Stimulation of bikaverin production by sucrose and by salt starvation in *Fusarium fujikuroi*", **Applied Microbiology and Biotechnology**, Vol. 85, 1991-2000.

Saikkonen, K., Faeth, S.H., Helander, M., Sullivan, T.J., 1998, "Fungal endophytes: a continuum of interactions with host plants", **Annual Review of Ecology**, Vol. 29, pp. 319-343.

Sanchez, S. and Demain, A.L., 2002, "Metabolic regulation of fermentation processes", **Enzyme and Microbial Technology**, Vol. 31, pp. 895–906.

Schlingmann, G., Luckman, S., McDonald, L.A. and Koehn, F.E., 2011, "Rare 1,2'-binaphthyls Produced by *Nodulisporium* Hinnuleum Smith (ATCC 36102)", **Records of Natural Products**, Vol. 5, pp. 252-260.

Schroder, P., 1978, "Abolition of the glucose repression on the cell specialization by citrate and Ca^{2+} in submerged cultures of *Penicillium cyclopium*", **Biochem Physiol Pflanzen**, Vol. 172, pp. 161–166.

Sen, A. and Batra, A., 2012, "Evaluation Of Antimicrobial Activity Of Different Solvent Extracts Of Medicinal Plant: *Melia Azedarach* L.", **International Journal Of Current Pharmaceutical Research**, Vol. 4, pp. 67-73.

Sette, L.D., Passarini, M.R.Z., Delarmelina, C., Salati, F. and Duarte, M.C.T., 2006, "Molecular characterization and antimicrobial activity of endophytic fungi from coffee plants", **World Journal of Microbiology and Biotechnology**, Vol. 22, pp. 1185-1195.

Sieber, T.N., 2007, “Endophytic fungi in forest trees: Are they mutualists”, **Fungal Biology Reviews**, Vol. 21, pp. 75–89.

Stone, J.K., 1986, “Initiation and development of latent infections by *Rhabdocline parkeri* on Douglas-fir”, **Canadian Journal of Botany**, Vol. 65, pp. 2614–2621.

Stone, J.K., Bacon, C.W., and J.F. White Jr., 2000, “An overview of endophytic microbes: Endophytism defined”, In **Microbial Endophytes**, Eds. Bacon C.W. and J.F. White Jr., (Eds.), Marcel Dekker, Inc., New York, NY, pp. 3-29.

Stone, J.K., Polishook, J.D. and J.F. White Jr., 2004, “Endophytic Fungi”. In **Biodiversity of Fungi, Inventory and Monitoring Methods**, Eds. Mueller, G.M., Bills, G.F. and Foster, M.S., pp. 241–270.

Strobel, G.A. and Daisy, B.H., 2003, “Bioprospecting for Microbial Endophytes and Their Natural Products”, **Microbiology and Molecular Biology Reviews**, Vol. 67, pp. 491–502.

Suwannarach, N., Kumla, J., Bussaban, B., Nuangmek, W., Matsui, K., Lumyong, S., 2013, “Biofumigation with the endophytic fungus *Nodulisporium* spp. CMU-UPE34 to control postharvest decay of citrus fruit”, **Crop Protection**, Vol.45, pp. 63–70.

Swann, E.C. and Taylor, J.W., 1993, “Higher taxa of basidiomycetes: an 18S rRNA gene perspective”, **Mycologia**, Vol. 85, pp. 923-936.

Thakur, D., Bora, T.C., Bordoloi, G.N. and Mazumdar, S., 2009, “Influence of nutrition and culturing conditions for optimum growth and antimicrobial metabolite production by *Streptomyces* sp. 201”, **Journal of medical mycology**, Vol. 19, pp. 161-167.

Ul-Hassan, S.R., Strobel, G.A., Booth, E., Knighton, B., Floerchinger, C., 2012, “Modulation of Volatile Organic Compound Formation in the Mycodiesel producing endophyte-*Hypoxylon* sp. C1-4”, **Microbiology**, Vol. 158, pp.465-473.

Vieira, S.L., Oyarzabal, O.A., Freitas, D.M., Berres, J., Pena, J.E.M., Torres, C.A. and Coneglian, J.L.B., 2008, "Performance of broilers fed diets supplemented with sanguinarine-like alkaloids and organic acids", **Journal of Applied Poultry Research**, Vol.17, pp. 128-133.

Vilgalys, lab, Duke University, **Conserved primer sequences for PCR amplification and sequencing from nuclear ribosomal RNA** [Online], Available: <http://www.biology.duke.edu/fungi/mycolab/primers.htm> [2012, May 2].

Wang, Q. and Xu, L., 2012, "Beauvericin, a Bioactive Compound Produced by Fungi: A Short Review", **Molecules**, Vol. 17, pp. 2367-2377.

Wang, Y., Guo, L.D. and Hyde, K.D., 2005, "Taxonomic placement of sterile morphotypes of endophytic fungi from *Pinus tabulaeformis* (Pinaceae) in northeast China based on rDNA sequences", **Fungal Diversity**, Vol. 20, pp. 235-260.

Wang, Z.W. and Liu, X.L., 2008, "Medium optimization for antifungal active substances production from a newly isolated *Paenibacillus* sp. using response surface methodology", **Bioresource Technology**, Vol. 99, pp. 8245-8251.

Ward A.C., and Packter N.M., 1974, "Relationship between Fatty-Acid and Phenol Synthesis in *Aspergillus fumigatus*", **European Journal of Biochemistry**, Vol. 46, pp. 323-333.

Whalley, A.J.S. and Edwards, R.L., 1995, "Secondary metabolites and systematic arrangement within the *Xylariaceae*", **Canadian Journal of Botany**, Vol. 73, pp. S802-S810.

White, T.J., Bruns, T., Lee, S. and Taylor, J., 1990, "Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics", In: **PCR protocols: a guide to methods and applications** (eds. M.A. Innis, D.H. Gelfand, J.J. Sninsky and T.J. White). Academic Press, New York, USA, pp. 315-322.

Wilmotte, A., van de Peer, Y., Goris, A., Chapelle, S., de Baere, R., Nelissen, B., Neefs, J.M., Hennebert, G.L., de Wachter, R., 1993, "Evolutionary relationships

among higher fungi inferred from small ribosomal subunit RNA sequence analysis”, **Systematic and Applied Microbiology**, Vol. 16, pp. 436-444.

Wu, Z.C., Li, D.L., Chen, Y.C., Zhang, W.M., 2010, “A new isofuranonaphthalenone and benzopyrans from the endophytic fungus *Nodulisporium* sp. A4 from *Aquilaria sinensis*”, **Helvetica Chimica Acta**, Vol. 93, pp. 920–924.

Xiong, H., Qi, S., Xu, Y., Miao, L. and Qian, P.-Y., 2009, “Antibiotic and antifouling compound production by the marine-derived fungus *Cladosporium* sp. F14”, **Journal of Hydro-environment Research**, Vol. 2, pp. 264-270.

Zain, M.E., Razak, A.A., El-Sheikh, H.H., Soliman, H.G., Khalil, A.M., 2009, “Influence of growth medium on diagnostic characters of *Aspergillus* and *Penicillium* species”, **African Journal of Microbiology Research**, Vol. 3, pp. 280-286.

Zeng, X.B., Wang, H.Y., He, L.Y., Lin, Y.C. and Li, Z.T., 2006, “Medium optimization of carbon and nitrogen sources for the production of eucalyptene A and xyloketal A from *Xylaria* sp. 2508 using response surface methodology”, **Process Biochemistry**, Vol. 41, pp. 293-298.

Zhang, J. and Gao, N.-F., 2006, “Application of response surface methodology in medium optimization for pyruvic acid production of *Torulopsis glabrata* TP19 in batch fermentation”, **Journal of Zhejiang University SCIENCE B - Biomedicine & Biotechnology**, Vol. 8, pp. 98–104.

Zhang, J., Wolfe, S. and Demain, A.L., 1988, “Phosphate repressible and inhibitable β -lactam synthetases in *Cephalosporium acremonium* strain C-10”, **Applied Microbiology and Biotechnology**, Vol. 29, pp. 242-247.

Zhao, K., Sun, L.X., Ma, X., Li, X.L., Wang, X., Ping, W.X. and Zhou, D.P., 2011, “Improved taxol production in *Nodulisporium sylviforme* derived from inactivated protoplast fusion”, **African Journal of Biotechnology**, Vol. 10, pp. 4175-4182.

Zhou, X., Zhu, H., Liu, L., Lin, J., Tang, K., 2010b, “A review: recent advances and future prospects of taxol-producing endophytic fungi”, **Applied Microbiology and Biotechnology**. Vol. 86, pp. 1707–1717.

Zhou, D.P., Ping, W.X., Sun, J.Q., Zhou, X.H., Liu, X.L., Yang, D.Z., Zhang, J.P. and Zheng X.Q., 2001, “Isolation of taxol producing-fungi”, **Journal of Microbiology**, Vol. 21, pp. 18-20.