

CONTENTS

	PAGE
ENGLISH ABSTRACT	ii
THAI ABSTRACT	iv
ACKNOWLEDGEMENTS	vi
CONTENTS	vii
LIST OF TABLES	ix
LIST OF FIGURES	xii
NOMENCLATURES	xv
CHAPTER	
1 INTRODUCTION	1
1.1 Rational/Problem statement	1
1.2 Literature review	2
1.3 Research objectives	4
1.4 Scope of this study	4
2 THEORIES	5
2.1 Ethylbenzene	5
2.2 Ethylbenzene Releases to The Environment	7
2.3 Health Effect of Ethylbenzene	9
2.4 Ethylbenzene Degradation	10
2.5 Plant Species in Research	13
2.6 Soil Microorganisms Degradation	15
2.7 Epiphytic Bacteria	21
2.8 Chemical Metabolite in Plant	22
3 METHODOLOGY	26
3.1 Apparatus and Chemical Reagents	26
3.2 Appropriate Plant Screening for Ethylbenzene Removal	27
3.3 Ethylbenzene Uptake by Each Part of <i>Z. zamiifolia</i>	27
3.4 Chemical Analysis in <i>Z. zamiifolia</i> by HPLC and GC-MS	27
3.5 Microbial Screening for Enhancing Ethylbenzene Removal	28
3.6 Efficiency of Microorganisms for Enhancing Ethylbenzene Removal	28
3.7 Fumigation Experiment and GC Analysis	29
3.8 Analytical and statistic method	30
4 RESULTS AND DISCUSSION	31
4.1 Plant screening	31
4.2 Ethylbenzene Uptake by Each Part of <i>Z. zamiifolia</i>	33
4.3 Ethylbenzene Degradation by <i>Z. zamiifolia</i>	34
4.4 Microbial Screening	37
4.5 The Population of Bacteria on <i>Z. zamiffolia</i> Leaf	38
4.6 Removal of Efficiency by <i>Z. zamiffolia</i> and Associated Microorganism on The Leaf	39
4.7 Effect of Nutrient Broth and Inoculum on Ethylbenzene Removal by <i>P. aeruginosa</i>	46
4.8 Efficiency of Microorganisms for Ethylbenzene Removal	48

CONTENTS

CHAPTER	PAGE
5 CONCLUSIONS	50
5.1 Conclusions	50
5.2 Suggestions	50
REFERENCES	51
APPENDICES	60
CURRICULUM VITAE	93

LIST OF TABLES

TABLE		PAGE
2.1	Properties of ethylbenzene	5
2.2	TRI on and off-site reported release of ethylbenzene in United States, 1998, all industries	7
2.3	Total on-site releases (ton/year) of ethylbenzene in Alberta	8
2.4	Acute toxicity, Irritation, and Sensitization of ethylbenzene	9
2.5	Advantages and disadvantages of phytoremediation	12
2.6	Physical property of 1-phenylethanol	22
2.7	Physical property of 4-ethylphenol	23
2.8	Physical property of 4-ethylphenol	25
4.1	Microorganism screening from leaf of <i>Z. zamifolia</i> and contaminated soils	37
4.2	Number of microorganisms on the leaf of <i>Z. zamifolia</i> before and after treatment of ethylbenzene for 3 cycles	38
4.3	Percentage of ethylbenzene removal by <i>Z. zamifolia</i> and microorganism-associated leaf of <i>Z. zamifolia</i>	41
4.4	Percentage of ethylbenzene uptake by <i>Z. zamifolia</i> and microorganism-associated leaf of <i>Z. zamifolia</i> for 1 st cycle	42
4.5	Percentage of ethylbenzene uptake by <i>Z. zamifolia</i> and microorganism-associated leaf of <i>Z. zamifolia</i> for 2 nd cycle	43
4.6	Percentage of ethylbenzene uptake by <i>Z. zamifolia</i> and microorganism-associated leaf of <i>Z. zamifolia</i> for 3 rd cycle	44
4.7	Percentage of ethylbenzene uptake by <i>Z. zamifolia</i> and <i>P.aeruginosa</i> -associated leaf of <i>Z. zamifolia</i> after 1 st cycles	47
4.8	Percentage of ethylbenzene uptake by <i>Z. zamifolia</i> and <i>P.aeruginosa</i> -associated leaf of <i>Z. zamifolia</i> after 2 nd cycles	47
4.9	Percentage of ethylbenzene uptake by <i>Z. zamifolia</i> and <i>P.aeruginosa</i> -associated leaf of <i>Z. zamifolia</i> after 3 rd cycles	48

LIST OF TABLES (Cont.)

TABLE		PAGE
4.10	Number of <i>Pseudomonas aeruginosa</i> on the leaf of <i>Z. zamiifolia</i> before and after treatment of ethylbenzene for 3 cycles	48
4.11	Rate of ethylbenzene removal by two strains of microorganisms	49
A.1	Concentration of ethylbenzene to make calibration curve for analyze ethylbenzene removal by 3 plant species	61
A.2	Concentration of ethylbenzene to make calibration curve for analyze ethylbenzene removal by <i>Z. zamiifolia</i> and microorganisms associated-leaves	62
A.3	Concentration of ethylbenzene to make calibration curve for analyze ethylbenzene removal by <i>Z. zamiifolia</i> in part degradation	63
A.4	Concentration of ethylbenzene to make calibration curve for analyze ethylbenzene removal by bacteria	64
A.5	Concentration of 1-phenylethanol to make calibration curve	65
A.6	Concentration of acetophenone to make calibration curve	66
A.7	Concentration of 4-ethylphenol to make calibration curve	67
A.8	Concentration of ethylbenzene to make calibration curve	68
B.1	Peak area standard of ethylbenzene metabolites	69
B.2	Peak area of <i>Z. zamiifolia</i> leaf control within day 1	70
B.3	Peak areas of <i>Z. zamiifolia</i> stem control within day 1	71
B.4	Peak area of <i>Z. zamiifolia</i> root include tuber control within day 1	72
B.5	Peak area of <i>Z. zamiifolia</i> leaf control within day 4	73
B.6	Peak areas of <i>Z. zamiifolia</i> stem control within day 4	74
B.7	Peak area of <i>Z. zamiifolia</i> root include tuber control within day 4	75
B.8	Peak area of <i>Z. zamiifolia</i> leaf control within day 5	76
B.9	Peak areas of <i>Z. zamiifolia</i> stem control within day 5	77
B.10	Peak area of <i>Z. zamiifolia</i> root include tuber control within day 5	78
B.11	Peak area of <i>Z. zamiifolia</i> leaf treatment within day 1	79

LIST OF TABLES (Cont.)

TABLE		PAGE
B.12	Peak areas of <i>Z. zamiifolia</i> stem treatment within day 1	80
B.13	Peak area of <i>Z. zamiifolia</i> root include tuber treatment within day 1	81
B.14	Peak area of <i>Z. zamiifolia</i> leaf treatment within day 4	82
B.15	Peak areas of <i>Z. zamiifolia</i> stem treatment within day 4	83
B.16	Peak area of <i>Z. zamiifolia</i> root include tuber treatment within day 4	84
B.17	Peak area of <i>Z. zamiifolia</i> leaf treatment within day 5	85
B.18	Peak areas of <i>Z. zamiifolia</i> stem treatment within day 5	86
B.19	Peak area of <i>Z. zamiifolia</i> root include tuber treatment within day 5	87
C.1	Chemical analysis by GC-MS in <i>Z. zamiifolia</i> within day 1	88
C.2	Chemical analysis by GC-MS in <i>Z. zamiifolia</i> within day 4	89
C.3	Chemical analysis by GC-MS in <i>Z. zamiifolia</i> within day 5	91

LIST OF FIGURES

FIGURE	PAGE
2.1 Ethylbenzene production	5
2.2 World consumption of ethylbenzene	7
2.3 Major degradation pathways of ethylbenzene in the atmosphere	10
2.4 <i>Zamioculcas zamiifolia</i>	13
2.5 <i>Sansevieria trifasciata</i>	14
2.6 <i>Sansevieria kirkii</i>	15
2.7 Major pathways of ethylbenzene degradation in water, sediment, and soil by microorganisms.	17
2.8 Ethylbenzene degradation by <i>Pseudomonas sp.</i> NCIB 9816-4	18
2.9 Ethylbenzene degradation by <i>P.putida 39/D</i> and <i>Pseudomonas sp.</i> NCIB 10643	19
2.10 Ethylbenzene degradation by <i>Pseudomonas sp.</i> NCIB 9816-4	20
2.11 4-ethylphenol degradation pathway by <i>Aromatoleum aromaticum</i> EbN1	24
4.1A Comparison of ethylbenzene removal (%) by various plants within 24 hours (initial ethylbenzene 5 ppm)	32
4.1B Comparison of ethylbenzene uptake by various plants within 24 hours (initial ethylbenzene 5 ppm)	32
4.2 Ethylbenzene absorption in leaf and stem	33
4.3 Plant metabolites obtained from ethylbenzene degradation by each part of <i>Z. zamiifolia</i> . (A) ethylbenzene, (B) 1-phenolethanol, and (C) acetophenone	35
4.4 Degradation of ethylbenzene in leaves, stems, and roots of <i>Z. zamiifolia</i>	36
4.5 Comparison of ethylbenzene removal by natural plant and sterile plant	40
4.6 Percentage of ethylbenzene removal by only microorganism- associated leaf of <i>Z. zamiffolia</i> in 3 cycles	45
4.7 Comparison of ethylbenzene removal by two microorganisms grown in nutrient broth with the addition of ethylbenzene microorganism-associated leaf of <i>Z. zamiffolia</i>	49

LIST OF FIGURES (Cont.)

FIGURE		PAGE
A.1	Calibration curve of ethylbenzene concentration related peak area for analyze ethylbenzene removal by 3 plant species	61
A.2	Calibration curve of ethylbenzene concentration related peak area for analyze ethylbenzene removal by <i>Z. zamiifolia</i> and microorganisms associated-leaves.	62
A.3	Calibration curve of ethylbenzene concentration related peak for analyze ethylbenzene removal by <i>Z. zamiifolia</i> in part degradation.	63
A.4	Calibration curve of ethylbenzene concentration related peak for analyze ethylbenzene removal by bacteria.	64
A.5	Calibration curve of 1-phenylethanol concentration related peak	65
A.6	Calibration curve of acetophenone concentration related peak	66
A.7	Calibration curve of 4-ethylphenol concentration related peak	67
A.8	Calibration curve of ethylbenzene concentration related peak	68
B.1	Standard of ethylbenzene metabolites by HPLC analysis in 240 nm (A) and 220 nm (B)	69
B.2	Compound found in <i>Z. zamiifolia</i> leaf control within day 1 by HPLC analysis at 240 nm (A) and 220 nm (B)	70
B.3	Compound found in <i>Z. zamiifolia</i> stem control within day 1 by HPLC analysis at 240 nm (A) and 220 nm (B)	71
B.4	Compound found in <i>Z. zamiifolia</i> root include tuber control within day 1 by HPLC analysis at 240 nm (A) and 220 nm (B)	72
B.5	Compound found in <i>Z. zamiifolia</i> leaf control within day 4 by HPLC analysis at 240 nm (A) and 220 nm (B)	73
B.6	Compound found in <i>Z. zamiifolia</i> stem control within day 4 by HPLC analysis at 240 nm (A) and 220 nm (B)	74
B.7	Compound found in <i>Z. zamiifolia</i> root include tuber control within day 4 by HPLC analysis at 240 nm (A) and 220 nm (B)	75

LIST OF FIGURES (Cont.)

FIGURE		PAGE
B.8	Compound found in <i>Z. zamiifolia</i> leaf control within day 5 by HPLC analysis at 240 nm (A) and 220 nm (B)	76
B.9	Compound found in <i>Z. zamiifolia</i> stem control within day 5 by HPLC analysis at 240 nm (A) and 220 nm (B)	77
B.10	Compound found in <i>Z. zamiifolia</i> root include tuber control within day 5 by HPLC analysis at 240 nm (A) and 220 nm (B)	78
B.11	Compound found in <i>Z. zamiifolia</i> leaf treatment within day 1 by HPLC analysis at 240 nm (A) and 220 nm (B)	79
B.12	Compound found in <i>Z. zamiifolia</i> stem treatment within day 1 by HPLC analysis at 240 nm (A) and 220 nm (B)	80
B.13	Compound found in <i>Z. zamiifolia</i> root include tuber treatment within day 1 by HPLC analysis at 240 nm (A) and 220 nm (B)	81
B.14	Compound found in <i>Z. zamiifolia</i> leaf treatment within day 4 by HPLC analysis at 240 nm (A) and 220 nm (B)	82
B.15	Compound found in <i>Z. zamiifolia</i> stem treatment within day 4 by HPLC analysis at 240 nm (A) and 220 nm (B)	83
B.16	Compound found in <i>Z. zamiifolia</i> root include tuber treatment within day 4 by HPLC analysis at 240 nm (A) and 220 nm (B)	84
B.17	Compound found in <i>Z. zamiifolia</i> leaf treatment within day 5 by HPLC analysis at 240 nm (A) and 220 nm (B)	85
B.18	Compound found in <i>Z. zamiifolia</i> stem treatment within day 5 by HPLC analysis at 240 nm (A) and 220 nm (B)	86
B.19	Compound found in <i>Z. zamiifolia</i> root include tuber treatment within day 5 by HPLC analysis at 240 nm (A) and 220 nm (B)	87