

บรรณานุกรม

บรรณานุกรมภาษาไทย

- กรมควบคุมมลพิษ. (2552). การปนเปื้อนของตะกั่วในลำห้วยคลิตี้และการเผยแพร่ข้อมูลให้กับประชาชน. รายงานการประจำปี 2552. 22 กรกฎาคม 2556.
http://infofile.pcd.go.th/mgt/situation_kity52.pdf?CFID=14825134&CFTOKEN=37921269
- กรมควบคุมมลพิษ. (2553). สถานการณ์คุณภาพสิ่งแวดล้อมห้วยคลิตี้ จังหวัดกาญจนบุรี ปี 2553. 22 กรกฎาคม 2556.
http://infofile.pcd.go.th/mgt/situation_kity53.pdf?CFID=14825134&CFTOKEN=37921269
- กรมควบคุมมลพิษ. (2555). การติดตามคุณภาพสิ่งแวดล้อมห้วยคลิตี้ จังหวัดกาญจนบุรี ปี 2555. 22 กรกฎาคม 2556.
<http://wqm.pcd.go.th/water/images/stories/industry/journal/clity.pdf>
- กลุ่มวิชาการและมาตรฐาน สำนักบริหารและฟื้นฟูสิ่งแวดล้อม กรมอุตสาหกรรมพื้นฐานและการเหมืองแร่. (2547). การปนเปื้อนของแคดเมียมในสิ่งแวดล้อม อำเภอแม่สอด จังหวัดตาก. 22 กรกฎาคม 2556. <http://www.dpim.go.th/laws/article?catid=122&articleid=309>
- เกษตร. (2554). ราชวดีไม่ใช้ไม้ไทย. 7 สิงหาคม 2556.
<http://www.thairath.co.th/column/edu/paperagriculturist/146268>
- ศูนย์ข้อมูลพิษวิทยา. (2532). พิษจากโลหะตะกั่ว. 22 กรกฎาคม 2556.
http://webdb.dmsc.moph.go.th/ifc_toxic/a_txR_search.asp?info_id=41

บรรณานุกรมภาษาต่างประเทศ

- Agency for Toxic Substances and Disease Registry (ATSDR). (2005). Toxicological profile for Zinc. Atlanta: U.S. Department of Health and Human Services, Public Health Service.
URL: <http://www.atsdr.cdc.gov/toxprofiles/phs60.html>
- Andreini, C., Banci, L., Bertini, I., & Rosato, A. (2006). Counting the zinc-proteins encoded in the human genome. *Journal of Proteome Research*, 5, 196–201.
- Baker, A.J.M. (1981). Accumulators and excluders-strategies in the response of plants to heavy metals. *Journal of Plant Nutrition*, 3, 643–654.
- Baker, A.J.M. (1987). Metal tolerance. *New Phytologist*, 106, 93–111.

- Baker, A.J.M., McGrath, S.P., Reeves, R.D., & Smith, J.A.C. (2000). Metal hyperaccumulator plants: A review of the ecology and physiology of a biological resource for Phytoremediation of metal polluted soils. In: Terry, N., & Bañuelos, G.S. (Eds.). *Phytoremediation of contaminated soils and waters*. Boca Raton: CRC Press, pp. 85–107.
- Baker, A.J.M., McGrath, S.P., Sidoli, C.M.D., & Reeves, R.D. (1994). The possibility of *in situ* heavy metal decontamination of polluted soils using crops of metal-accumulating plants. *Resources, Conservation and Recycling*, *11*, 41–49.
- Barbaroux, R., Mercier G., Blais, J.F., Morel, J.L., Simonnot, M.O. (2011). A new method for obtaining nickel metal from the hyperaccumulator plant *Alyssum murale*. *Separation and Purification Technology*, *83*, 57-65.
- Barceló, J., & Poschenrieder, C. (2003). Phytoremediation: principles and perspectives. *Contribution to Science*, *2*, 333–344.
- Berglund, S., Davis, R.D., & L'Hermite, P. (1984). Utilization of sewage sludge on land: rates of application and long-term effects of metals. Dordrecht: D. Reidel Publishing, 216p.
- Blaylock, M.J., Salt, D.E., Dushenkov, S., Zakharova, O., Gussman, C., Kapulnik, Y., Ensley, B.D., & Raskin, I. (1997). Enhanced accumulation of Pb in Indian mustard by soil-applied chelating agents. *Environmental Science & Technology*, *31*, 860–865.
- Cao, A., Carucci, A., Lai, T., La Colla, P., & Tamburini, E. (2007). Effect of biodegradable chelating agents on heavy metals phytoextraction with *Mirabilis jalapa* and on its associated bacteria. *European Journal of Soil Biology*, *43*, 200–206.
- Chantachon, S., Krutrachue, M., & Pokethitiyooketa, P. (2004). Phytoextraction and accumulation of lead from contaminated soil by Vetiver grass: laboratory and simulated field study. *Water Air Soil Pollut*, *154*, 37–55.
- Chen, W.W., Yang, J.L., Qin, C., Jin, C.W., Mo, J.H., Ye, T., Zheng, S.J. (2010). Nitric oxide acts downstream of auxin to trigger root ferric-chelate reductase activity in response to iron deficiency in *Arabidopsis thaliana*. *Plant Physiology*, *154*, 810-819.
- Chintakovid, W., Visoottiviseth, P., Khokiattiwong, S., & Lauengsuchonkul, S. (2008). Potential of the hybrid marigolds for arsenic phytoremediation and income generation of remediators in Ron Phibun District, Thailand. *Chemosphere*, *70*(8), 1532-1537.

- Collins, R.N., Onisko, B.C., McLaughlin, M.J., & Merrington, G. (2001). Determination of metal-EDTA complexes in soil solution and plant xylem by ion chromatography electrospray mass spectrometry. *Environmental Science and Technology*, 35, 2589–2593.
- Dahmani-Muller, H., van Oort, F., Gélie, B., & Balabne, M. (2000). Strategies of heavy metal uptake by three plant species growing near a metal smelter. *Environmental Pollution*, 109, 231–238.
- Elkhatib, E.A., Thabet, A.G., & Mahdy, A.M. (2001). Phytoremediation of cadmium contaminated soils: role of organic complexing agents in cadmium extraction. *Land Contamination and Reclamation*, 9, 359–366.
- Epstein, A.L., Gussman, C.D., Blaylock, M.J., Yermiyahu, U., Huang, J.W., Kapulnik, Y., & Orser, C.S. (1999). EDTA and Pb-EDTA accumulation in *Brassica juncea* grown in Pb-amended soil. *Plant and Soil*, 208, 87–94.
- Evangelou, M.W.H., Bauer, U., Ebel, M., & Schaeffer, A. (2007a). The influence of EDDS and EDTA on the uptake of heavy metals of Cd and Cu from soil with tobacco *Nicotiana tabacum*. *Chemosphere*, 68, 345–353.
- Evangelou, M.W.H., Ebel, M., & Schaeffer, A. (2007b). Chelate assisted phytoextraction of heavy metals from soil. Effect, mechanism, toxicity, and fate of chelating agents. *Chemosphere*, 68, 989–1003.
- Fässler, E., Evangelou, M.W., Robinson, B.H., Schulin, R. (2010). Effects of indole-3-acetic acid (IAA) on sunflower growth and heavy metal uptake in combination with ethylene diamine disuccinic acid (EDDS). *Chemosphere*, 80 (8), 901-907.
- Fediuc, E., & Erdei, L. (2002). Physiological and molecular aspects of cadmium toxicity and protective mechanisms induced in *Phragmites australis* and *Typha latifolia*. *Journal of Plant Physiology*, 159, 265–271.
- Garbisu, C., & Alkorta, I. (1997). Bioremediation: principles and future. *Journal of Clean Technology Environmental Toxicology and Occupational Medicine*, 6, 351–366.
- Garbisu, C., & Alkorta, I. (2001). Phytoextraction: a cost-effective plant-based technology for the removal of metals from the environment. *Bioresource Technology*, 77, 229–236.
- Graziano, M., Lamattina, L. (2007). Nitric oxide accumulation is required for molecular and physiological responses to iron deficiency in tomato roots. *Plant Journal*, 52, 949-960.
- Greger, M. (1999). Metal availability and bioconcentration in plants. In: Prasad, M.N.V. and Hagemeyer, J. (Eds). *Heavy metal stress in plant from molecules to ecosystem*. Berlin: Springer-verlag, 1–27.

- Gupta, D.K., Huang, H.G., Corpas, F.J. (2013). Lead tolerance in plants: strategies for phytoremediation. *Environmental Science & Pollution Research*, 20, 2150-2161.
- Hadi, F., Bano, A., Fuller, P.M. (2010). The improved phytoextraction of lead (Pb) and growth of maize (*Zea may* L.): the role of plant growth regulators (GA₃ and IAA) and EDTA alone and in combinations. *Chemosphere*, 80, 457-462.
- Hagemeyer (1999). Ecophysiology of plant growth under heavy metal stress. In: Prasad, M.N.V., & Hagemeyer, J. (Eds). *Heavy metal stress in plant from molecules to ecosystem*. Berlin: Springer-verlag, pp. 157–181.
- Huang, J.W., Blaylock, M.J., Kapulnik, Y., & Ensley, B.D. (1998a). Phytoremediation of uranium-contaminated soils: role of organic acids in triggering uranium hyperaccumulation in plants. *Environmental Science & Technology*, 32, 2004–2008.
- Huang, J.W., Chen, J., Berti, W.B., & Cunningham, S.D. (1997). Phytoremediation of lead-contaminated soils: role of synthetic chelates in lead phytoextraction. *Environmental Science & Technology*, 31, 800–805.
- International Programme on Chemical Safety (IPCS), 2006. Cadmium–environmental aspects: Environmental health criteria 135. Available from: <http://www.inchem.org/documents/ehc/ehc/ehc135.htm> [Accessed 2008 February].
- International Water Management Institute, South East Asia Region, 2003. Briefing note : Cadmium contamination in soil and crops of Tambon Phathat Padaeng and Tambon Mae Tao, Amphur Mae Sot, Tak Province, Thailand : Implications for public health.
- Irwin, R.J., Mouwerik, M.V., Stevens, L., Seese, M.D., & Basham, W. (1997). Environmental contaminants encyclopedia. National Park Service, Water Resources Division, Fort Collins, Colorado.
- Israr, M., Sahi, S.V. (2008). Promising role of plant hormones in translocation of lead in *Sesbania drummondii* shoots. *Environmental Pollution*, 153(1), 29-36.
- Jarup, L., Berglund, M., Elinder, C.G., Nordberg, B., & Vahter, M. (1998). Health effects of cadmium exposure-A review of the literature and a risk estimate. *Scandinavian Journal of Work, Environment and Health*, 24, 1–51.
- Jiang, W.S., Liu, D.H., Hou, W.Q. (2001). Hyperaccumulation of cadmium by roots, bulbs and shoots of garlic (*Allium Sativum* L.). *Bioresource Technology*, 76, 9-13.
- Jiang, X.J., Luo, Y.M., Zhao, Q.G., Baker, A.J.M., Christie, P., & Wong, M.H. (2003). Soil Cd availability to indian mustard and environmental risk following EDTA addition to Cd-contaminated soil. *Chemosphere*, 50, 813–818.

- Johnson, F.M. (1998). The genetic effects of environmental lead. *Mutation Research*, 410, 123-140
- Johnson, H.E., & Crosby, D.G. (1973). Indole-3-acetic Acid. *Organic Syntheses Coll*, 5, 654.
- Kos, B., Grčman, H., Lestan, D., 2003. Phytoextraction of lead, zinc and cadmium from soil by selected plants. *Plant, Soil and Environment*, 49, 548–553.
- Kuriakose, S.V., & Prasad, M.N.V. (2008). Cadmium as an Environmental Contaminant: Consequences to plant and Human Health. In: Prasad, M.N.V. (Ed). *Trace elements as contaminants and nutrient: Consequences in ecosystem and human health*. Hoboken: John Wiley & Sons, pp. 373–412.
- Krantev, A., Yordanova, R., Janda, T., Szalai, G., Popova, L. (2008). Treatment with salicylic acid decreases the effect of cadmium on photosynthesis in maize plants. *Journal of Plant Physiology*, 165(9), 920-931.
- Lai, H.Y., & Chen, Z.S. (2005). The EDTA effect on phytoextraction of single and combined metals-contaminated soils using rainbow pink (*Dianthus chinensis*). *Chemosphere*, 80, 1062–1071.
- Leita, L., Denobili, M., Cesco, S., & Mondini, C. (1996). Analysis of intercellular cadmium forms in roots and leaves of bush plants. *Journal of Plant Nutrition*, 19, 527–533.
- Liu, D.H., Jiang, W.S., Gao, X.Z., (2003). Effect of cadmium on root growth, cell division and nucleoli in root tip cell of garlic. *Biologiya Plantarum*, 47, 79-83.
- Lombi, E., Zhao, F.J., Dunham, S.J., & McGrath, S.P. (2000). Cadmium accumulation in populations of *Thlaspi caerulescens* and *Thlaspi goesingense*. *New Phytologist*, 145, 11–20.
- Lopez, M.L., Peralta-Videa, J.R., Parsons, J.G., Benitez, T., Gardea-Torresdey, J.L. (2007). Gibberellic acid, kinetin, and the mixture indole-3-acetic acid-kinetin assisted with EDTA-induced lead hyperaccumulation in alfalfa plants. *Environmental Science and Technology*, 41, 8165–8170.
- Luo, C., Shen, Z., & Li, X. (2005). Enhanced phytoextraction of Cu, Pb, Zn and Cd with EDTA and EDDS. *Chemosphere*, 59, 1–11.
- Magidin, M., Pittman, J.K., Hirschi, K.D., Bartel, B. (2003). ILR2, a novel gene regulating IAA conjugate sensitivity and metal transport in *Arabidopsis thaliana*. *The Plant Journal*, 35, 523–534.
- Marschner, H. (1986). Mineral Nutrition of Higher Plants. Academic Press, San Diego, USA

- Mattina, M.J.I., Lannucci-Berger, W., Musante, C., White, J.C. (2003). Concurrent plant uptake of heavy metals and persistent organic pollutants from soil. *Environmental Pollution*, 124, 375 – 378.
- McGrath, S.P., Lombi, E., Gray, C.W., Caille, N., Dunham, S.J., Zhao, F.J. (2006). Field evaluation of Cd and Zn phytoextraction potential by the hyperaccumulators *Thlaspi caerulescens* and *Arabidopsis halleri*. *Environmental Pollution*, 141(1), 115-125.
- McLaughlin, M.J., Parker, D.R., & Clarke, J.M. (1999). Metals and micronutrients-Food safety issues. *Field Crops Research*, 60, 143–163.
- Meers, E., Ruttens, A., Hopgood, M.J., Samson, D., & Tack, F.M.G. (2005). Comparison of EDTA and EDDS as potential soil amendments for enhanced phytoextraction of heavy metals. *Chemosphere*, 58, 1011–1022.
- Mendelssohn, I.A., McKee, K.L., & Kong, T. (2001). A comparison of physiological indicators of sublethal cadmium stress in wetland plants. *Environmental and Experimental Botany*, 46, 263–275.
- Muhammad, D., Chen, F., Zhao, J., Zhang, G., & Wu, F. (2009). Comparison of EDTA- and citric acid-enhanced phytoextraction of heavy metals in artificially metal contaminated soil by *Tyspha angustifolia*. *International Journal of Phytoremediation*, 11, 558–574.
- Najeeb, U., Xu, L., Ali, S., Jilani, G., Gong, H.J., Shen, W.Q., & Zhou, W.J. (2009). Citric acid enhances the phytoextraction of manganese and plant growth by alleviating the ultrastructural damages in *Juncus effusus* L. *Journal of Hazardous Materials*, 170, 1156–1163.
- Nanda-Kumar, P.B.A., Dushenkov, V., Motto, H., & Raskin, I. (1995). Phytoextraction: the use of plants to remove heavy metals from soils. *Environmental Science and Technology*, 29, 1232 – 1238.
- Nishizono, H., Ichikawa, I.I., Suzuki, S., & Ishii, F. (1987). The role of the root cell wall in the heavy metal tolerance of *Athyrium yokoscence*. *Plant and Soil*, 101, 15–20.
- Ok, Y.S., & Kim, J.G. (2007). Enhancement of cadmium phytoextraction from contaminated soils with *Artemisia princeps* var. *orientalis*. *Journal of Biological Sciences*, 7, 263–268.
- Overvoorde, P.J., Okushima, Y., Alonso, J.M., Chan, A., Chang, C., Ecker, J.R., Hughes, B., Liu, A., Onodera, C., Quach, H., Smith, A., Yu, G., Theologis, A. (2005). Functional genomic analysis of the auxin/indole-3-acetic acid gene family members in *Arabidopsis thaliana*. *The Plant Cell*, 17, 3282–3300.

- Påhlsson, A.M.B. (1989). Toxicity of heavy metals (Zn, Cu, Cd, Pb) to vascular plants. *Water, Air, and Soil Pollution*, 47, 287–319.
- Pasternak, T.P., Prinsen, E., Ayaydin, F., Miskolczi, P., Potters, G., Asard, H., Van Onckelen, H.A., Dudits, D., Feher, A. (2002). The role of auxin, pH, and stress in the activation of embryogenic cell division in leaf protoplast derived cells of alfalfa. *Plant Physiology*, 129, 1807–1819.
- Phaenark, C., Pokethitiyook, P., Kruatrachue, M., & Ngernsarsaruay, C. (2009). Cd and Zn accumulation in plants from the Padaeng Zn mine area. *International Journal of Phytoremediation*, 11, 479–495.
- Piotrowska-Niczyporuk, A., Bajguz, A., Zambrzycka, E., Godlewska-Żytkiewicz, B. (2012). Phytohormones as regulators of heavy metal biosorption and toxicity in green alga *Chlorella vulgaris* (Chlorophyceae). *Plant Physiology and Biochemistry*, 52, 52-65.
- Quartacci, M.F., Baker, A.J.M., & Navari-Izzo, F. (2005). Nitroacetate- and citric acid-assisted phytoextraction of cadmium by Indian mustard (*Brassica juncea* (L.) Czernj, Brassicaceae). *Chemosphere*, 59, 1249–1255.
- Rotkittikhun, P., Chaiyarat, R., Kruatrachue, M., Pokethitiyook, P., Baker, A.J.M. (2007). Growth and lead accumulation by the grasses *Vetiveria zizanioides* and *Thyrsanolaena maxima* in lead-contaminated soil amended with pig manure and fertilizer: A glasshouse study. *Chemosphere*, 66(1), 45-53.
- Rotkittikhun, P., Kruatrachue, M., Chaiyarat, R., Ngernsarsaruay, C., Pokethitiyook, P., Pajitprapaporn, A., & Baker, A.J.M. (2006). Uptake and accumulation of lead by plants from the Bo Ngam lead mine area in Thailand. *Environmental Pollution*, 144, 681–688.
- Salisbury, F.B., Ross, C.W. (1992). *Plant Physiology*. Wadsworth Publishing Company, Belmont, California
- Salt, D.E., Blaylock, M., Kumar, P.B.A.N., Dushenkov, V., Ensley, B.D., Chet, I., & Raskin, I. (1995). Phytoremediation: A novel strategy for the removal of toxic metals from the environment using plants. *Biotechnology*, 13, 468–475.
- Saxena, P.K., KrishnaRaj, S., Dan, T., Perras, M.R., & Vettakkorumakankav, N.N. (1999). Phytoremediation of heavy metal contaminated and polluted soils. In: Prasad, M.N.V., & Hagemeyer, J. (Eds.). *Heavy metal stress in plants from molecules to ecosystems*. Berlin: Springer-Verlag, pp. 305–329.
- Seregin, I.V., & Ivanov, V.B. (2001). Physiological aspects of cadmium and lead toxic effects on higher plants. *Russian Journal of Plant Physiology*, 48, 606–630.

- Shah, K., & Dubey, R.S. (1997a). Cadmium alters phosphate level and suppresses activity of phosphorolytic enzymes in germinating rice seeds. *Journal of Agronomy and Crop Science*, 179, 35–45.
- Shah, K., Kumar, R.G., Verma, S., & Dubey, R.S. (2001). Effect of cadmium on lipid peroxidation, superoxide anion generation and activities of antioxidant enzymes in growing rice seedlings. *Plant Science*, 161, 1135–1144.
- Shen, Z.G., Li, X.D., Wang, C.C., Chen, H.M., Chua, H., 2002. Lead phytoextraction from contaminated soils with high biomass plant species. *Journal of Environmental Quality*, 31, 1893–1900.
- Simmons, R.W., Pongsakul, P., Saiyasitpanich, D., & Klinphoklap, S. (2005). Elevated levels of cadmium and zinc in paddy soils and elevated levels of cadmium in rice grain downstream of a zinc mineralized area in Thailand: Implications for public health. *Environmental Geochemistry and Health*, 27, 501–511.
- Skórzyńska-Polit, E., Baszyński, T. (1997). Difference on sensitivity of the photosynthetic apparatus in Cd-stressed runner bean plants in relation to their age. *Plant Science*, 128, 11–21.
- Somashekaraiah, B.V., Padmaja, K., Prasad, A.R.K. (1992). Phytotoxicity of cadmium ions on germinating seedling of mung bean (*Phaseolus vulgaris*): involvement of lipid peroxidase in chlorophyll degradation. *Physiologia Plantarum*, 85, 85–89.
- Stobart, A.K., Griffiths, W.T., Ameen-Bukhara, I., Sherwood, R.P. (1985). The effect of Cd²⁺ on the biosynthesis of chlorophyll in leaves of barley. *Physiologia Plantarum*, 63, 293–298.
- Swaddiwudhipong, W., Limpatanachote, P., Mahasakpan, P., Krintratun, S., & Padungtod, C. (2007). Cadmium-Exposed Population in Mae Sot district, Tak province: 1. Prevalence of high urinary cadmium levels in the adults. *Journal of the Medical Association of Thailand*, 90, 143–148.
- Tandy, S., Schulin, R., & Nowack, B. (2006). The influence of EDDS on the uptake of heavy metals in hydroponically grown sunflowers. *Chemosphere*, 62, 1454–1463.
- Tanhan, P., Kruatrachue, M., Pokethitiyook, P., & Chaiyarat, R. (2007). Uptake and accumulation of cadmium, lead and zinc by Siam weed [*Chromolaena odorata* (L.) King & Robinson]. *Chemosphere*, 68, 323–329.
- Turgut, C., Katie Pepe, M., & Cutright, T.J. (2004). The effect of EDTA and citric acid on phytoremediation of Cd, Cr, and Ni from soil using *Helianthus annuus*. *Environmental Pollution*, 131, 147–154.

- Vassil, A.D., Kapulnik, Y., Raskin, I., & Salt, D.E. (1998). The role of EDTA in lead transport and accumulation in Indian mustard. *Plant Physiology*, 117, 447–453.
- Visoottiviseth, P., Francesconi, K., Sridokchan, W. (2002). The potential of Thai indigenous plant species for the phytoremediation of arsenic contaminated land. *Environmental Pollution*, 118 (3), 453-461.
- Wagner, G.J. (1993). Accumulation of cadmium in crop plants and its consequences to human health. *Advances in Agronomy*, 51, 173–212.
- Waranusantigul, P., Kruatrachue, M., Pokethitiyook, P., Auesukaree, C. (2008). Evaluation of Pb phytoremediation potential in *Buddleja asiatica* and *B. paniculata*. *Water Air & Soil Pollution*, 193, 79-90.
- Wenzel, W.W., Unterbrunner, R., Sommer, P., & Pasqualina, S. (2003). Chelate-assisted phytoextraction using canola (*Brassica napus* L.) in outdoors pot and lysimeter experiments. *Plant and Soil*, 249, 83–96.
- Wu, L.H., Luo, Y.M., Xing, X.R., & Christie, P. (2004). EDTA-enhanced phytoremediation of heavy metal contaminated soil with Indian mustard and associated potential leaching risk. *Agriculture, Ecosystems & Environment*, 102, 307–318.
- Yan-de, J., Zhen-li, H., & Xiao-e, Y. (2007). Role of soil rhizobacteria in Phytoremediation of heavy metal contaminated soils. *Journal of Zhejiang University. Science*, 8, 192–207.
- Zenk, M.H. (1996). Heavy metal detoxification in higher plants-a review. *Gene*, 179, 21–30.
- Zhu, X.F., Jiang, T., Wang, Z.W., Lei, G.J., Shi, Y.Z., Li, G.X., Zheng, S.J. (2012). Gibberellic acid alleviates cadmium toxicity by reducing nitric oxide accumulation and expression of *IRT1* in *Arabidopsis thaliana*. *Journal of Hazardous Materials*, 239–240, 302-307.