

บรรณานุกรม

บรรณานุกรมภาษาไทย

- กัมปนาท สุขนิตย. (2548). สารประกอบฟีนอลิกในสารสกัดหยาบของเมล็ดข้าวเจ้าบางสายพันธุ์และ
แอกติวิตีในการต้านปฏิกิริยาออกซิเดชัน. ปัญหาพิเศษปริญญาตรี. ภาควิชาชีววิทยา, คณะ
วิทยาศาสตร์, มหาวิทยาลัยเชียงใหม่.
- ฐานข้อมูลงานวิจัย (ลองกอง). (2558). ศูนย์นวัตกรรมเทคโนโลยีหลังการเก็บเกี่ยว. คณะ
เกษตรศาสตร์, มหาวิทยาลัยเชียงใหม่. [ออนไลน์] เข้าถึงได้จาก:
http://www.phtnet.org/research/perishable-fruit.asp?id_name=h011
- เบร คอสเมติก แล็บ. (2556). การควบคุมการสร้างเม็ดสีเมลานิน-ในระดับยีน (พันธุกรรม) แนวคิด
ใหม่ในการพัฒนาผลิตภัณฑ์เพื่อผิวที่ขาวใส. [ออนไลน์] เข้าถึงได้จาก:
http://www.brecosmeticlabb.com/newslet/54/03_mar/02_betawhite.html
- มาตรฐานสินค้าเกษตรและอาหารแห่งชาติ มกอช. 11. (2549). ลองกอง (Longkong). สำนักงาน
มาตรฐานสินค้าเกษตรและอาหารแห่งชาติ. กระทรวงเกษตรและสหกรณ์. กรุงเทพฯ
- มานิตา หาญพานิชเจริญ. (2556). สารทำให้ผิวขาว (Skin whitening agents). *วารสารศูนย์บริการ
วิชาการ*. ฉบับที่ 11, หน้า 19-23.
- วราภรณ์ จรรยาประเสริฐ. (2552). นาโนเทคโนโลยี: การนำส่งยาและเครื่องสำอางทางผิวหนัง. พิมพ์
ครั้งที่ 1. กรุงเทพฯ: บริษัท ประชาชน จำกัด.
- โอภา วัชรคุปต์. (2550). สารต้านอนุมูลอิสระ (Radical scavenging agent). พิมพ์ครั้งที่ 2.
กรุงเทพฯ: นิเวศมิตรการพิมพ์ (1996) จำกัด.

บรรณานุกรมภาษาต่างประเทศ

- Alam, N., Yoon, K.N., Cha, Y.J., Kim, J.H., Lee, K. R., Lee, T.S. (2011). Appraisal of the
antioxidant, phenolic compounds concentration, xanthine oxidase and
tyrosinase inhibitory activities of *Pleurotus salmoneostramineus*. *African
Journal of Agricultural Research*, 6, 1555-1563.
- Amic, D., Davidovic-Amic, D., Beslo, D., Trinajstic, N., (2003). Structure-radical
scavenging activity relationships of flavonoids. *Croatia Chemical Acta*, 76, 55-
61.
- Ando, H., Kondoh, H., Ichihashi, M., Hearing, V. J. (2007). Approaches to identify
inhibitors of melanin biosynthesis via the quality control of tyrosinase. *Journal
of Investigative Dermatology*, 127, 751-761.

- Arung, E.T., Kusuma, I.W., Christy, E.O., Shimazu, K. and Kondo, R. (2009). Evaluation of medicinal plants from Central Kalimantan for antimelanogenesis. *Journal of Natural Medicines*, 63, 473-480.
- Bkchem and Inkscape. (2009, February 27). *Structure of kojic acid*. Retrieved from http://en.wikipedia.org/wiki/Kojic_acid#/media/File:KojicAcid.svg
- Barry, B.W. (1983). *Dermatological Formulations: Percutaneous Absorption*. New York and Basel: Marcel Dekker.
- Edgar181. (2007, May 21). *Arbutin structure*. Retrieved from http://commons.wikimedia.org/wiki/File:Arbutin_structure.png
- Hearing, V.J. (2005). Biogenesis of pigment granules: a sensitive way to regulate melanocyte function. *Journal of Dermatology Science*, 37, 3-14.
- Heyne, K. (1987). *Tumbuhan Berguna Indonesia II*. Badan Litbang Departement Kehutanan. Jakarta. P. 1126-1128.
- Katsube, T., Imawaka, N., Kawano, Y., Yamazaki, Y., Shiwaku, K., Yamane, Y., (2006). Antioxidant flavonol glycosides in mulberry (*Morus alba L.*) leaves isolated based on LDL antioxidant activity. *Food Chemistry*, 97, 25-31.
- Kiang, A.K., Tan, E.L., Lim, F.Y., Habaguchi, Nakanishi, K. K., Fachan, L., Ourisson, G. (1967). Lansic acid, a bicyclic triterpene. *Tetrahedron Lett*, 37, 3571-3574.
- Klungsupya, P., Suthepakul, N., Laovitthayangoon, S., Thongdon-A, J., Trangwacharakul, S., Phornchirasilp, S. (2012). Investigation on antioxidant, antimutagenic and cytotoxic properties of active fractions of Thai Long-Kong (*Lansium domesticum* Corr.) fruits. *Journal of Ethnobiology and Ethnopharmacology*, 1, 1-9.
- Kumgoun, K., Manosroi, J., Jantrawut, P., Pankasemsuk, T., Manosroi, W., Manosroi, A. Antioxidant activities of aqueous extract from leaves of Longkong (*Lansium domesticum* Corr.). IFSCC conference: Effective, Economic and Ecological cosmetics, December 12-14, 2011, Bangkok, Thailand.
- Lim, Y.Y., Lim, T.T., Tee, J.J. (2007). Antioxidant properties of several tropical fruits: A comparative study. *Food Chemistry*, 103, 1003-1008.
- Maddodi, N., Jayanthi, A, Setaluri, V. (2012). Light on Skin Pigmentation: The Darker and the Brighter Side of Effects of UV Radiation. *Photochemistry and Photobiology*, 88, 1075-1082.

- Manosroi, A., Jantrawut, P., Sainakham, M., Manosroi, W., Manosroi, J. (2012). Anticancer activities of the extract from Longkong (*Lansium domesticum*) young fruits. *Pharmaceutical Biology*, 50, 1397-1407.
- Manosroi, A., Kumguan, K., Chankhampan, C., Lohcharoenkal, W., Sainakham, M., Pankasemsuk, T., Manosroi, W., Manosroi, J. *In vitro* immunomodulatory activities of the extracts from leaves of Long Kong (*Lansium domesticum* Correa). Natural Products Research and Development Center (NPRDC), Science and Technology Research Institute (STRI), Chiang Mai University, Chiang Mai, November 28-30, 2012.
- Manosroi, A., Kumguan, K., Chankhampan, C., Manosroi, W., Manosroi, J. (2012). Nanoscale Gelatinase A (MMP-2) Inhibition on human skin fibroblasts of Longkong (*Lansium domesticum* Correa) leaf extracts for anti-aging. *Journal of nanoscience and nanotechnology*, 12, 1-11.
- Mayanti, T., Natawigena, W. D., Supratman, U., Tjokronegoro, R. Antifeedant terpenoid from the bark of *Lansium domesticum* Corr cv. Kokossan (Meliaceae). Proceeding of The International Seminar on Chemistry, *Jatinangor*, 30-31 October, 2008.
- Mayanti, T., Soidah, S., Natawigena, W.D., Supratman, U., Tjokronegoro, R. Antibacterial Terpenoid from the bark of *Lansium domesticum* Corr cv. Kokossan (Meliaceae). International Conference on Medicine and Medicinal Plants, Surabaya, September 8-9, 2007.
- Mayanti, T., Supratman, U., Mukhtar, M. R., Awang, K., Ng, S. W. (2009). Kokosanolide from the seed of *Lansium domesticum* Corr. *Acta Crystallographica*, 65, 1-8.
- Nishizawa, M., Nademoto, Y., Sastrapradja, S., Shiro, M., Hayahi, Y. (1988). Dukunolide D, E and F: new tetranortriterpenoids from the seeds of *Lansium domesticum*. *Phytochemistry*, 27, 237-239.
- Nishizawa, M., Emura, M., Yamada, H., Shiro, M., Chairul, Hayashi, Y., Tozuda, H. (1989). Isolation of a new cycloartanoid triterpenes from leaves *Lansium domesticum*: novel skin-tumor promotion inhibitors. *Tetrahedron Letter.*, 30, 5615-5618.
- Noridayu, A. R., Hii, Y. F., Faridah, A., Khozirah, S. Lajis, N. (2011). Antioxidant and antiacetylcholinesterase activities of *Pluchea indica* Less. *International Food Research Journal*, 18, 925-929.
- OpenStax College. (2015). *Anatomy & Physiology: Epidermal structure*. Retrieved from <http://cnx.org/content/col11496/1.6>

- Parvez, S., Kang, M., Chung, H.S., Cho, C., Hong, M.C., Shin, M.K., Bae, H. (2006). Survey and mechanism of skin depigmenting and lightening agents. *Phytotherapy Research*, 20, 921-934.
- Pornsetkul, S., Khunnuy, S. Puripatanawong, J. (2011). Phytochemistry investigation and biological activities of *Lasium domesticum* (Meliaceae). A report in partial of pytochemistry project, Department of Pharmacognosy and Pharmaceutical Botany, Faculty of Pharmaceutical Sciences, Prince of Songkla University.
- Saewan, N., Sutherland, J.D., Chantrapromma, K. (2006). Antimalarial tetranortriterpenoids from the seeds of *Lansium domesticum* Corr. *Phytochemistry*, 67, 2288–2293.
- SCCNFP. (2000). Notes of Guidance for testing of cosmetic ingredients for their safety evaluation, Brussel.
- Scharffetter–Kochanek, K., Brenneisen, P., Wenk, J., Herrmann, G., Ma, W., Kuhr, L., Meewes, C. and Wlaschek, M. (2000). Photoaging of the skin from phenotype to mechanisms. *Experimental Gerontology*, 35, 307–316.
- Seo, S.Y., Sharma, V.K. and Sharma, N. (2003). Mushroom tyrosinase: recent prospects. *Journal of Agriculture Food Chemistry*, 51, 2837-2853.
- Serup, J., Jemec, G.B.E. (1995). *Handbook of Non-invasive methods and the skin*. CRC Press. London, UK. p. 168-169, 587-589, 598-600.
- Sinko, P.J. (2006). *Martin's physical pharmacy and pharmaceutical sciences*. 5th ed. Philadelphia, PA: Wippincott Williams and Wilkins.
- Tachakittirungrod, S., Okonogi, S. and Chowwanapoonpohn, S. (2007). Study on antioxidant activity of certain plants in Thailand: Mechanism of antioxidant action of guava leaf extract. *Food Chemistry*, 103, 381–388.
- Tanaka, T., M. Ishibashi, H., Fujimoto, E., Okuyama, T., Koyano, T., Kowithayakorn, M., Hayashi, dan K., Komiyama. (2002). New onoceranoid triterpene constituents from *Lansium domesticum*. *Journal Natural Product*, 65, 1709-1711.
- Tialar, M., Wong, L.W., Ranti, A.S., Wasitaatmadja, S.W., Suryaningsih., Junardy, F.D., Maily. (2007b). In search of naturally derived whitening agent-pragmatic approach. Asian societies of Cosmetic scientists 8th conference ASCS 2007. Delivering science to the depths of Asian skin. Singapore, 116-117.
- Tilaar, M., Wong, L.W., Ranti, A.S., Wasitaatmadja, S.W., Suryaningsih., Junardy, F.D., Maily,. (2008). Review of *Lansium domesticum* Corrêa and its use in cosmetics. *Latin American and Caribbean bulletin of medicinal and aromatic plants*, 7, 183 – 189.

- Verheij, E.W.M., Coronel, R.E. (1992). Plant Resources of South-East Asia No.2. Edible Fruits and Nuts. Prosea Foundation. Bogor. Indonesia. p. 186-190.
- Viyoch, J., Buranajaree, S., Grandmottet, F., Robin, S., Binda, D., Viennet, C., Waranuch, N., Humbert, P. (2010). Evaluation of the effect of Thai breadfruit's heartwood extract on the biological functions of fibroblast wrinkles. *Journal of Cosmetic Science*, 61, 311-324.
- Walters, K.A. and Robert, M.S. (2002). The structure and function of skin. In: Walters, K.A. ed. *Dermatological and Transdermal Formulations: Percutaneous Adsorption*. New York: Marcel Dekker. p. 1-37.
- Williams, A. (2003). Physical and technological modulation of topical and transdermal drug delivery. In: Williams, A. ed. *Transdermal and Topical Drug Delivery*. London: Pharmaceutical Press. p. 123-167.
- Yapp, D.T.T. and Yap, S.Y. (2003). *Lansium domesticum*: skin and leaf extracts of this fruit tree interrupt the lifecycle of Plasmodium falciparum, and are active towards a chloroquine-resistant strain of the parasite (T9) in vitro. *Journal of Ethnopharmacology*, 85, 145-150.
- Yikrazuul. (2009, February 7). *L-ascorbic acid structure*. Retrieved from http://en.wikipedia.org/wiki/Ascorbic_acid#/media/File:L-Ascorbic_acid.svg