

บรรณานุกรม

บรรณานุกรมภาษาไทย

- มาตรฐานผลิตภัณฑ์อุตสาหกรรม, สำนักงาน. (2536). *มาตรฐานผลิตภัณฑ์อุตสาหกรรมโซเดียมไฮโดรซัลไฟด์สำหรับใช้ในอุตสาหกรรม*. มอก. 1142-2536. กรุงเทพฯ.
- ราเชนทร์ ดวงศรี. (2552). *การสกัดและความคงตัวของไฟโคไซยานินจากสาหร่ายสไปรูลิน่า*. วิทยานิพนธ์ปริญญาโท, มหาวิทยาลัยเทคโนโลยีสุรนารี. นครราชสีมา.
- สมบูรณ์ ผู้พัฒน์. (2538). *การเพาะเลี้ยงและการใช้ประโยชน์จากสาหร่ายเซลล์เดียว*. กรุงเทพฯ: โอเดียนสโตร์.
- สินีนานู อักโขสุวรรณ. (2550). *ผลของการแปรรูปและอุณหภูมิการเก็บรักษาต่อซี-ไฟโคไซยานินและสมบัติการต้านออกซิเดชันของสารสกัดสาหร่ายเกลียวทอง (Spirulina platensis)*. วิทยานิพนธ์ปริญญาโท, มหาวิทยาลัยเกษตรศาสตร์: กรุงเทพฯ.
- ศิวาพร ศิวเวช. (2529). *วัตถุดิบอาหาร 2*. กรุงเทพฯ: สำนักพิมพ์มหาวิทยาลัยเกษตรศาสตร์.

บรรณานุกรมภาษาต่างประเทศ

- Abd El-Baky, H. H., El Baz, F. K., & El-Baroty, G.S. (2008). Characterization of nutraceutical compounds in blue green alga *Spirulina maxima*. *Journa of Medicinal Plants Research*, 2(10), 292-300.
- Al-Kahtani, A., & Hassan, H. (1990). Spray drying of roselle (*Hibicus sabdariffa*L.) extract. *Journal of Food Science*, 55, 1073-1076.
- Alkinson, T., Michael, D. S., & Hammond, M. P. (1987). *Biotechnology: Enzyme Technology*. Weinheim: VCH.
- A.O.A.C. (2000). *Official Methods of the Association of Official Analytical Chemists*. Association of Official Analytical Chemists. Washington D.C.
- APHA. (1998). *Standard methods for the examination of water and wastewater (4500) Nitrate ultraviolet spectrophotometric screening method*. 20th Edn. Washington, DC.: American public health association.
- APHA. 1998. *Standard methods for the examination of water and wastewater (4500-P, Vanadomolybdophosphoric Acid Colorimetric Method)*. 20th Edn. Washington, DC.: American public health association.
- APHA. 1998. *Standard methods for the examination of water and wastewater (2320 Alkalinity)*. 20th Edn. Washington, DC.: American public health association.

- Belay, A. (2002). The Potential Application of *Spirulina* (*Arthrospira*) as a nutritional and therapeutic supplement in health management. *Journal of American Nutraceutical Associations*, 5, 27-48.
- Bennett, A., & Bogorad, L. (1973). Complementary chromatic adaptation in a filamentous blue-green alga. *Journal of Cell Biology*, 58, 419-435.
- Carlozzi, P. (2003). Dilution of solar radiation through “culture” lamination in photobioreactor rows facing South–North: a way to improve the efficiency of light utilisation of cyanobacteria (*Arthrospira platensis*). *Biotechnology and Bioengineering*, 81, 305–315.
- Chaiklahan, R., Khonsarn, N., Chirasuwan, N., Ruengjitchatchawalya, M., Bunnag, B., & Tanticharoen, M. (2007). Response of *Spirulina platensis* C1 to high temperature and high light intensity. *Kasetsart Journal. (Nat. Sci.)*, 41, 123-129.
- Chaiklahan, R., Chirasuwan, N., & Bunnaga, B. (2012). Stability of phycocyanin extracted from *Spirulina* sp.: influence of temperature, pH and preservatives. *Process Biochemistry*, 47, 659–664.
- Cisneros, M., & Rito-Palomares, M. (2004). A simplified strategy for the release and primary recovery of c-phycocyanin produced by *Spirulina maxima*. *Chemical and Biochemical Engineering Q*, 8(4), 385–90.
- Chaneva, G., Furnadzhieva, S., Minkova, K., & Lukavsky, J. (2007). Effect of light and temperature on the cyanobacterium *Arthrospira africanum* - a prospective phycobiliprotein-producing strain. *Journal of Applied Phycology*, 19, 537–544.
- Chen, F., & Zhang, Y. (1997). High cell density mixotrophic culture of *Spirulina platensis* on glucose for phycocyanin production using a fed-batch system. *Enzyme and Microbial Technology*, 20, 221–224.
- Colla, L. M., Reinehr, C. O., Reichert, C., & Costa, J. A. V. (2007). Production of biomass and nutraceutical compounds by *Spirulina platensis* under different temperature and nitrogen regimes. *Bioresource Technology*, 98, 1489–1493.
- Ciferri, O. (1983). *Spirulina*, the edible microorganism. *Microbiological Reviews*, 47(4), 551-578.
- Doke, J. H. (2005). An improved and efficient method for the extraction of phycocyanin from *Spirulina* sp. *International Journal of Food Engineering*, 1(5), 1-11.
- Dobois, M., Gilles, K. A., Hamilton, J. K., Rebers, P.A., & Smith, F. (1956). Colorimetric method for determination of sugar and related substances. *Analytical Chemistry*, 28(3), 350-356.

- Eriksen, N. T. (2008). Production of phycocyanin—a pigment with applications in biology, biotechnology, foods and medicine. *Applied Microbiology and Biotechnology*, *80*(1), 1-14.
- Feng, C. V., Zhang, Y., & Guo, S. (1996). Growth and phycocyanin formation of *Spirulina platensis* in photoheterotrophic culture. *Biotechnology Letter*, *18*, 603-608.
- Filali, M. R., Cornet, J. F., Fontaine, T., Fournet, B., & Dubertret, G. (1993). Production, isolation and preliminary characterisation of the exopolysaccharide of the cyanobacterium *Spirulina platensis*. *Biotechnology Letter*, *15*, 567–572.
- Gittelsohn, A., Quiang, H., & Richmond, A. (1996). Photic volume in photobioreactors Supporting ultrahigh population densities of the photoautotroph *Spirulina platensis*. *Applied and Environmental Microbiology*. *62*, 1570–1573.
- Grobbelaar, J. U. (2007). Photosynthetic characteristics of *Spirulina platensis* grown in commercial-scale open outdoor raceway ponds: what do the organisms tell us?. *Journal of Applied Phycology*, *19*, 591–598.
- Gupta, R., Bhadauriya, P., Chauhan, V. S., & Bisen, P. S. (2008). Impact of UV-B radiation on thylakoid membrane and fatty acid profile of *Spirulina platensis*. *Current Microbiology*, *56*, 156–161.
- Guillaume Cogne, J. B., & Gros Dussap, C. G. (2003). Identification of a metabolic network structure representative of *Arthrospira (Spirulina) platensis* metabolism. *Biotechnology and Bioengineering*, *84*, 667–676.
- Hatti-Kaul, R., & Mattiasson, B. (2003). *Release of protein from biological host*. In R. Hatti-Kaul and Mattiasson(eds). *Isolation and purification of protein*. USA: Marcel Dekker.
- Hemlata. T. F. (2009). Screening of cyanobacteria for phycobiliproteins and effect of different environmental stress on its yield. *Bulletin of Environmental Contamination and Toxicology*, *83*(4), 509-515.
- Hirata, T., Tanaka, M., Ooike, M., Tsunomura, T., & Sakaguchi, M. (2000). Antioxidant activities of phycocyanobilin prepared from *Spirulina platensis*. *Journal of Applied Phycology*, *12*, 435-439.
- Ko, S. H., Lee, H. S., Park, S. H., & Lee, H. K. (2000). Optimal conditions for the production of exopolysaccharide by marine microorganism *Hahella chejuensis*. *Biotechnology and Bioprocess Engineering*, *5*, 181-185.
- Jiménez, C., Cossío, B. R., Labella, D., & Niell, X. (2003). The feasibility of industrial production of *Spirulina (Arthrospira)* in Southern Spain. *Aquaculture*, *217*, 179–190.

- Kommareddy, A., & Anderson, G. (2004). Study of light requirements of a photobioreactor. In Presentation at the 2004 North Central ASAE/CSAE Conference. 24-25 September 2004 (pp. 1-10). Sponsored by ASAE and CSAE Holiday Inn Winnipeg South Winnipeg, MB R3T 2B4.
- Lee, M. C., Chen, Y. C., & Peng, T. C. (2012). Two-stage culture method for optimized polysaccharide production in *Spirulina platensis*. *Journal of the Science of Food and Agriculture*, *92*(7), 1562-1569.
- Madhyastha, H. K., & Vatsala, T. M. (2007). Pigment production in *Spirulina fusciformis* in different photophysical conditions. *Biomolecular Engineering*, *24*(3), 301-305.
- Majdoub, H., Mansou, M. B., Chaubet, F., Roudesli, M. S., & Maaroufi, R. M. (2009). Anticoagulant activity of a sulfated polysaccharide from the green alga *Arthrospira platensis*. *Biochimica et Biophysica Acta*, *1790*, 1377-1381.
- Marquez, F. J., Sasaki, K., Kakizono, T., Nishio, N., & Nagai, S. (1993). Growth characterization of *Spirulina platensis* in mixotrophic and heterotrophic conditions. *Journal of Fermentation and Bioengineering*, *76*, 408-410.
- MacColl, R. (1998). Cyanobacterial Phycobilisomes. *Journal of Structural Biology*, *124*, 311-334.
- Madhyastha, H. K., & Vatsala, T. M. (2007). Pigment production in *Spirulina fusciformis* In different photophysical conditions. *Biomolecular Engineering*, *24*(3), 301-305.
- Miyakawa, K., Siam algae Co., Ltd. Personal communication
- Moor, B. G., & Tischer, R., G. (1964). Extracellular polysaccharide of algae : effects on life-support system. *Science*, *145*, 586-587.
- Moraes, C. C., & Kalil, S. J. (2009). Strategy for a protein purification design using C-phycocyanin extract. *Bioresource Technology*, *100*, 5312-5317.
- Nomsawai, P., Marsac, N. T., Thomas, J. C., Tanticharoen, M., & Cheevadhanarak, S. (1999). Light Regulation of phycobilisome structure and gene expression in *Spirulina platensis* Cl (*Arthrospira* sp. PCC 9438). *Plant Cell Physiology*, *40*(12), 1194-1202.
- Ogbonna, J. C., & Tanaka, H. (2000). Light requirement and photosynthetic cell cultivation – Development of processes for efficient light utilization in photobioreactors. *Journal of Applied Phycology*, *12*, 207-218.
- Ogbonna, K. H., Rebecca, E. A., & Gideon, O. A. (2007). Influence of temperature and pH on biomass production and protein biosynthesis in a putative *Spirulina* sp. *Bioresource Technology*, *98*, 2207-2211.

- Ortega, J. L. G., Snoeijs, P., Robledo, D., Pelegrín, Y. F., & Pedersén, M. (2008). Growth and pigment composition in the red alga *Halymenia floresii* cultured under different light qualities. *Journal of Applied Phycology*, *20*, 253–260.
- Parikh, A., & Madamwar, D. (2006). Partial characterization of extracellular Polysaccharides from cyanobacteria. *Bioresource Technololy*, *97*, 1822–1827.
- Philippis, R. D., & Vincenzini, M. (1998). Exocellular polysaccharides from cyanobacteria and their possible applications. *FEMS Microbioogy Reviews*, *22*, 151–175.
- Pelizera, L. H., Danesia, E. D. G., Rangela, C. O., Sassanoab, C. E. N., Carvalho, C. M., Satoa, S. S., & Moraes, I. O. (2003). Influence of inoculum age and concentration in *Spirulina platensis* cultivation. *Journal of Food Enginerring*, *56*, 371–375.
- Pushparaj, B., Pelosi, E., Tredici, M. R., Pinzani, E., & Materassi, R. (1997). An integrated culture system for outdoor production of microalgae and cyanobacteria. *Journal of Applied Phycology*, *9*, 113–119.
- Rafika Challouf, L. T., Dhieb, R. B., Abed, O. E., Yahia, A., Ghozzi, K., Ammar, J. B., Omran, H., & Ouada, H. B. (2011). Evaluation of cytotoxicity and biological activities in extracellular polysaccharides released by cyanobacterium *Arthrospira platensis*. *Brazilian Archives of Biology and Technology*, *54*(4), 831-838.
- Ramraj, S. S., & Murugesan, A. G. (2009). Effect of electromagnetic radiation on growth and morphology of marine cyanobacterium-*Spirulina platensis*. *International Journal of Agriculture Environment & Biotechnology*, *2*(2), 110-114.
- Ravelonandro, P. H., Ratianarivo, D. H., Cassan, C. J., Isambert, A., & Raherimandimby, M. (2010). Improvement of the growth of *Arthrospira (Spirulina) platensis* from Toliara (Madagascar): Effect of agitation, salinity and CO₂ addition. *Food and Bioproducts Processing*, *89*(3), 209–216.
- Richmond, A. & Grobbelaar, J. U. (1986). Factors affaecting the output rate of *Spirulina platensis* with reference to mass cultivation. *Biomass*, *10*, 253-264.
- Richmond, A. (1987). The challenge confronting industrial microalgal culture: high photosynthetic efficiency in large-scale reactors. *Hydrobiologia*, *151*, 117-22.
- Romay, C., Armesto, J., Ramirez, D., Gonzalez, R., Ledon, N., & Garcia, I. (1998). Antioxidant and anti-inflammatory properties of C-Phycocyanin from blue green algae. *Inflammation Research*, *47*, 36-41.

- Sabarinathan, K. G., & Ganesan, G. (2008). Antibacterial and toxicity evaluation of C-phycoyanin and cell extract of filamentous freshwater cyanobacterium – *Westiellopsis* sps. *European Review for Medical and Pharmacological Sciences*, 12, 79-82.
- Sanjiv, K. M., Anupama, S., & Sandhya, M. (2008). Effect of preservatives for food grade C-PC from *Spirulina platensis*. *Process Biochemistry*, 43, 339–345.
- Sarada, R., Manoj, G. P., & Ravishankar, G. A. (1999). Phycocyanin from *Spirulina* sp: influence of processing of biomass on phycocyanin yield, analysis of efficacy of extraction methods and stability studies on phycocyanin. *Process Biochemistry*, 34, 795–801.
- Shimamatsu, H. (2004). Mass production of *Spirulina*, an edible microalga. *Hydrobiologia*, 512, 39–44.
- Sirisansaneeyakul, S., Singhasuwan, S., Choorit, W., Phoopat, N., Garcia, J. L., & Chisti, Y. (2011). Photoautotrophic production of lipids by some *Chlorella* strains. *Marine Biotechnology*, 13(5), 928–941.
- Soundarapandian, P., & Vasanthi, B. (2008). Effect of chemical parameters on *Spirulina platensis* biomass production: optimized method for phycocyanin extraction. *International Journal of Zoological Research*, 4(1), 1-11.
- Tamiya, H. (1957). Mass culture of algae. *Annual Review of Plant Physiology*, 8, 309-334.
- Torzilla, G., Sacchi, A., & Materassi, R. (1991). Temperature as an important factor affecting productivity and night biomass loss in *Spirulina platensis* : growth bioreactors outdoors in tubular photo. *Bioresource Technology*, 38, 95-100.
- Tiensai, N. (1998). Mechanistic modeling in the regulation of a protein production: a case of the light harvesting complex biosynthesis in *Spirulina platensis*. Unpublished master dissertation, King Mongkut's University of Technology Thonburi, Bangkok.
- Trabelsi, L., Sakni, N. H. M., Ouada, H. B., Bacha, H., & Roudesli, S. (2009). Partial characterization of extracellular polysaccharides produced by cyanobacterium *Arthrospira platensis*. *Biotechnology and Bioprocess Engineering*, 14, 27–31.
- Trabelsi, L., Ouada, H. B., Bacha, H., & Ghoul, M. (2009). Combined effect of temperature and light intensity on growth and extracellular polymeric substance production by the cyanobacterium *Arthrospira platensis*. *Journal of Applied Phycology*, 21, 405–412.
- Trabelsi, L., Ouada, H. B., Zili, F., Mazhoud, N., & Ammar, J. (2012). Evaluation of *Arthrospira platensis* extracellular polymeric substances production in

- photoautotrophic, heterotrophic and mixotrophic conditions. *Folia Microbiologica*, 58(1), 39-45.
- Tredici, M. R., Carlozzi, P., Zittelli, G. G., & Materassi, R. (1991). A vertical alveolar panel (VAP) for outdoor mass cultivation of microalgae and cyanobacteria. *Bioresource Technology*, 38, 53–159.
- Ugwu, C. U., Aoyagi, H. & Uchiyama, H. (2008). Photobioreactors for mass cultivation of algae. *Bioresource Technology*, 99, 4021–4028.
- Van Eykelenburg, C. (1977). On the morphology and ultrastructure of the cell wall of *Spirulina platensis*. *Antonie van Leeuwenhoek*, 43, 89-99.
- Van Eykelenburg, C. (1978). A glucan from the cell wall of the cyanobacterium *Spirulina platensis*. *Antonie van Leeuwenhoek*, 44, 321-327.
- Viskari, P. J., & Colyer, C. L., (2003). Rapid extraction of phycobiliproteins from cultured cyanobacteria samples. *Analytical Biochemistry*, 319, 263-271.
- Vonshak, A. (2002). *Spirulina platensis (Arthrospira) Physiology, cell-biology and Biotechnology*. London: Taylor & Francis Ltd, 1 Gunpowder Square,
- Wang, C. Y., Fu, C. C., & Liu, Y. C. (2007). Effects of using light-emitting diodes on the cultivation of *Spirulina platensis*. *Biochemical Engineering Journal*, 37, 21–25.
- Yim, H. J., Kim, S. J., Ahn, S. H., & Lee, H. K. (2003). Optimal conditions for the production of Sulphated polysaccharide by marine microalga *Gyrodinium impudicum* strain KG 03. *Biomolecular Engineering*, 20, 273–280.
- Zittelli, G. C., Tomasello, V., Pinzani, E., & Tredici, M. R. (1996). Outdoor culture of *Arthrospira platensis* during autumn and winter in temperate climate. *Journal of Applied Phycology*, 8, 293–301.