

เอกสารอ้างอิง

- กองสวัสดิการสังคม เทศบาลนครเชียงใหม่. (2540). การพัฒนาชุมชนเมืองเชียงใหม่. ไม่ปรากฏ
สถานที่พิมพ์.
- กานดา พูนลาภทวี. (2539). สถิติเพื่อการวิจัย. กรุงเทพฯ : พีทีอีเซ็นเตอร์.
- เกริกศักดิ์ บุญญานพวงศ์, สุรีย์ บุญญานพวงศ์, และสมศักดิ์ ฉันทะ. (2533). ชีวิตคนชราในจังหวัด
เชียงใหม่. เชียงใหม่: สถาบันวิจัยสังคม.
- ชวินทร์ เลิศศรีมงคล. (2543). ภาวะกลั้นปัสสาวะไม่อยู่ในผู้สูงอายุ. หมอประจำครอบครัว, ชุดที่
13, 89-91.
- ถนอมขวัญ ทวีบุรณ, สมจินต์ เพชรพันธุ์ศรี, และกรองกาญจน์ ศิริภักดิ์. (2540). ปัจจัยที่มีความ
สัมพันธ์กับอาการกลั้นปัสสาวะไม่อยู่ของผู้สูงอายุ. วารสารพยาบาลศาสตร์มหิดล, 15
(22). 46-54.
- ดวงเดือน ชมศิริ. (2539). การกลั้นปัสสาวะไม่ได้และการพยาบาล. วารสารโรงพยาบาลศรีธัญญา,
4(3), 184-188.
- บรรณ สุริพานิช. (2542). ผู้สูงอายุไทย. กรุงเทพฯ : หมอชาวบ้าน
- ประคอง วรรณสูตร. (2538). สถิติวิจัยทางพฤติกรรมศาสตร์. กรุงเทพฯ: คณะครุศาสตร์
จุฬาลงกรณ์ มหาวิทยาลัย.
- พิศกดิ์ ชินชัย. (2538). ความสัมพันธ์ระหว่างความเชื่อในอำนาจด้านสุขภาพ ความเชื่อใน
ประสิทธิภาพแห่งตน และพฤติกรรมสุขภาพของผู้สูงอายุ. วิทยานิพนธ์ศึกษา
ศาสตรมหาบัณฑิต สาขาวิชาการส่งเสริมสุขภาพ, บัณฑิตวิทยาลัย มหาวิทยาลัย
เชียงใหม่.
- เพ็ญศิริ สันตโยภาส. (2542). ปัจจัยที่เกี่ยวข้องและวิธีการจัดการกับตนเองต่อภาวะกลั้นปัสสาวะไม่
อยู่ของผู้สูงอายุสตรีไทยในชุมชน. วิทยานิพนธ์หลักสูตรพยาบาลศาสตรดุษฎีบัณฑิต
บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- พูนทรัพย์ ไสภรัตน์. (2540). การพยาบาลผู้ป่วยที่มีปัญหาในการขับถ่ายปัสสาวะ (พิมพ์ครั้งที่ 2).
เชียงใหม่: คณะพยาบาลศาสตร์.

- สนธิ สมัครการ. (2521). สังคมและวัฒนธรรมของภาคเหนือ ประเทศไทย. กรุงเทพฯ: มหาวิทยาลัยธรรมศาสตร์.
- สุทธิชัย จิตะพันธ์กุล. (2541). หลักสำคัญของเวชศาสตร์ผู้สูงอายุ. กรุงเทพฯ: จุฬาลงกรณ์มหาวิทยาลัย.
- อุบลรัตน์ รุ่งเรืองศิลป์. (2539). ภาวะปัสสาวะเล็ด. *รามาริบัติพยาบาลสาร*, 2, (3), 112-126.
- Ashworth, P. D. , & Hagan, M. T. (1993). The meaning of incontinence : A qualitative study of non-geriatric urinary incontinence sufferers. *Journal of Advanced Nursing*, 18, 1415-1423.
- Bedford, N. K. (1996). Urinary incontinence/ Constipation. In A. S. Luggen (Ed.), *NGNA Core curriculum for gerontological Nursing* (pp. 530-537). St. Louis: Mosby-Year Book.
- Breitenbucher, R. B. (1990). Minimizing urinary incontinence in the nursing home. *Geriatrics*, 45(2), 32-40.
- Broklehurst, J. C. (1993). Urinary incontinence in the community analysis of a MORI poll. *British Medical Journal*, 27(306), 832-834.
- Burgio, L. D., Jones, L. T., & Engel, B. T. (1988). Studying incontinence in an urban nursing home. *Journal of Gerontological Nursing*, 14(4), 40-45.
- Burgio, K. L., Mathews, K. A., Engel, B. T. (1991). Prevalence, incidence and correlates of urinary incontinence in healthy, middle-aged women. *Journal of Urology*, 146, 1255-1259.
- Burgio, K. L., Loes, D. G., Locher, J. L., Arena, V. C., & Kuller, L. H. (1994). Treatment seeking for urinary incontinence in older adults. *Journal of American Geriatrics Society*, 42, 208-212.
- Case-Gamble, M. K. (1995). Urinary incontinence in the elderly. In M. Stanley & P. G. Beare (Eds.), *Gerontological Nursing* (pp. 311-322). Philadelphia: F. A. Davis.
- Chiverton, P. A., Well, T. J., Brink, C. A., & Mayer, R. (1996). Psychological factors associated with urinary incontinence. *Clinical Nurse Specialist*, 10(5), 229-233.
- Clayton, J., Smith, K., Qureshi, H., & Ferguson, B. (1998). Collecting patients' view and perceptions of continence services: the development of research instruments. *Journal of Advanced Nursing*, 28(2), 353-361.

- Colling, J., Owen, T. R., & McCreedy, M. R. (1994). Urine volumes and voiding patterns among incontinence nursing home residents. *Geriatric Nursing*, 15(4), 188-192.
- Consensus Conference. (1989). Urinary incontinence in adults. *JAMA*, 261(18), 2685-2690.
- Creason, N. S., Burgener, S. C., & Farrand, L. (1992). Guideline for assessment of urinary incontinence in elderly institutionalized women. *Geriatric Nursing*, 13(2), 76-79.
- Creson, N. S., Grybowski, J. A., & Burgener, S. (1989). Prompted voiding therapy for urinary incontinence in aged female nursing home residents. *Journal of Advanced Nursing*, 14, 120-126.
- Criner, J. A. (1994). A nursing management protocol for incontinence. *Rehabilitation Nursing*, 19(3), 141-144.
- Dougherty, M. C. et al. (1998). Community-base nursing: Continence care for older rural women. *Nursing Outlook*, 46(5), 233-243.
- Dowd, T. T. (1991). Discovering older women's experience of urinary incontinence. *Research in Nursing & Health*, 14, 179-186.
- Engberg, S. J., McDowell, B. J., Burgio, K. L., Watson, J. E., & Belle, S. (1995). Self-care Behavior of older woman with urinary incontinence. *Journal of Gerontological Nursing*, 21(8), 7-14.
- Flynn, L., Cell, P., & Luisi, P. (1994). Effectiveness of pelvic muscle exercise in reducing urge incontinence among community residing elders. *Journal of Gerontological Nursing*, 20(5), 23-27.
- Fultz, K. H., & Herzog, A. R. (1993). Measuring urinary incontinence in surveys. urinary incontinence. *The Gerontologist*, 33(6), 708-713.
- Frazer, M. I., Sutherst, J. R., & Holland, E. F. (1987). Visual analogue scores and urinary incontinence. *British Medical Journal*, 295, 582.
- Gallagher, M. S. (1998). Urogenital stress and the psychosocial impact of urinary incontinence on elderly woman. *Rehabilitation Nursing*, 23(4), 192-197.
- Godec, C. J. (1994). Timed voiding: A useful tool in the treatment of urinary incontinence. *Urology*, 23, 97-100.

Goldstein, M., Hawthorne, M. E., Engberg, S., McDowell, B. J., & Barge, K. L. (1992).

Urinary incontinence: Why people do not seek help. **Journal of Gerontological Nursing**, 18(4), 15-20.

Harris, J. L. (1997). Treatment of postprostatectomy urinary incontinence with behavioral methods. **Clinical Nurse Specialist**, 11(4), 159-166.

Herzog, A. R., & Fultz, H. N. (1990). Prevalence and incidence of urinary incontinence in community-dwelling populations. **Journal of American Geriatrics Society**, 38, 273-281.

Herzog, A. R., Diokno, A. C., Brown, M. B., Fultz, H. N., & Goldstein, N. E. (1994). Urinary incontinence as a risk factor for mortality. **Journal of American Geriatrics Society**, 42(3), 264-268.

Jeter, K. F., Faller, N., & Norton, C. (Ed.). (1990). **Nursing for incontinence**. Philadelphia: W. B. Saunders.

Jitapunkul, S., & Khovidhunkit, W. (1998). Urinary incontinence in Thai elderly living in Klong Toey Slum. **Journal of the Medicine Association of Thailand**, 81(3), 160-168.

Kahn, R. L., Goldfarb, A. I., Pollack, M., & Peck, A. (1960). Brief objective measures for the determination of mental status in the aged. **American Journal of Psychiatry**, 117, 326-328.

Kee, C. (1999). The aging renal and urinary system. In M. Stanley & P. G. Beare (Eds.), **Gerontological nursing a health promotion / protection approach**. (2nd ed.). (pp. 160-171). Philadelphia: F.A. Davis.

Luft, J., & Vriheas-Nichols, A. (1998). Identifying the risk factors for developing incontinence: Can we modify individual risk? **Geriatric Nursing**, 19(2), 66-71.

Matteson, M. A., McConnell, E. S., & Linton, A. D. (1997). **Gerontological nursing: Concepts and practice**. (2nd ed.). Philadelphia: W. A. Saunders.

McDowell, B. J., Engberg, S., Weber, E., Brodak, I., & Engberg, R. (1994). Successful treatment using behavioral interventions of urinary incontinence in homebound older adults. **Geriatric Nursing**, 15(6), 303-307.

- McDowell, B. J., Engberg, S. J., Rodriguez, E., Engberg, R., & Sereika, S. (1996). Characteristics of urinary incontinence in homebound older adults. *Journal of American Geriatrics Society*, 44(8), 963-968.
- Miller, C. A. (1995). Medications can cause or treat urinary incontinence. *Geriatric Nursing*, 16(5), 253-254.
- Miller, C. A. (1998). Update on treatments for urinary incontinence. *Geriatric Nursing*, 19(2), 109-110.
- Miller, C. A. (1999). *Nursing Care of Older Adults: Theory and practice*. (3rd ed.). Philadelphia: Lippincott.
- Mooney, R. A., & Greenway, M. M. (1996). *Rapid Nursing Intervention: Gerontologic*. Columbia: Delmar.
- Morris, A., Brown, G., & Saltmarche, A. (1992). Urinary incontinence: Correlates among Cognitively impaired elderly veterans. *Journal of Gerontological Nursing*, 18(10), 33-40.
- Newman, D. K. (1996). Urinary incontinence management in the USA : The role of the nurse. *British Journal of Nursing*, 5(2), 78-88.
- Newman, D. K., Burns, P. A. (1994). Significance and impact of urinary incontinence. *Nurse Practitioner Forum*, 5(3), 130-133.
- Newman, D. K., & Smith, D. A. (1992). Pelvic muscle reeducation as a nursing treatment for incontinence. *Urologic Nursing*, 12(1), 45-49.
- Norton, P. A., Mc Donald, L. D., Sedgwick, P. M., & Stanton, S. M. (1988). Distress and delay associated with urinary incontinence, frequency and urgency in women. *British Journal of Nursing*, 297, 1187-1189.
- Ouslander, J. G., & Abelson, S. (1990). Perception of urinary incontinence among elderly outpatients. *Gerontologist*, 30(3), 369-372.
- Palmer, M. H. (1988). Incontinence : The magnitude of the problem. *Nursing Clinics of North America*, 23(1), 139-157.
- Palmer, M. H. (1994). Level 1 : Basic assessment and management of urinary incontinence in nursing home. *Nurse Practitioner Forum*, 5(3), 152-157.

- Palmer, M., German, P. S., & Ouslander, J. G. (1991). Risk factor for urinary incontinence one year after nursing home admission. *Research in Nursing and Health*, *14*, 405-412.
- Penn, C., Lekan-Rutledge, D., Joers, A. M., Stolley, J. M., & Amhof, N. V. (1996). Assessment of Urinary incontinence. *Journal of Gerontological Nursing*, *22*(1), 8-19.
- Pleanbangyang, S. (1998). **A causal model of physical and social function of older adult with urinary incontinence in Thailand.** Doctoral Dissertation. University of Washington.
- Robinson, D., Pearce, K. F., Preisser, J. S., Dugan, E., Suggs, P. K., & Cohen, S. J. (1998). Relationship between patient reports of urinary incontinence symptom and quality of life measures. *Obstetric & Gynecology*, *91*(2), 224-228.
- Roe, B., & May, C. (1999). Incontinence and sexuality : Findings from a qualitative perspective. *Journal of Advance Nursing*, *30*(3), 573-579.
- Rose, M. A., Baigis-Smith, J., Smith, D., & Newman, D. (1990). Behavioral management of urinary incontinence in homebound older adults. *Home Healthcare Nurse*, *8*(5), 10-14.
- Skoner, M. (1994). Self-management of urinary incontinence among women 31 to 50 years of age. *Rehabilitation Nursing*, *19*(6), 339-347.
- Smith, D. B. (1998). A continence care approach for long-term care facilities. *Geriatric Nursing*, *19*(2), 81-88.
- Steeman, E., & Defever, M. (1998). Urinary incontinence among elderly person who live at home. *Nursing Clinics of North America*, *33*(3), 441-455.
- Staab, A. S., & Hodges, L. C. (1996). **Essentials of Gerontological Nursing Adaptation To the Aging process.** Philadelphia: J. B. Lippincott.
- Synder, J. A., & Lipsitz, D. U. (1991). Evaluation of female urinary incontinence. *Urologic Clinics of North America*, *18*(22), 197-209.
- Thomas, A. M., & Morse, J. M. (1991). Managing urinary incontinence with self-care Practices. *Journal of Gerontological Nursing*, *17*(6), 9-14.
- Uebersax, J. S., Wyman, J. F., Shumaker, S. A., McClish, D. K., Fantl, J. A., & Continence program for Women Research Group. (1995). Short forms to assess life quality and symptom distress for urinary incontinence in women: The incontinence impact questionnaire and the urogenital distress inventory. *Neurourology and*

Urodynamics, 14, 131-139.

- Wagner, T. H., Patrick, D. L., Bavendum, T. G., Martin, M. L., & Buesching, D. P. (1996).
Quality of life of persons with urinary incontinence: Development of a new measure.
Urology, 47(1), 67-72.
- Watson, R. (1997). Urinary incontinence in elderly people. **Elderly Care, 9(5), 27-32.**
- Woodtli, M. A. (1993). Assessing urge incontinence in elderly women. **Geriatric Nursing, 14(1), 19-22.**
- Wyman, J. F. (1991). Incontinence and related problems. In W. C. Chenitz, J. T. Stone,
& S. A. Salisbury (Eds.), **Clinical Gerontological Nursing: A Guide to advanced
practice** (pp. 181-214). Philadelphia: W. B. Saunders .
- Wyman, J. F. (1999). Urinary incontinence. In J. T. Stone, J. F. Wyman & S. A. Salisbury (Eds.),
Clinical Gerontological Nursing: A Guide to advanced practice (2nd ed.).
(pp. 203-231). Philadelphia: W. B. Saunders .
- Wyman, J. F., Harkins, S. W., Choi, S. C., Taylor, J. R., & Fantl, J. A. (1987). Psychosocial
impact of urinary incontinence in women. **Obstetric & Gynecology, 70(3), 378-381.**
- Wyman, J. F., Harkins, S. W., & Fantl, J. A. (1990). Psychosocial impact of urinary
incontinence in community-dwelling population. **Journal of the American Geriatric
Society, 38, 282-288.**
- Yu, L. C. (1987). Incontinence stress index: Measuring psychological impact. **Journal of
Gerontological Nursing, 18(10), 33-40.**
- Yu, L. C., Kaltreider, D. L., Hu, T., Igou, J. F., & Craighead, W. E. (1989). The ISQ-P tool
measuring stress. **Journal of Gerontological Nursing, 15(2), 9-15.**