

## เอกสารอ้างอิง

- เกรียงศักดิ์ จีรแพทย์, สมชาย เกยูรวิเชียร, และวิมา จีรแพทย์. (2537). ผลของการจัดทำนอนต่อความอึดตัวออกซิเจนและภาวะการหายใจของทารกเกิดก่อนกำหนดภายหลังนำท่อหลอดลมคอออก. สารศิริราช, 46(7), 510-512.
- ชูศักดิ์ เวชแพศย์. (2535). หน้าท้องของระบบประสาทชั้นสูง. ใน สุวรรณ ห้วสพคุณ (บรรณาธิการ.), ศรีวิทยา 2 (พิมพ์ครั้งที่ 3) (หน้า 670-733). กรุงเทพฯ: เรือนแก้วการพิมพ์.
- ประพุทธ ศิริปุษย์. (2533). ทารกคลอดก่อนกำหนด. ใน ประพุทธ ศิริปุษย์, และอรุพล บุญประกอบ (บรรณาธิการ.), ทารกแรกเกิด (พิมพ์ครั้งที่ 2) (หน้า 66-77). กรุงเทพฯ: เรือนแก้วการพิมพ์.
- ประพุทธ ศิริปุษย์. (2540). การตรวจร่างกายทารกแรกเกิด. ใน วันดี วราวิทย์, ประพุทธ ศิริปุษย์, และ สุรางค์ เขียมจรรยา (บรรณาธิการ.), ตำรากุมารเวชศาสตร์ (ฉบับเรียบเรียงใหม่ เล่ม 2) (หน้า 13-15). กรุงเทพฯ: โฮลิสติก พับลิชชิง.
- พิมล ศรีสุภาพ. (2540). การประเมินอายุครรภ์ของทารกแรกเกิด. ใน มนตรี ตูจันทา, วินัย สุวดี, อรุณ วงษ์จิรายุทธ์, ประอร ชวลิตธารง, และ พิภพ จิรภิญโญ (บรรณาธิการ.), กุมารเวชศาสตร์ เล่ม 1 (หน้า 271-280). กรุงเทพฯ: เรือนแก้วการพิมพ์.
- สรายุทธ สุภาพรรณชาติ. (2540). ทารกแรกเกิดน้ำหนักน้อย. ใน วันดี วราวิทย์, ประพุทธ ศิริปุษย์, และ สุรางค์ เขียมจรรยา (บรรณาธิการ.), ตำรากุมารเวชศาสตร์ (ฉบับเรียบเรียงใหม่ เล่ม 2) (หน้า 18-23). กรุงเทพฯ: โฮลิสติก พับลิชชิง.
- วรรณวิไล ชุ่มภิรมย์. (2541). ความผิดปกติของการหลับในเด็กและการพยาบาล. ใน คณาจารย์ ภาควิชาการพยาบาลกุมารเวชศาสตร์ (บรรณาธิการ.), การปฏิบัติการพยาบาลผู้ป่วยเด็ก ในคลินิก 2. เชียงใหม่: คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.
- Ballard, J. L., Khoury, J. C., Wedig, K., Wang, L., Eilers-Walsman, B. L., & Lipp, R. (1991). New Ballard score, expanded to include extremely premature infants. *The Journal of Pediatrics*, 119(3), 417-423.

- Barb, S. A., & Lemons, P. K. (1989). The premature infant: Toward improving neurodevelopmental outcome. *Neonatal Network*, 7(6), 7-15.
- Blackburn, S. (1991). Sleep and awake states of the newborn. In S. Blackburn & R. Kang (Eds.), *Early parent-infant relationship* (2 nd ed.) (pp. 14-22). New York: March of Dimes Birth Defects Foundation.
- Blackburn, S. T. (1998). Environment impact of the NCU on developmental outcomes. *Journal of Pediatric Nursing*, 13(5), 279-288.
- Blackburn, S. T., & Kang, R.E. (1991). *Early parent-infant relationship* (2 nd ed.). New York: March of Dimes Birth Defects Foundation.
- Blackburn, S. T., & Loper, D. L. (1992). *Maternal, fetal, and neonatal physiology: A clinical perspective*. Philadelphia: W.B. Saunders.
- Blackburn, S., & Petteson, D. (1991). Effects of cycles light on activity state and cardiorespiratory function in preterm infants. *Journal of Perinatal and Neonatal Nursing*, 4(4), 47-54.
- Blackburn, S. T., & Vadenberg, K. A. (1993). Assessment and management of neonatal neurobehavioral development. In C. Kanner, A. Brueggemeyer, & L. P. Gunderson (Eds.), *Comprehensive Neonatal Nursing* (pp. 1095-1130). Philadelphia: W.B.Saunders.
- Blumenthal, I., & Lealmam, G. T. (1982). Effect of posture on gastroesophageal reflux in the newborn. *Archive Disease Childhood*, 57, 555-556.
- Brandon, D.H., Holditch-Davis, D., & Beylea, M. (1999). Nursing care and the development of sleeping and waking behaviors in preterm infants. *Research in Nursing and Health*, 22, 217-229.
- Brazelton, T. B. (1984). *Neonatal behavioral assessment scale* (2 nd ed.). Philadelphia: J.B. Lppincott.
- Brazelton, T. B., & Nugent, J. K. (1995). *Neonatal behavioral assessment scale* (3 rd ed.). London: Mac Keith Press.
- Burns, N., & Grove, S. K. (1997). *The practice of nursing research: Conduct critique and utilization* (3 rd ed.). Philadelphia: W.B. Saunders.

- Catlett, A.T., & Holditch-Davis, D. (1990). Environment stimulation of the acutely ill preterm infant: Physiological effects and nursing implication. *Neonatal Network*, 8(6), 19-26.
- Clark, H.M. (1992). Sleep. In M.M. Burke & M.B. Walsh (Eds.), *Gerontologic nursing care of the frail elderly* (pp. 334-354). St. Louis: Mosby.
- Cohen, F.L., & Merritt, S.L. (1994). Sleep promotion. In G.M. Bulechek & J.C. McClosky (Eds.), *Nursing interventions essential nursing treatments* (2 nd ed.)(pp. 109-118). Philadelphia: W.B. Saunders.
- Creger, P. (1993). Developmental support in the NICU. In P. Beachy & J. Deacon (Eds.), *Core curriculum for neonatal intensive care nursing* (pp. 426-442). Philadelphia: W.B. Saunders.
- Davis, B. L., Moon, R. Y., Sachs, H. C., & Ottolini, M. C. (1998). Effects of sleep position on infant motor development. *Pediatrics*, 102(5), 1135-1140.
- Dubowitz, L. M. S., Dubowitz, V., & Goldberg, C. (1970). Clinical assessment of gestational age in the newborn infant. *The Journal of Pediatrics*, 77(1), 1-10.
- Evans, J.C., & French, D.G. (1995). Sleep and healing in intensive care setting. *Dimensions of Critical Care Nursing*, 14(4), 189-199.
- Fay, M. J. (1988). The positive effects of positioning. *Neonatal Network*, 6(5), 23-28.
- Fiteman, C. (1987). Physical therapy in the NICU. In B. Connolly & P. Montgomery (Eds.), *Therapeutic exercise in developmental disability* (pp. 29-41). Chattanooga: Chattanooga cooperation.
- Fox, M. D., & Molesky, M. G. (1990). The effects of prone and supine positioning on arterial oxygen pressure. *Neonatal Network*, 8(4), 25-29.
- Gardner, S. L., Garland, K. R., Merenstein, S. L., & Lubchenco, L. O. (1993). The neonate and the environment: Impact on development. In G. B. Merenstein & S. L. Gardner (Eds.), *Handbook of neonatal intensive care*(3 rd ed.) (pp. 586-589). St. Louis: Mosby.
- Gardner, S. T., & Lubchenco, L. O. (1998). The neonate and the environment: Impact on development. In G. B. Merenstein & S. L. Gardner (Eds), *Handbook of neonatal intensive care* (5 th ed.) (pp. 586-589). St. Louis: Mosby.

- Gay, K., Dostal, S., Ternullo-Retta, C., & Armstrong, A. M. (1998). Developmentally supportive care in neonatal intensive care unit: A research utilization project. *Neonatal Network*, 17(2), 33-37.
- Goto, K., Mirmiran, M., Adams, M.M., Longford, R.V., Baldwin, R.B., Boeddiker, M.A., & Ariagno, R.L. (1999). More awakening and heart rate variability during supine sleep in preterm infants. *Pediatrics*, 103(4), 603-609.
- Hack, M. (1992). The sensorimotor development of the preterm infant. In A. A. Fanaroff & R. J. Martin (Eds.), *Neonatal-perinatal medicine: Diseases of the fetus and infant* (5th ed.) (pp.759-781). St. Louis: Mosby.
- Hemingway, M., & Oliver, S. (1991). Waterbed therapy and cranial moulding of the sick preterm infant. *Neonatal Network*, 10(3), 53-56.
- Hodgson, L. A. (1991). Why do we need sleep?: Relating theory to nursing practice. *Journal of Advance Nursing*, 16, 1503 - 1510.
- Holditch-davis, D. (1990). The development of sleeping and waking states in high-risk preterm infants. *Infant Behavior and Development*, 13, 513-531.
- Holditch-davis, D. (1993). Neonatal sleep-wake states. In C. Kanner, A. Brueggemeyer, & L. P. Gunderson (Eds.), *Comprehensive neonatal nursing* (pp. 1075-1093). Philadelphia: W.B.Saunders.
- Hunsberger, M. (1989). Promoting healthy sleep patterns. In R. L. Fosters, H. Romness, M. Mabel, & J. J. T. Anderson (Eds.), *Family-centered nursing care of children*. Philadelphia: W.B.Saunders.
- Hunt, L., Fleming, P., & Golding, J. (1997). Does the supine sleeping have any adverse effects on the child?: Health in the first six months. *Pediatrics*, 91(6), 1112-1115.
- Kanner, C., Amlung, S.R., & Flandermeyer, A.A. (1998). *Protocols in neonatal nursing*. Philadelphia: W.B.Saunders.
- Kick, E. (1996). Sleep and the family. In P. J. Bomar (Ed.), *Nurses and family health promotion: Concepts, assessment, and interventions* (2nd ed.) (pp. 245-263). Philadelphia: W.B. Saunders.

- Lockridge, T., Taquino, L. T., & Knight, A. (1999). Back to sleep: Is there room in that crib for both AAP recommendations and developmentally supportive care ?. *Neonatal Network*, 18 (5), 29-33.
- Martin, R. J., Herrell, N., Rubin, D., & Fanaroff, A. (1979). Effect of supine and prone positions on arterial oxygen tension in the preterm infant. *Pediatrics*, 63(4), 528-531.
- Masterton, J., Zucker, C., & Schulze, K. (1987 ). Prone and supine positioning effects on energy expenditure and behavior of low birth weight neonates. *Pediatrics*, 80(5), 689-692.
- Milne, B. (1982). Sleep-wake disorders and what we can do about them. *The Canadian Nurse*, April, 24-27.
- Monfrot, K., & Case-Smith, J. (1996). The effects of a neonatal positioner on scapular rotation. *The American Journal of Occupational Therapy*, 51(5), 378-384.
- Polit, D. F., & Hungler, B. P. (1995). *Nursing research: Principles and methods* (5 th ed.). Philadelphia: Lippincott.
- Schibler, K. D., & Fay, S. A. (1990). Sleep promotion. In M. J. Craft & J. A. Denethy (Eds.), *Nursing interventions for infants and children* (pp. 285-303). Philadelphia: W.B. Saunders.
- Strauch, C. Brandt, S., & Edwards-Beckett, J. (1993). Implimentation of a quiet hour: Effect on noise levels and infant sleep state. *Neonatal Network*, 12(2), 31-35.
- Thomas, K.A. (1995). Biorhythms in infants and role of the care environment. *Journal of Perinatal and Neonatal Nursing*, 9(2), 61-75.
- Updike, C., Schmidt, R.E., Macke, C., Cahoon, J., & Miller, M. (1986). Positional support for premature infants. *The American Journal of Occupational Therapy*, 40(10), 712-175.
- Webster, R.A., & Thompson, D.R (1986). Sleep in hospital. *Journal of Advanced Nursing*, 11, 447-457.
- Wong, D. L., & Perry, S. E. (1998). *Maternal child nursing care*. St. Louis: Mosby.
- Young, J. (1994). Positioning premature babies nursing preterm babies in intensive care: Which position is best?. *Journal of Neonatal Nursing*, September, 27-31.
- Young, J. (1996). *Developmental care of the premature baby*. London: Bailliere Tindall.

Zahr, L. K., & Balian, S. (1995). Responses of premature infants to routine nursing intervention and noise in the NICU. *Nursing Research*, 44(3), 179-185.

มหาวิทยาลัยเชียงใหม่  
Chiang Mai University