

เอกสารอ้างอิง

- กองสาธารณสุข กระทรวงสาธารณสุข. (2540). จำนวนตายด้วยอุบัติเหตุต่าง ๆ พ.ศ. 2538-2540 [On-line]. Available: <http://www.moph.go.th/ops/bhpp/act.html> [2543, Feb, 10].
- ขนิษฐา นาคะ. (2534). ความวิตกกังวลและความต้องการข้อมูลในผู้ป่วยก่อนผ่าตัด. วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต สาขาพยาบาลศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- จเร ผลประเสริฐ. (2541). Head injury. ใน *ชาญวิทย์ ดันดีพิพัฒน์ และชนิด วัชรพุกก์. ตำรา ศัลยศาสตร์ (พิมพ์ครั้งที่ 4) (หน้า 801-817)*. กรุงเทพฯ: ด้านสุขภาพการพิมพ์.
- ช่อลดา พันธุเสนา. (2536). การพยาบาลจิตสังคมในผู้ป่วยภาวะวิกฤต ตามแบบแผนสุขภาพ. กรุงเทพฯ: บริษัทอมรินทร์พริ้นติ้งกรุ๊ป จำกัด.
- ชัยวัน เจริญโชคทวี. (2538). Surgical lesion of head injury. ใน *สมเกียรติ ชาตรีธร, อานนท์ วณิชชาชนากร, อนันต์ มโนชัยพิบูลย์, และอุดมกิตต์ เจริญชัย (บรรณาธิการ)*. *ศัลยศาสตร์อุบัติเหตุ 6: Common problem in trauma (หน้า 181-186)*. กรุงเทพฯ: สหมิตรเมดิเพรส DPLC.
- คาราวรรณ ต๊ะปีนตา. (2534). การลดความวิตกกังวลของพยาบาลประจำการที่ดูแลผู้ป่วยโรคเอดส์ ด้วยวิธีการปรับเปลี่ยนความคิดร่วมกับการฝึกสติ. วิทยานิพนธ์ปริญญาครุศาสตรดุษฎีบัณฑิต ภาควิชาจิตวิทยา, บัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย.
- ถนอมศรี คูอาริยะกุล. (2538). ผลของโปรแกรมการให้ความรู้ร่วมกับการสนับสนุนทางอารมณ์ต่อความรู้สึกไม่แน่นอนและความวิตกกังวลในผู้ป่วยที่ได้รับการตัดเต้านม. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลอายุรศาสตร์และศัลยศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- ธิติมา วทานิชเวช. (2540). ความต้องการของสมาชิกในครอบครัวผู้ป่วยวิกฤตตามการรับรู้ของตนเองและของพยาบาล. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลอายุรศาสตร์และศัลยศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- นครชัย เผื่อนปฐม. (2541). *บาดเจ็บที่ศีรษะ*. พิมพ์ครั้งที่ 2. กรุงเทพฯ: โอ เอส พริ้นติ้งเฮาส์.
- นาฎยา เอื้องไพโรจน์. (2535). ผลของการให้ข้อมูลอย่างมีแบบแผนต่อความวิตกกังวลของกลุ่มมารดาของผู้ป่วยที่อยู่ในหออภิบาลผู้ป่วยหนักศัลยกรรม. วิทยานิพนธ์ปริญญา

พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลอายุรศาสตร์และศัลยศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

- นิภาวรรณ สามารถกิจ และจันทร์พร ยอดยิ่ง. (2541). ความต้องการและการตอบสนองความต้องการที่ได้รับของญาติผู้ป่วยวิกฤตในหอผู้ป่วยศัลยกรรมอุบัติเหตุ. วารสารคณะพยาบาลศาสตร์ มหาวิทยาลัยบูรพา, 6(3), 40-54.
- พิกุล ดันดิธรรม. (2533). ผลการเตรียมญาติผู้ป่วยที่เข้ารับการรักษาในหออภิบาลผู้ป่วยหนักโดยการให้ข้อมูลอย่างมีแบบแผนต่อระดับความวิตกกังวล. วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต (พยาบาลศาสตร์), บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- ภัสพร ขำวิชา. (2534). ผลของการสัมผัสต่อความวิตกกังวลของผู้ป่วยก่อนผ่าตัด. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต (พยาบาลศาสตร์), บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- สุปราณี เชื้อสุวรรณ. (2542). ผู้ป่วยที่ได้รับการใส่ท่อระบายสูดอากาศ. ใน วรนุช เกียรติพงษ์ถาวร, อัจฉรา เตชฤทธิพิทักษ์, สมคิด โพธิ์ชนะพันธ์, และผ่องศรี ศรีมรกต. การพยาบาลศัลยศาสตร์ทางคลินิก (พิมพ์ครั้งที่ 3) (หน้า 171-176). กรุงเทพฯ: บริษัท ลิฟวิ้ง ทรานส์มีเดีย จำกัด.
- โสภณ ลัดพลี (2542). อุบัติเหตุต่อกะโหลกและสมอง: Head injury ใน ไพบูลย์ สุทธิธรรมและบรรจบ อินทรสุขศรี (บรรณาธิการ.) ตำราศัลยศาสตร์สำหรับนักศึกษาแพทย์ (หน้า 1089-1121). กรุงเทพฯ: โรงพิมพ์เรือนแก้วการพิมพ์.
- หน่วยเวชระเบียน. (2540, 2542). รายงานสถิติโรค. เชียงใหม่: หน่วยรายงานสถิติทางการแพทย์งานเวชระเบียนและสถิติ โรงพยาบาลมหาราชนครเชียงใหม่ คณะแพทยศาสตร์ มหาวิทยาลัยเชียงใหม่.
- อุบลวรรณ กิติรัตน์ตระการ. (2541). ความต้องการของสมาชิกในครอบครัวผู้ป่วยภาวะวิกฤตจากการบาดเจ็บที่สมองเฉียบพลัน. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- Acorn, S. (1995). Assisting families of head-injured survivors through a family support programme. *Journal of Advanced Nursing*, 21, 872-877.
- Acorn, S., & Roberts, E. (1992). Head injury: Impact on the wives. *Journal of Neuroscience Nursing*, 24(6), 324-328.
- Aimin, G. (1999). **Effects of informational support on anxiety among family members of critically ill patients.** Master of Nursing Science in Medical and Surgical Nursing Graduate school, Chiang Mai University, May, 1999.

- Baker, J.E. (1990). Family adaptation when one member has a head injury. **Journal of Neuroscience Nursing**, 22(4), 232-237.
- Bokinskie, J.C. (1992). Family conferences: A method to diminish transfer anxiety. **Journal of Neuroscience Nursing**, 24(3), 129-133.
- Bottcher, S.A. (1989). Cognitive retraining: A nursing approach to rehabilitation of the brain injured. **Nursing Clinics of North America**, 24(1), 193-208.
- Breu, C., & Dracup, K. (1978). Helping the spouses of critically ill patients. **American Journal of Nursing**, 78, 51-53.
- Bridgman, H., & Carr, E. (1998). Providing family care in hospital. **Nursing Times**, 94(1), 44-47.
- Brown, S.M. (1990). Quantitative measurement of anxiety in patients undergoing surgery for renal calculus disease. **Journal of Advanced Nursing**, 15(8), 962-970.
- Cohen, S., & Syme, S.L. (1985). **Social support and health**. New York: Academic Press.
- Chipps, E.M., Clanin, N.J., & Campbell, V.G. (1992). **Neurologic disorders**. St. Louis: Mosby Year Book.
- Darby, J.M., & Budway, R. J. (1998). Priorities in the ICU care of the adult trauma patient. In A.B. Peitzman, M. Rhodes, C. W. Schwab, & D.M. Yearly (Eds.) **The trauma manual** (pp. 351-375). Philadelphia: Lippincott-Raven.
- deWit, S.C. (1998). **Essential of medical-surgical nursing** (4th ed.) Philadelphia: W.B. Saunders.
- Donnell, S.G. (1989). Coping during the wait. **AORN Journal**, 50(5), 1088, 1090-1092.
- Dunbar, S.B., & McLain, R.M. (1993). Family care. In M.R. Kinney, D.R. Pack, & S.B. Dunbar (Eds.), **AACN's clinical reference for critical-care nursing** (pp. 411-425). St. Louis: Mosby.
- Engli, M., & Kirsivali-Farmer, K. (1993). Needs of family members of critically ill patients with and without acute brain injury. **Journal of Neuroscience Nursing**, 25(2), 78-85.
- Gaberson, K.B. (1991). The effect of humorous distraction on preoperative anxiety: A pilot study. **AORN**, 54(6), 1258-1264.
- Gardner, D. (1986). Acute management of the head-injured adult. **Nursing Clinics of North America**, 21(4), 555-561.

- Gaw-Ens, B. (1994). Informational support for families immediately after CABG surgery. *Critical Care Nurse*, February, 41-50.
- Gomez, E.A., Gomez, G.E., & Otto, D.A. (1984). Anxiety as a human emotion: Some basic conceptual models. *Nursing Forum*, 21(1), 38-42.
- Graham, L.E., & Conley, E.M. (1971). Evaluation of anxiety and fear in adult surgical patients. *Nursing Research*, 20(2), 113-122.
- Greene, J.A. (1997). Anxiety disorders. In B.S. Johnson (Ed.). *Psychiatric-mental health nursing: Adaptation and growth* (4th ed.) (pp. 453-470). Philadelphia: Lippincott.
- Grimm, P.M. (1997). Measuring anxiety. In Frank-Stromborg, M., & Olsen, S. J. (Eds.). *Instruments for clinical health-care research* (2nd ed.) (pp.329-341). Boston: Jones and Bartlett Publishers.
- Halm, M. (1990). Effects of support groups on anxiety of family members during critical illness. *Heart & Lung*, 19(1), 62-71.
- Hickey, J.V. (1997). Craniocerebral injuries. In J.V. Hickey. *The clinical practice of neurological and neurosurgical nursing* (4th ed.) (pp. 385-417). Philadelphia: Lippincott.
- Hickey, M. (1990). Family needs in critical care. *Heart & Lung*, 19(4), 401-415.
- Hickey, M. (1993). Psychosocial needs of families. In J.M. Cloches, C. Breu, S. Cardin, E.B. Rudy, & A.A. Whittaker (Eds.), *Critical Care Nursing* (pp. 91-101). Philadelphia: W.B. Saunders.
- Hopkins, A.G. (1994). The trauma nurse's role with families in crisis. *Critical Care Nurse*, April, 35-43.
- House, J.S. (1981). *Work stress and social support*. Reading, M.A.: Addison-Wesley.
- Hudak, C.M., Gallo, B.M., & Morton, P.G. (1998). *Critical care nursing: A holistic approach*. Philadelphia: Lippincott.
- Hutchison, C. (1999). Social support: Factors to consider when designing studies that measure social support. *Journal of Advanced Nursing*, 29(6), 1520-1526.
- Johnson, L.H., & Roberts, S.L. (1996). Hope facilitating strategies for the family of the head injury patient. *Journal of Neuroscience Nursing*, 28, 259-266.

- Johnson, M.J., & Frank, D.I. (1995). Effectiveness of a telephone intervention in reducing anxiety of families of patients in an intensive care unit. **Applied Nursing Research**, 8(1), 42-43.
- Kathol, D.K. (1984). Anxiety in surgical patients' families. **AORN Journal**, 40(1), 131-137.
- Kleinpell, R.M. (1991). Needs of families of critically ill patients: A literature review. **Critical Care Nurse**, 11(8), 34-40.
- Kleinpell, R.M., & Powers, M.J. (1992). Needs of family members of intensive care unit patients. **Applied Nursing Research**, 5(1), 2-8.
- Kneisl, C.R. (1996). Stress, anxiety, and coping. In H.S. Wilson & C.R. Kneisl (Eds.). **Psychiatric nursing** (5th ed.) (pp. 66-84). California: Benjamin/Cummings publishing.
- Langford, C.P., Bowsher, J., Maloney, J.P., & Lillis, P.P. (1997). Social support: A conceptual analysis. **Journal of Advanced Nursing**, 25, 95-100.
- Lee, K. (1998). Anxiety and related disorders. In M.A. Boyd, & M.A. Nihart (Eds.), **Psychiatric nursing: Contemporary practice** (pp. 476-529). Philadelphia: Lippincott.
- LeMone, P., & Burke, K.M. (1996). **Medical surgical nursing: Critical thinking in client care**. California: Addison-Wesley Nursing.
- Leske, J.S. (1992). Needs of adult family members after critical illness: Prescriptions for interventions. **Critical Care Nursing Clinics of North America**, 4(4), 587-596.
- Leske, J.S. (1993). Anxiety of elective surgical patients' family members: Relationship between anxiety levels, family characteristics. **AORN Journal**, 57(5), 1091-2, 1096, 1098-1103.
- Leske, J.S. (1996). Intraoperative progress reports decrease family members' anxiety. **AORN Journal**, 64(3), 424-436.
- Leske, J.S. (1998). Acute care and adult family interventions. In B. Vaughan-Cole, M. A. Johnson, J. A. Malone, & B. L. Walker (Eds.). **Family nursing practice** (pp. 163-195). Philadelphia: W. B. Saunders company.
- Mangini, L., Confessore, M.T., Girard, P., & Spadola, T. (1995). Pediatric trauma support program. **Critical Care Nursing Clinics of North America**, 7(3), 557-567.

- Martin, B. (1999). **What can we do to help?** [On-line]. Available: <http://www.waiting.com/whatcanwedo.html> [2000, Oct, 10].
- McNett, S.C. (1987). Social support, threat, and coping response and effectiveness in the functionally disabled. **Nursing Research**, **36** (2), 98-103.
- McQuay, J.E. (1995). Support of families who had a loved one suffer a sudden injury, illness, or death. **Critical Care Nursing Clinics of North America**, **7**(3), 541-547.
- Meijs, C.A. (1989). Care of the family of the ICU patient. **Critical Care Nurse**, **9**(8), 42-44.
- Mirr, M.P. (1991). Factors affecting decisions made by family members of patients with severe head injury. **Heart & Lung**, **20**, 228-235.
- Murray, P.D., Lowe, J.D., Anderson, H.N., Horne, H.L., Lott, W.C., & MacDonald, S. (1996). Validity studies of the filial anxiety scale. **The Gerontologist**, **36**(1), 110-112.
- Pittman, D., & Fowler, S. (1997). Acute stress disorder: Application to families of head-injured patients. **Journal of Neuroscience Nursing**, **30**(4), 253-256.
- Polit, D.F., & Hungler, B.P. (1999). **Nursing research: Principles and Methods**. (6th ed.). Philadelphia: Lippincott.
- Plowfield, L.A. (1999). Living a nightmare: Family experiences of waiting following neurological crisis. **Journal of Neuroscience Nursing**, **31**(4), 231-238.
- Prevost, S.S. (1997). Fundamental concepts. In J.C. Hartshorn, M.L. Sole, & M.L. Lamborn (Eds.), **Introduction to critical care nursing** (pp. 12-19). Philadelphia: W.B. Saunders.
- Ragsdale, D., Yarbrough, S., & Lasher, A.T. (1993). Using social support theory to care for CVA patients. **Rehabilitation Nursing**, **18**(3), 154-172.
- Raleigh, E.H., Lepczyk, M., & Rowley, C. (1990). Significant others benefit from preoperative information. **Journal of Advanced Nursing**, **15**(8), 941-945.
- Reider, J.A. (1994). Anxiety during critical illness of a family member. **Dimensions of Critical Care Nursing**, **13**(5), 272-279.
- Rice, M.J. (1992). Minor head injury: Is anybody listening?. **Journal of Neuroscience Nursing**, **24**(3), 173-175.
- Richmond, T.S., & Craig, M. (1986). Family-centered care for the neurotrauma patient. **Nursing Clinics of North America**, **21**(4), 641-651.

- Rowland, L.P. (1995). **Merritt's textbook of neurology** (9th ed.). Baltimore: Williams & Wilkins.
- Rukholm, E., Bailey, P., Coutu-Wakulczyk, G., & Bailey, W.B. (1991). Needs and anxiety levels in relatives of intensive care unit patients. **Journal of Advanced Nursing**, 16 (8), 920-928.
- Schenk, E.A. (1995). Management of persons with problems of the brain. In W.J. Phipps, V.L. Cassmeyer, J.K. Sands, & M.K. Lehman (eds.). **Medical-surgical nursing: Concepts and clinical practice** (pp. 1923-2022). St. Louis: Mosby.
- Shuldham, C.M., Cunningham, G., Hiscock, M., & Luscombe, P. (1995). Assessment of anxiety in hospital patients. **Journal of Advanced Nursing**, 22, 87-93.
- Smeltzer, S.C., & Bare, B.G. (2000a). **Brunner & Suddarth's textbook of medical-surgical nursing**. (9th ed.) Volume 1. Philadelphia: Lippincott.
- Smeltzer, S.C., & Bare, B.G. (2000b). **Brunner & Suddarth's textbook of medical-surgical nursing**. (9th ed.) Volume 2. Philadelphia: Lippincott.
- Solursh, D.S. (1990). The family of the trauma victim. **Nursing Clinics of North America**, 25 (1), 155-162.
- Spielberger, C.D. (1972). Anxiety as an emotional state. In C.D. Spielberger (Ed.). **Anxiety: Current trends in theory and research** (pp. 23-49). New York: Academic press.
- Spielberger, C.D., & Vagg, P. R. (1995). Test anxiety: A transactional process model. In C. D. Spielberger. & P. R. Vagg (Eds.) **Test anxiety: Theory, assessment, and treatment**. Washington: Taylor& Francis.
- Stanik, J.A. (1990). Caring for the family of the critically ill surgical patient. **Critical Care Nurse**, 10(1), 43-47.
- Stewart, M.J. (1989). Social support instruments created by nurse investigation. **Nursing Research**, 38(5), 268-275.
- Stewart, M.J. (1993). **Integrating social support in nursing**. Newburg Park: SAGE.
- Stewart, M.J., & Tilden, V.P. (1995). The contributions of nursing science to social support. **Internal Journal of Nursing Study**, 32(6), 535-544.
- Stratton, M.C., & Gregory, R.J. (1995). What happens after a traumatic brain injury: Four case studies. **Rehabilitation Nursing**, 20(6), 323-327.

- Teddy, P.J., & Anslow, P. (1988). **Head injuries**. London: Gower.
- Testani-Dufour, L., Chappel-Aiken, L., & Gueldner, S. (1992). Traumatic brain injury: A family experience. **Journal of Neuroscience Nursing**, 24(6), 317-323.
- Theban, L. A., Urden, L. D., Lough, M. E., & Stacy, K.M. (1998). **Critical care nursing: Diagnosis and management (3rd ed.)**. St. Louis: Mosby.
- Tilden, V.P. (1985). Issues of conceptualization and measurement of social support in the construction of nursing theory. **Research in Nursing and Health**, 8, 199-206.
- Titler, M.G., Cohen, M.Z., & Craft, M.J. (1991). Impact of adult critical care hospitalization: Perceptions of patients, spouses, children, and nurses. **Heart & Lung**, 20(2), 174-182.
- Topp, R., Walsh, E., & Sanford, C. (1998). Can providing paging devices relieve waiting room anxiety? **AORN Journal**, 67(4), 852, 854, 857-861.
- Tracy, J., Fowler, S., & Magarelli, K. (1999). Hope and anxiety of individual family members of critically ill adults. **Applied Nursing Research**, 12(3), 121-127.
- Vassar, E.K., & Grogan, J.M. (1995). The beginnings. **Critical Care Nursing Clinics of North America**, 7(3), 511-518.
- Walleek, C., & Mooney, K. (1994). Neurotrauma: Head injury. In E. Barker (ed.) **Neuro Science nursing** (pp. 324-351). St. Louis: Mosby.
- Webb, M. S., & Riggin, O.Z. (1994). A comparison of anxiety levels of female and male patients with myocardial infarction. **Critical care Nurse**, 14(1), 118-124.