เอกสารอ้างอิง

เกรียงศักดิ์ จีระแพทย์. (2546). การใช้อุปกรณ์ทางการแพทย์ควบคุมอุณหภูมิกายทารก. ใน สุนทร ฮ้อเผ่าพันธุ์ (บรรณธิการ), *Preventive Measures in neonatal care* (หน้า 163-172). กรุงเทพฯ: ธนาเพรส แอนด์ กราฟฟิค.

เกรียงศักดิ์ จีระแพทย์ และ วีณา จีระแพทย์. (2548). *การประเมินภาวะสุขภาพทารกแรกเกิด.* กรุงเทพฯ: ด่านสุทธาการพิมพ์.

เกศรา เสนงาม. (2551). *การพยาบาลผู้ป่วยเด็กภาวะวิกฤตของระบบทางเดินหายใจ.* สงขลา: เรือนแก้วการพิมพ์.

จริยา อินทะพันธุ์. (2544). *การถูกจับต้องของทารกเกิดก่อนกำหนดในหออภิบาลทารกแรกเกิด.* วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลกุมารเวชศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

ทิพย์สุดา เส็งพานิช. (2550). *สื่อสัญญาณความเครียดของทารกเกิดก่อนกำหนดขณะได้รับการพยาบาลที่ไม่คุกคามต่อร่างกาย.* วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลกุมารเวชศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

นันทา เลียววิริยะกิจ. (2546). การอาบน้ำและการเปลี่ยนผ้าอ้อม.ใน นิตยา ไทยาภิรมย์, ศรีมนา นิยมค้า (บรรณาธิการ), *การปฏิบัติการพยาบาลกุมารเวชศาสตร์ เล่ม1* (หน้า 1-10). เชียงใหม่: คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.

นฤมล ธีระรังสิกุล. (2545). การพยาบาลทารกคลอดก่อนกำหนด. (พิมพ์ครั้งที่ 3). กรุงเทพฯ: พีเพรส.

ผกาพรรณ เกียรติชูสกุล. (2545). ความผิดปกติในระบบหายใจ. ใน สุกัญญา ทักษพันธุ์ (บรรณาธิการ), *คู่มือทารกแรกเกิด* (พิมพ์ครั้งที่ 3, หน้า 87-126). ขอนแก่น: คลังนานาวิทยา.

ภัทรา นันทวัน. (2550). ยาที่ออกฤทธิ์ต่อระบบประสาทส่วนกลาง: ยานอนหลับ. ใน จันทนี อิทธิพานิชพงศ์, นิพัญจน์ อิศรเสนา ณ อยุธยา, พิสนธิ์ จงตระกูล, ภัทรา นันทวัน, วัชรี สิมปนสิทธิกุล, สุพีชา วิทยเลิศปัญญา, และคณะ (บรรณาธิการ), *เภสัชวิทยา* (ฉบับปรับปรุงใหม่, หน้า 91-97). กรุงเทพฯ: จุฬาลงกรณ์มหาวิทยาลัย.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved

ภัทรา นันทวัน. (2550a). ยาที่ออกฤทธิ์ต่อระบบประสาทส่วนกลาง:ยากระตุ้นประสาทส่วนกลาง. ใน จันทนี อิทธิพานิชพงศ์, นิพัญจน์ อิศรเสนา ณ อยุธยา, พิสนธิ์ จงตระกูล, ภัทรา นันทวัน, วัชรี สิมปนสิทธิกุล, สุพีชา วิทยเลิศปัญญา, และคณะ (บรรณาธิการ), *เภสัชวิทยา* (ฉบับปรับปรุงใหม่, หน้า 98-100). กรุงเทพฯ: จุฬาลงกรณ์มหาวิทยาลัย.

รัชนี ผดุงวัย และคณะ. (2541). ศึกษาการเปลี่ยนแปลงของสัญญาณชีพและค่าความอิ่มตัวของออกซิเจนในเลือดแดง ในทารกแรกเกิดน้ำหนักน้อย ขณะได้รับการทำความสะอาดร่างกาย. *วารสารชมรมพยาบาลกุมารเวชแห่งประเทศไทย. 2,* 56-63.

วิภา พลับผล. (2551). *ผลของการสวมหมวกลดระดับเสียงต่อการตอบสนองความเครียดของทารกเกิดก่อนกำหนดในหออภิบาลทารกแรกเกิด.*วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลกุมารเวชศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

วีณา จีระแพทย์. (2543). การควบคุมอุณหภูมิของทารกแรกเกิด. ใน สุนทร ฮ้อเผ่าพันธุ์ (บรรณธิการ), *Advance neonatal mechanical ventilator and neonatal respiratory intensive care* (หน้า 99-113). กรุงเทพฯ: ธนาเพรส แอนด์ กราฟฟิค.

วีณา จีระแพทย์ และ เกรียงศักดิ์ จีระแพทย์. (2550). *การบริหารความปลอดภัยของผู้ป่วย แนวคิด กระบวนการ และแนวปฏิบัติ ความปลอดภัยทางคลินิก*. กรุงเทพฯ: ด่านสุทธาการพิมพ์.

สำนักงานนโยบายและยุทธศาสตร์. (2552). *จำนวนและร้อยละของการเกิดมีชีพ จำแนกตามน้ำหนักเด็ก แรกเกิด พ.ศ. 2546-2550.* สืบค้น 22 ก.ค.2552, จาก http://bps.ops.moph.go.th/HEALTH2.html

สุพีชา วิทยเลิสปัญญา. (2550). ยาที่ออกฤทธิ์ต่อระบบประสาทส่วนกลาง: ยาแก้ปวดชนิดเสพติด. ใน จันทนี อิทธิพานิชพงศ์, นิพัญจน์ อิศรเสนา ณ อยุธยา, พิสนธิ์ จงตระกูล, ภัทรา นันทวัน, วัชรี สิมปนสิทธิกุล, สุพีชา วิทยเลิศปัญญา, และคณะ (บรรณาธิการ), *เภสัชวิทยา* (ฉบับปรับปรุงใหม่, หน้า 138-145). กรุงเทพฯ: จุฬาลงกรณ์มหาวิทยาลัย.

Als, H. (1986). A synactive model of neonatal behavioral organization : Framework for the assessment of neurobehavioral development in the premature infant and for support of infants and parents in the neonatal intensive care environment. *Physical & Occupational Therapy in Pediatric, 6*(3), 53.

Als , H., Lawhon, G., Duffy, F. H., McAnulty, G. B., Gibes-Grossman, R., & Blickman, J. G. (1994). Individualized developmental care for the very low-birth-weight preterm infant. Medical and neurofunctional effect. *JAMA, 272*(11), 853-858.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved

Als , H., (1999). Reading the premature infants. In E. Golden (Ed.), *Nurturing the premature infants: Developmental intervention in the neonatal intensive care unite*. New York: Oxford University Press.

Als, H., Lawhon, G., Duffy, F. H., McAnulty, G. B., RivKin, M. J., Vajapeyam, S., Mulkern, R.V., Warfield, S. K., et al. (2004). Early experience alter brain function and structure. *Pediatrics, 113*, 846-857.

Altimier, L. B. (2007).The Neonatal Intensive Care Unite (NICU) Environment. In C. Kenner & J. W. Lott (Ed.), *Comprehensive neonatal nursing* (4th ed., pp.480-490). China: W.B. Saunders.

American Academy of Pediatrics. (1997). *Noise: A hazard for the fetus and newborn.*Retrieved July 3, 2009, from www.aap.org

American academy of pediatric. (2009). Premature babies: Growth and development. Medical Libraly. Retrieved August 3, 2009, from http://www.medem.com/?q=medlib/article

Anand, K. J. S. (2000). Effects perinatal pain and stress. *Progress in Brain Research, 122*, 117-129.

Baar, A. L., Ultee, K., Gunning, W. B., Soepatmi, S., & Leeuw, R. D. (2006). Developmental course of very preterm children in relation to school outcome. *Journal of Developmental and Physical Disabilities, 18*(3), 51-56.

Baird, M. J. (2003). Care of the Normal Newborn. In C.B. Rosdahl & M. T. Kowalski (Eds.), *Textbook of Basic Nursing* (8th ed., pp. 952-979). Philadelphia: L.Williams.

Ballard, J. L., Khoury, J. C., Wedig, K., Wang, L., Eiler-Walsman, B. L., & Lipp, R. (1991). New ballard score: Expanded to include extremely premature infant. *The Journal of Pediatric, 119*, 417-423.

Ballweg, D. (2007). Neonatal and pediatric pain management: standards and application. *Pediatric and Child Health, 17*, S61-S66.

Barreto, E. D., Morris, B. H., Philbin, M. K., Gray, L. C., & Lasky, R. E. (2006). Do former preterm infants remember and respond to neonatal intensive care unit noise?. *Early Human Development*, 82, 703-707.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved

Berseth, C.L., & Poennaru, D. (2005). Necrotizing enterocolitis and short bowel syndrome. In H.W. Taeusch, R.A. Baller & C. A. Gleason (Eds.). *Avery's diseases of the newborn* (9th ed., pp. 1123-1134). Philadelphia: Elsevier.

Bingham, P.M., Abassi, S., & Sivieri, E. (2003). A pilot study of milk order effect on nonnutritive sucking by premature newborns. *Arhives of pediatric and adolescent medicine*. *157*:72-75.

Blackburn, S. T. (1998). Environment impact of the NICU on developmental outcome. *Journal of Pediatric Nursing, 13*(5), 279-289.

Brazelton, T. B., & Nugent, J. K. (1995). *Neonatal Behavioral Assessment Scale* (3rd ed.). London: Mac Keith Press.

Bremmer, P., Bayers, J.F., & Kiehl, E. (2003). Noise and the Premature Infant: Physiological Effects and Practice Implications. *JOGNN principles & practice, 32*(4), 447-454.

Burns, N,& Grove, S. K. (2005). The Practice of nursing research: conduct, critique & utilization. Philadelphia: Sanders.

Centers for Disease Control and Prevention. (2007). *National vital Statistic Reports*. Retrieved August 3, 2009, from http://www.cdc.gov/nchs/births.html

Chessman, H. K., Frey, M. B., & Jew, K.R. (2003). Neonatal pharmacotherapy: Pain management in neonates. *University of the Sciences in Philadelphia, 3*(1), 2-32.

Clyman, R.I. (2005). Patent ductus arteriosus in the premature infants. In H.W. Taeusch, R.A. Baller & C. A. Gleason (Eds.), *Avery's diseases of the new*born (9th ed., pp. 816-826). Philadelphia: Elsevier.

Cohen, B. A., & Siegfried, E.C. (2005). Newborn skin: Development and basic concepts. In H.W. Taeusch, R.A. Baller & C. A. Gleason (Eds.). *Avery's diseases of the newborn* (9th ed., pp. 1471-1482). Philadelphia: Elsevier.

Danford, D. A., Miske, S., Headley, J., & Nelson, R. M. (1983). Effect of routine care procedures on transcutaneous oxygen in neonates: A quantitative approach. *Archives of Disease in Childhood*, 58, 20-23.

Gardner, S. L., & Goldson, E. (2002). The neonate and the environment: impact on development. In G. B. Merenstien & S. L. Gardner (Eds.). *Handbook of neonatal intensive care* (5th ed., pp. 219-282). St.Louis: Mosby.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved

Gibson, L.Y. (1996). Pulse oximeter in the neonatal ICU: A correlational analysis. *Pediatric nursing, 22*(6), 511-515.

Glass, P. (2005). The vulnerable neonate and the neonatal intensive care environment. In M.G MacDonald et al. (Eds.). *Avery' s neonatology: pathophysiology and management of the newborn* (5th ed., pp. 111-128). Philadelphia: Lippincott Williams & Wilkins.

Gray , L., & Philbin, M. K. (2004). Effects of the neonatal intensive care unit on auditory attention and distraction. *Clinics in perinatoiogy. 31*, 234-260.

Grunau R. (2002) Early pain in preterm infants. A model of long-term effects. *Clin Perinatal 29*(3), 373 – 394.

Hack, M., Taylor, H.G., Klein, N., Eiben, R., Schatshneider, C., & Mercuri- minich, N. (1994). Scool-age outcomes in children with birth weights under 750 g. *The New England Journal of Medicine, 331*(12), 753-759.

Hadley, L. B., West, D., Turner, A., & Santangelo, S. (1999). *Developmental and behavioral characteristics of preterm infants.* California: NICU INK.

Hansen, T. N., & Corbet, A. (2005). Pulmonary physiology of the newborn. In H. W. Taeusch, R. A. Ballard & C. A. Gleason (Eds.). *Avery' s diseases of the newborn* (9th ed., pp. 965-992). Philadelphia: Elsevier.

Harrison, L.L., Roane, C., & Weaver, M. (2004). The relationship between Physiologic and behavioral measures of stress in preterm infants. *Journal of Obstetric, Gynecologic, and Neonatal Nursing, 33*(2), 236-245.

Herlihy, B., & Maebius, N.K. (2003). *The human body in health and illness* (2nd ed.). St. Louis: Saunders.

Hetherington, R. (2008). Routine caregiving in NICU may affect blood flow in premature babies. *Journal of Pediatrics, 122*(5), 1006-1013.

Hockenberry, M. J., & Wilson, D. (2007). *Wong's nursing care of infant and children* (8th ed.). St.Louis: Mosby Elsevier.

Holditch-Davis, D., Blackburn, S.T., Vanderberg, K. (2003). Newborn and infant neurobehavioral development. In C. Kenner & J. W. (Ed.). *Comprehensive neonatal nursing* (3rd ed., pp. 236-278). Philadelphia: Saunders.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved

Holditch-Davis, D., Blackburn, S. T. (2007). Neurobehavioral development. In C. Kenner & J. W. (Ed.), *Comprehensive neonatal nursing* (4th ed., pp. 448-479). St. Louis: Saunders.

Hoslsti, L., Grunau, R. E., Oberlander, T. F., & Whitfield, M. F. (2005). *Prior pain induces heightened motor response during clustered care in preterm infants in the NICU*. Retrieved November 18, 2008, from http://www.ScienceDirect.com.

Lee, H. K. (2001). Effect of sponge bathing on vagal tone and behavioral response in premature infants. *Journal of Clinical Nursing, 11*, 510-519.

Lund, C. H., (1999). Prevention and management of infant skin breakdown. *Nursing Clinics of North America, 34*, 907-920.

Madan, A., Hamrick, S. E. G., & Ferriero, D. M. (2005). Central nervous system injury and neuroprotection. In H. W. Taeusch, R. A. Ballard & C. A. Gleason (Eds.). *Avery's diseases of the newborn* (9th ed., pp. 965-992). Philadelphia: Elsevier.

Modrcin-McCarthy, M.A., McCue, S., Walker, J. (1997). Preterm infant and stress: A tool for the neonatal nurse. *The Journal of Perinatal and Neonatal Nursing*, *10*(4), 62-71.

Montague, S.E., Watson, R.A., & Herbert, R.A. (2005). *Physiology for nursing practice* (4th ed.). Spain: Elsevier.

Morelius, E., Hellstrom-Westas, L., Carlen, C., Norman, E., & Nelson, N. (2005). Is a nappy change stressful to neonates?. *Early Human Development*, *82*, 669-676.

Nation Association of Neonatal Nurse. (1997). Neonatal thermoregulation: *Guideline for practice*. California: Petaluma.

Nair, M., Gupta, G., & Jatana, S. (2003). NICU Environment. *Journal Neonatal, 15*(4), 93-95

Peters, K. L. (1992). Dose routine nursing care complicate the physiologic status of the premature Neonate with respiratory distress syndrome? *Journal of Perinatal and Neonatal Nursing,* 6(2), 67-84.

Peters, K. L. (1998). Bathing premature infants: Physiological and behavioral consequences. *American Journal of Critical Care, 7*(2), 90-100.

Peters, K. L. (1999). Infant handling in the NICU: Dose developmental care make a difference? An evaluative review of the literature. *Journal of Perinatal and Neonatal Nursing,13*, 83-109.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved

Peters, K. L. (2001). Association between autonomic and motoric system in the preterm infant. *Clinical Nursing Research, 10*(1), 82-90.

Parbrook, G. D., Davis,. P. D., & Parbrook, E. O. (1995). Oxygen measurement. In G. D. Parbrook, P. D. Davis & E. O. Parbrook (Eds.), *Basic Physics and measurement in anesthesia* (4th ed., pp. 235-249). Oxford: Butterworth-Heinemann.

Pressler, J. L., Hepworth, J.T., & Wells, N. L. (2001). Behaviors of very preterm neonates as documented using NIDCAP observation. *Neonatal Network*, *20*(8), 15-24.

Ricci, S. S. (2007). *Essentials of maternity, newborn, and women' s health nursing*. Philadelphia: Lippincott Williams & Wilkins.

Rubin, L. P. (2005). Disorder of calcium and phosphorus metabolism. In H. W. Taeusch, R. A. Ballard & C. A. Gleason (Eds.), *Avery' s diseases of the newborn* (9th ed., pp. 1346-1365). Philadelphia: Elsevier.

Sansoucie, D. A., & Cavaliere, T. A. (2003). Newborn and Infants Assessment. In C. Kenner & J. W. (Ed.). *Comprehensive neonatal nursing* (3rd ed., pp. 309-347). Philadelphia: W.B. Saunders.

Slevin, M., Farrington, N., Duffy, Daly, G., & Murphy, J. (2000). Altering the NICU and measuring infants' responses. *Acta Pediatric, 89*, 577-581.

Stanley, C. A., & Pallotto, E. K. (2005). Disorders of carbohydrate metabolism. In H. W. Taeusch, R. A. Ballard & C. A. Gleason (Eds.). *Avery' s diseases of the newborn* (9th ed., pp. 1410-1422). Philadelphia: Elsevier.

Taeusch, H.W., Ramierez-Schrempp, D., & Laing, I.A. (2005). Surfactant treatment of respiratory disorders. In H. W. Taeusch, R.A. Baller & C. A. Gleason (Eds.), *Avery' s diseases of the newborn* (9th ed., pp. 670-686). Philadelphia: Elsevier.

Thomas, K.A., & Martin, P.A. (2000). NICU sound environment and the potential problems for caregivers. *Journal of Perinatology. 20*, 94-99.

Vergara, E. R., & Bigsby, R. (2004). Developmental and therapeutic intervention in the NICU. London: Paul H. Brookes.

Walden, M., & Carrier, C. T. (2002). Sleeping beauties: The impact of sedation on neonatal development. *JOGNN, 32*(3), 398-401.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved

Wang, Y. W., Chang, Y. J. (2004). A Preliminary Study of Bottom Care Effects on Premature Infants' Heart Rate and Oxygen Saturation. *Journal of Nursing Research*, *12*(2), 161-167.

Wharrad, H. J., & Davis, A. C. (1997). Behavioral and autonomic responses to sound in preterm and fullterm babies. *Journal of Perinatology, 31*, 315-329.

White-Traut, R.C., Silvestri, J.M., Nelson, M.N.,Patel, M.K., & Kilgallon, D.(1993). Patterns of Physiologic and behavioral response of intermediate care preterm infants to intervention. *Pediatric nursing, 19*(6), 625-629.

Williams, C. B., & Cole, F. S. (2005). Immunology of the fetus and newborn. In H. W. Taeusch, R. A. Ballard & C. A. Gleason (Eds.) *Avery's diseases of the newborn* (9th ed., pp. 447-474). Philadelphia: Elsevier.

Wong, D. L. (2001). *Whaley & Wong's nursing care of infant and children* (6th ed.). St.Louis: Mosby-Year Book.

Zahr, L. K., & Balain, S. (1995). Responses of premature infants to routine nursing care Interventions and noise in the NICU. *Nursing Research*, *44*(3), 179-184.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved