

## TABLE OF CONTENTS

	Page
TABLE OF CONTENTS	i
LIST OF TABLES	iii
LIST OF FIGURES	v
INTRODUCTION	1
General	1
Statement of problems	2
Objectives	3
Scope of study	3
LITERATURE REVIEW	4
Dredging Processes	4
Characteristics of dredged material	7
Fundamental Concepts of Cement Stabilization	9
Soil Minerals and Fabric	18
Specification and Criteria for Cement Stabilization	29
Review of recent researches	32
Projects and Beneficial Uses of Dredge Material	38
MATERIALS AND METHODOLOGY	40
Apparatus	40
Materials	40
Admixtures	43
Testing Procedures	44
Numbers of Test Specimens	55
Standards of Tests	59
Places	60
Duration	60
RESULTS AND DISCUSSION	61
General Properties of dredged sludge	61
Stabilization of Dredged Sludge and Testing	64

**TABLE OF CONTENTS (Cont'd)**

	Page
CONCLUSIONS	97
RECOMMENDATION	99
LITERATURE CITED	100

## LIST OF TABLES

Table		Page
1	Physical properties of dredged harbor bottom sediment/organic deposits	7
2	The chemical compositions of dredged and similar material composition	8
3	Mineralogy and partical size range of dredged and similar material	8
4	Techniques for study of soil fabric	24
5	Ranges of unconfined compressive strengths of soil-cement	29
6	Typical cement requirements for various soil groups	29
7	PCA Criteria for Soil-Cement	30
8	Cement content for various soil types for pavement construction	30
9	USAGE Minimum Unconfined Compressive Strength Criteria	31
10	The Japanese Road Association Criteria	31
11	Department of highway Thailand (DOH) Criteria	32
12	Properties of Portland cement type I	43
13	Unified Soil Classification System of sand	43
14	Physical properties of dredged sludge	61
15	Compositions of clay minerals of untreated dredged sludge	62
16	Mechanical Dewatering and Result	64
17	Average unsoaked unconfined compressive strength at various cement contents and initial water content	68
18	Calculation of water content after mixing and percentage ratio of weight of cement to dry weight soil	69
19	Soil fractions of modified dredged sludge	70
20	Average wet density test of dredged sludge	70
21	X – Ray diffraction of quartz	70
22	Test condition and symbols	73
23	Unconfined compressive strength of unsoaked strength condition	73
24	Average Unconfined Compressive Strength of soaked strength condition	73
25	The calculation of water content after mixing per cement content and unsoaked unconfined compressive strength	75
26	The calculation of water content after mixing per cement content and soaked unconfined compressive strength	75
27	Unsoaked modulus of elasticity ( $E_{50}$ ) of soil cement with sand	77
28	Soaked modulus of elasticity ( $E_{50}$ ) of soil cement with sand	77
29	Average loss in strength due to soaking condition	80
30	CSH intensity of soil with cement $200 \text{ kg/m}^3$ and various sand contents	82
31	Ettringite intensity of soil with cement $200 \text{ kg/m}^3$ and various sand contents	83
32	CSH intensity of soil with $200 \text{ kg/m}^3$ and 20 % sand content	88
33	Ettringite intensity of soil with $200 \text{ kg/m}^3$ and 20 % sand content	88

**LIST OF TABLES (Cont'd)**

Table		Page
34	Average of California Bearing Ratio Test	91
35	Strength loss due to soaking	91

## LIST OF FIGURES

Figure		Page
1	The main source of sea pollution	2
2	Cutter Suction Dredger	4
3	Cutter head	4
4	Grab Dredger	5
5	Chain Bucket Dredger	5
6	Chain Bucket Dredger	6
7	Cutting with bucket chain	6
8	Chemical reaction between soil and hardening agent	11
9	The formation changing cement – clay	12
10	Gain in strength versus percent of admixture	12
11	Plasticity vs. cement content for A-7-6 (14) clay	13
12	Factors affecting the properties of Soil-Cement	14
13	Strength development of soil type at 7 days	15
14	Unconfined compressive strength vs.cement content for A-7-6 clay	16
15	Effect of age on strength of various soils stabilized with 5% cement	17
16	Schematic diagrams of clay mineral	19
17	Schematic diagram of the soil microfabric and macrofabric system	20
18	Fabric formation in an aggregated clay when pressure is applied	21
19	Possible clay fabric and its cementation	22
20	Phenomena of X-Ray generation	25
21	Typical X-ray diffraction pattern of kaolinite, montmorillonite and illite minerals	27
22	Electron Photomicrograph	28
23	Ideal schematic diagrams illustrating the reaction mechanisms of $C_3S$ in the presence of s-slag in relation to the development phases of strength	32
24	Unconfined compressive strength of Ariake Clay	33
25	X-Ray diffracted line	33
26	Micrograph by SEM	33
27	Strength curves of cement admixing clays showing the range of ratio after mixing water content and liquid limit for effectiveness to produce an efficient and economical deep mixing pile.	34
28	Production system for solidification of dredge material	35
29	Production system for foam mixed light weight soil	35
30	Sediment removal, Dewatering and water treatment process	36
31	Production system for Eco-tube method	37
32	Schematic of Eco-tube method of reusing high water content soil.	37
33	Beach nourishment before and after placement of the material	38
34	Upland placement before and after placement of the material	39
35	Open-water placement before and after placement of the material	39
36	Geographic map of second navigation channel for access to Bangkok Port Project	40

### LIST OF FIGURES (Cont'd)

Figure		Page
37	Geographic map of dredged sample	41
38	Location of dredged sample	41
39	Position of dredged sample	42
40	Soil Profile and Soil Properties	42
41	Framework of research	45
42	Model of Dewatering Machine	46
43	Dewatering Machine and Drainage System in this study	46
44	Mud density test for dredged sludge	47
45	Laboratory density test	47
46	Unconfined Compression Test	48
47	Preparation sample for Unconfined Compression Tests	49
48	California Bearing Ratio Test	50
49	Preparation sample for California Bearing Ratio Test	51
50	X-Ray Diffractometer	52
51	Methods of examining mineralogy, fabric, and structure of soils using XRD	53
52	Scanning Electron Microscope	54
53	Methods of examining mineralogy, fabric, and structure of soils using SEM	54
54	Unified Soil Classification System (ASTM Designation D 2487)	61
55	SEM X-ray Diffraction patterns of untreated dredged sludge	62
56	SEM micrographs of untreated dredged sludge	63
57	Relationship between pressure, water content and time	65
58	Relationship between water content (%) and Bulk Density ( $T/m^3$ )	66
59	Relationship between unsoaked unconfined compressive strength at various cement contents and initial water content	68
60	Relationship between unsoaked unconfined compressive strength and ratio of water content after mixing with % cement content	69
61	Relationship between bulk density and % added fine sand	71
62	Relationship between Intensity of Quartz and % added fine sand	71
63	SEM micrographs of untreated dredged sludge	72
64	Relationship between unsoaked unconfined compressive strength and curing time	74
65	Relationship between soaked unconfined compressive strength and curing time	74
66	Relationship between unsoaked unconfined compressive strength and ratio of water content after mixing with % cement content when pouring sand 20% and 40%	76
67	Relationship between soaked unconfined compressive strength and ratio of water content after mixing with % cement content when pouring sand 20% and 40%	76

### LIST OF FIGURES (Cont'd)

Figure		Page
68	Relationship between unsoaked modulus of elasticity at 50% and curing time of soil cement with sand	78
69	Relationship between soaked modulus of elasticity at 50% and curing time of soil cement with sand	78
70	Relationship between unsoaked unconfined compressive strength and modulus of elasticity at 50% of soil cement with sand	79
71	Relationship between soaked unconfined compressive strength and modulus of elasticity at 50% of soil cement with sand	79
72	Relationship between strength loss due to soaking and curing time of soil cement with sand	81
73	Hydration Products	82
74	Relationship between calcium silicate hydrate intensity of soil cement with sand and curing time.	84
75	Relationship between ettringite intensity of soil cement with sand and curing time.	85
76	Relationship between calcium silicate hydrate intensity of soil cement with sand and unsoaked unconfined compressive strength	85
77	Relationship between ettringite intensity of soil cement with sand and unsoaked unconfined compressive strength.	86
78	Relationship between XRD and SEM of unsoaked unconfined compressive strength (Mix1)	86
79	Relationship between XRD and SEM of unsoaked unconfined compressive strength (Mix2)	87
80	Relationship between XRD and SEM of unsoaked unconfined compressive strength (Mix3)	87
81	Relationship between calcium silicate hydrate intensity of soil cement with sand and curing time for unsoaked and soaked conditions.	89
82	Relationship between Ettringite intensity of soil cement with sand and curing time for unsoaked and soaked conditions	89
83	Relationship between XRD and SEM of soaked unconfined compressive strength (Mix2)	90
84	Unsoaked CBR and soaked CBR with curing time for MIX 2	91
85	Relationship between %CBR loss due to soaking and curing time	92
86	Relationship between calcium silicate hydrate intensity of soil cement with sand and curing time for unsoaked and soaked conditions.	93
87	Relationship between Ettringite intensity of soil cement with sand and curing time for unsoaked and soaked conditions.	94
88	Relationship between CBR and intensity of calcium silicate hydrate	94
89	Relationship between CBR and intensity of Ettringite	95
90	Relationship between XRD and SEM of unsoaked CBR (Mix2)	95
91	Relationship between XRD and SEM of soaked CBR (Mix2)	96

### LIST OF FIGURES (Cont'd)

Appendix Figure	Page
A1 Relationship Stress – Strain Characteristics of cement content at 140% water content	107
A2 Relationship Stress – Strain Characteristics of cement content at 160% water content	107
A3 Relationship Stress – Strain Characteristics of cement content at 180% water content	108
A4 Stress – Strain Characteristics of unsoaked Mix 1	108
A5 Stress – Strain Characteristics of unsoaked Mix 2	109
A6 Stress – Strain Characteristics of unsoaked Mix 3	109
A7 Stress – Strain Characteristics of soaked Mix 1	110
A8 Stress – Strain Characteristics of soaked Mix 2	110
A9 Stress – Strain Characteristics of soaked Mix 3	111
B1 X-ray diffraction patterns of untreated Mix 1	113
B2 X-ray diffraction patterns of untreated Mix 2	113
B3 X-ray diffraction patterns of untreated Mix 3	114
B4 X-ray diffraction patterns of unsoaked unconfined compressive strength Mix 1 at 3 days curing time	114
B5 X-ray diffraction patterns of unsoaked unconfined compressive strength Mix 1 at 7 days curing time	115
B6 X-ray diffraction patterns of unsoaked unconfined compressive strength Mix 1 at 14 days curing time	115
B7 X-ray diffraction patterns of unsoaked unconfined compressive strength Mix 1 at 28 days curing time	116
B8 X-ray diffraction patterns of unsoaked unconfined compressive strength Mix 2 at 3 days curing time	116
B9 X-ray diffraction patterns of unsoaked unconfined compressive strength Mix 2 at 7 days curing time	117
B10 X-ray diffraction patterns of unsoaked unconfined compressive strength Mix 2 at 14 days curing time	117
B11 X-ray diffraction patterns of unsoaked unconfined compressive strength Mix 2 at 28 days curing time	118
B12 X-ray diffraction patterns of soaked unconfined compressive strength Mix 2 at 3 days curing time	118
B13 X-ray diffraction patterns of soaked unconfined compressive strength Mix 2 at 7 days curing time	119
B14 X-ray diffraction patterns of soaked unconfined compressive strength Mix 2 at 14 days curing time	119
B15 X-ray diffraction patterns of soaked unconfined compressive strength Mix 2 at 28 days curing time	120



### LIST OF FIGURES (Cont'd)

Appendix Figure	Page
B16 X-ray diffraction patterns of unsoaked unconfined compressive strength Mix 3 at 3 days curing time	120
B17 X-ray diffraction patterns of unsoaked unconfined compressive strength Mix 3 at 7 days curing time	121
B18 X-ray diffraction patterns of unsoaked unconfined compressive strength Mix 3 at 14 days curing time	121
B19 X-ray diffraction patterns of unsoaked unconfined compressive strength Mix 3 at 28 days curing time	122
B20 X-ray diffraction patterns of unsoaked CBR Mix 2 at 7 days curing time	122
B21 X-ray diffraction patterns of unsoaked CBR Mix 2 at 14 days curing time	123
B22 X-ray diffraction patterns of unsoaked CBR Mix 2 at 28 days curing time	123
B23 X-ray diffraction patterns of soaked CBR Mix 2 at 7 days curing time	124
B24 X-ray diffraction patterns of soaked CBR Mix 2 at 14 days curing time	124
B25 X-ray diffraction patterns of soaked CBR Mix 2 at 28 days curing time	125
C1 SEM micrographs of untreated Mix 1	127
C2 SEM micrographs of untreated Mix 2	127
C3 SEM micrographs of untreated Mix 2	127
C4 SEM micrographs of unsoaked unconfined compressive strength Mix 1 at 3 days curing time	128
C5 SEM micrographs of unsoaked unconfined compressive strength Mix 1 at 7 days curing time	128
C6 SEM micrographs of unsoaked unconfined compressive strength Mix 1 at 14 days curing time	128
C7 SEM micrographs of unsoaked unconfined compressive strength Mix 1 at 28 days curing time	128
C8 SEM micrographs of unsoaked unconfined compressive strength Mix 2 at 3 days curing time	129
C9 SEM micrographs of unsoaked unconfined compressive strength Mix 2 at 7 days curing time	129
C10 SEM micrographs of unsoaked unconfined compressive strength Mix 2 at 14 days curing time	129
C11 SEM micrographs of unsoaked unconfined compressive strength Mix 2 at 28 days curing time	129
C12 SEM micrographs of soaked unconfined compressive strength Mix 2 at 3 days curing time	130

### LIST OF FIGURES (Cont'd)

Appendix Figure	Page
C13 SEM micrographs of soaked unconfined compressive strength Mix 2 at 7 days curing time	130
C14 SEM micrographs of soaked unconfined compressive strength Mix 2 at 14 days curing time	130
C15 SEM micrographs of soaked unconfined compressive strength Mix 2 at 28 days curing time	130
C16 SEM micrographs of unsoaked unconfined compressive strength Mix 3 at 3 days curing time	131
C17 SEM micrographs of unsoaked unconfined compressive strength Mix 3 at 7 days curing time	131
C18 SEM micrographs of unsoaked unconfined compressive strength Mix 3 at 14 days curing time	131
C19 SEM micrographs of unsoaked unconfined compressive strength Mix 3 at 28 days curing time	131
C20 SEM micrographs of unsoaked CBR Mix 3 at 7 days curing time	132
C21 SEM micrographs of unsoaked CBR Mix 3 at 14 days curing time	132
C22 SEM micrographs of unsoaked CBR Mix 3 at 28 days curing time	132
C23 SEM micrographs of soaked CBR Mix 3 at 7 days curing time	133
C24 SEM micrographs of soaked CBR Mix 3 at 14 days curing time	133
C25 SEM micrographs of soaked CBR Mix 3 at 28 days curing time	133
D1 Example of Stress – Strain Characteristics curve for evaluate $E_{50}$	135