# REFERENCES

# REFERENCES

[1] Mann, W. R. (1953). Mean value methods in iteration. **Proc. Amer. Math. Soc.**, 4, 506-510.

[2] Halpern, B. (1967). Fixed points of non-expanding mapps. **Bull. Amer. Math. Soc.**, 73, 957-961.

[3] Ishikawa, S. (1974). Fixed points by a new iteration method. **Proc. Amer. Math. Soc.**, 44, 147-150.

[4] Byrne, C. (2004). A unified treatment of some iterative algorithms in signal processing and image reconstruction. **Inverse Problems**, 20, 103-120.

[5] Podilchuk, C. I. and Mammone, R. J. (1990). Image recovery by convex projections using a least-squares constraint. **J. Opt. Soc. Am. A**, 7, 517-521.

[6] Stampacchia, G. (1964). Formes bilineaires coercitivies sur les ensembles convexes. **C. R. Acad. Sci. Paris**, 258, 4413-4416.

[7] Takahashi, W. and Toyoda, M. (2003). Weak convergence theorems for nonexpansive mappings and monotone mappings, **Journal of Optimization Theory and Applications**, 118(2), 417-428.

[8] Blum, E. and Oettli, W. (1994). From optimization and variational inequalities to equilibrium problems. **Math. Stud.**, 63, 123-145.

[9] Noor, M.A. and Oettli, W. (1994). On general nonlinear complementarity problems and quasi-equilibria. **Le Matematiche (Catania)**, 49, 313-331.

[10] Siddiqi, A. H., Ahmad, K. and Manchanda, P. (2006). **Introduction to functional analysis with applications**. New Delhi: Anamaya Publishers.

[11] Takahashi, W. (2000). **Nonlinear Functional Analysis, Fixed point Theory and Its Applications**. Yokohama: Yokohama-Publishers.

[12] Goebel, K. and Kirk, W.A. (1972). A fixed point theorem for asymptotically nonexpansive mappings. **Proc. Amer. Math. Soc.**, 35, 171-174.

[13] Zeidler, E. (1986). **Nonlinear functional analysis and its applications-vol I: Fixed-Point Theorems**. Tokyo: New York Berlin Heidelberg Tokyo.

[14] Takahashi, Y., Hashimoto, K. and Kato, M. (2002). On sharp uniform convexity, smoothness, and strong type, cotype inequalities. **J. Nonlinear Convex Anal.**, 3, 267-281.

[15] Alber, Ya.I. and S. Reich, (1994). An iterative method for solving a class of nonlinear operator equations in Banach spaces. **Panamer. Math. J.**, 4, 39-54.

[16] Alber, Ya. I. (1996). Metric and generalized projection operators in Banach spaces: properties and applications. In A.G. Kartsatos (Ed.), **Theory and Applications of Nonlinear Operator of Accretive and Monotone Type** (pp.15–50). New York: Marcel Dekker.

[17] Li, J.L. (2005). The generalized projection operator on reflexive Banach spaces and its application. **J. Math. Anal. Appl.**, 306, 55-71.

[18] Reich, S. (1996). A weak convergence theorem for the alternating method with Bregman distance. In A.G. Kartsatos (Ed.), **Theory and Applications of Nonlinear Operators of Accretive and Monotone Type** (pp.313–318). New York: Marcel Dekker.

[19] Opial, Z. (1967). Weak convergence of the sequence of successive approximations for nonexpansive mappings. **Bull. Amer. Math. Soc.**, 73, 591-597.

[20] Lim, T.C. and Xu, H.K. (1994). Fixed point theorems for asymptotically nonexpansive mappings. **Nonlinear Analysis**, 22, 1345-1355.

[21] Agarwal, R. P., ORegan, D. and Sahu, D.R. (2000). **Fixed point theory for lipschitzian-type mappings with applications.** New York: Springer Dordrecht Heidelberg London New York.

[22] Bruck, R.E. (1981). On the convex approximation property and the asymptotic behaviour of nonlinear contractions in Banach spaces. **Israel J. Math.**, 38, 304-314.

[23] Nakajo, K., Shimoji, K. and Takahashi, W. (2006). Strong convergence theorems by the hybrid method for families of nonexpansive mappings in Hilbert spaces. **Taiwanese J. Math.**, 10, 339-360.

[24] Kimura, Y. and Nakajo, K. (2010). Some characterizations for a family of nonexpansive mappings and convergence of a generated sequence to their common fixed point. **Fixed Point Theory Appl.** Retrived June 28, 2011, from http://downloads.fixedpointtheoryand-applications.com/content/pdf/1687-1812-2011-11.pdf.

[25] Zhou, H. (2008). Convergence theorems for $\lambda$-strict pseudo-contractions in 2-uniformly smooth Banach spaces. **Nonlinear Anal.**, 69, 3160-3173.

[26] Xu, H.K. (1991). Inequalities in Banach spaces with applications. **Nonlinear Anal.**, 16, 1127-1138.

[27] Cai, G. and Hu, C. S. (2010). Strong convergence theorems of a general iterative process for a finite family of $\lambda_i$-strict pseudo-contractions in $q$-uniformly smooth Banach spaces. **Computers and Mathematics with Applications**, 59, 149-160.

[28] Hu, L. G. and Wang, J. P. (2009). Mann iteration of weak convergence theorems in Banach spces. **Acta Math. Appl.**, 25, 217-224.

[29] Xu, H. K. (1991) Inequalities in Banach spaces with applications. **Nonlinear Anal.**, 16, 1127-1138.

[30] Chen, R. D. and He, H. M. (2007). Viscosity approximation of common fixed points of nonexpansive semigroups in Banach space. **Appl. Math. Letters**, 20, 751-757.

[31] Xu, H. K. (2004). Viscosity approximation methods for nonexpansive mappings. **J. Math. Anal. Appl.**, 298, 279-291.

[32] Suzuki, T. (2005). Strong convergence theorems for infinite families of nonexpansive mappings in general Banach spaces. **Fixed point Theory Appl.**, 1, 103-123.

[33] Aoyama, K., Kimura,Y., Takahashi, W. and Toyoda, M. (2007). Approximation of common fixed points of a countable family of nonexpansive mappings in a Banach space. **Nonlinear Anal.**, 67, 2350-2360.

[34] Bruck, R.E. (1973). Properties of fixed point sets of nonexpansive mappings in Banach spaces. **Tras. Amer. Math. Soc.**, 179, 251-262.

[35] Jung, J.S. (2005). Iterative approaches to common fixed points of nonexpansive mappings in Banach spaces. **J. Math. Anal. Appl.**, 302, 509-520.

[36] Aoyama, K., Kimura, Y., Takahashi W. and Toyoda, M. (2007). On a strongly nonexpansive sequence in Hilbert spaces. **J. Nonlinear Convex Anal.**, 8, 471-489.

[37] Liu, Y. (2010). Strong convergence theorems for variational inequalities and relatively weak nonexpansive mappings. **J Glob Optim.** Retrieved May 9, 2009, from http://www.springerlink.com/content/m9vgl85h45816321.pdf.

[38] Beauzamy, B. (1985). **Introduction to Banach spaces and their Geometry** ($2^{ed}ed.$). Amsterdam: North-Holland.

[39] Bruck, R. E. and Reich, S. (1977). Nonexpansive projections and resolvents of accretive operators. **Houston J. Math.**, 3, 459-470.

[40] Kamimura, S. and Takahashi, W. (2002). Strong convergence of a proximal-type algorithm in a Banach space. **SIAM J. Optim.**, 13, 938-945.

[41] Cho, Y.J., Zhou, H.Y. and Guo, G. (2004). Weak and strong convergence theorems for three-step iterations with errors for asymptotically nonexpansive mappings. **Comput. Math. Appl.**, 47, 707-717.

[42] Rockafellar, R. T. (1970). On the maximality of sums of nonlinear monotone operators. **Trans. Amer. Math. Soc.**, 149, 75-88.

[43] Chang, S.-s. (1997). On Chidumes open questions and approximate solutions of multivalued strongly accretive mapping in Banach spaces. **J. Math. Anal. Appl.**, 216, 94111.

[44] Takahashi, W., Tamura, T. and Toyoda, M. (2002). Approximation of common fixed points of a family of finite nonexpansive mappings in Banach spaces. **Sci. Math. Japan**, 56, 475-480.

[45] Browder, F.E. (1967). Convergence of approximants to fixed points of nonexpansive nonlinear mappings in Banch spaces. **Arch. Ration. Mech. Anal.**, 24, 82-89.

[46] Fan, K. (1961). A generalization of Tychonoffs fixed point theorem. **Mathematische Annalen**, 142, 305-310.

[47] Kreyszig, E. (1978). **Introductory functional analysis with applications**, Singapore: John Wiley & Sons.

[48] Piri, H. and Vaezi, H. (2010). Strong Convergence of a Generalized Iterative Method for Semigroups of Nonexpansive Mappings in Hilbert Spaces. **Fixed Point Theory and Applications**. Retrived March 3, 2011, from http://downloads.hindawi.com/journals/fpta/2011/257034.pdf.

[49] Nadezhkina, N. and Takahashi, W. (2006). Weak convergence theorem by an extragradient method for nonexpansive mappings and monotone mappings. **J. Optim. Theory Appl.**, 128, 191-201.

[50] Xu, H.K. (1991). Existence and convergence for fixed points of mappings of asymptotically nonexpansive type. **Nonlinear Anal.**, 16, 1139-1146.

[51] Xu, H.K. (2002). Iterative algorithms for nonlinear operators. **J. London Math. Soc.**, 66, 240-256.

[52] Shimizu, T. and Takahashi, W. (1997). Strong convergence to common fixed points of families of nonexpansive mappings. **J. Math. Anal. Appl.**, 211, 71-83.

[53] Marino, G. and Xu, H.K. (2006). A general iterative method for nonexpansive mappings in Hilbert spaces. **J. Math. Anal. Appl.**, 318, 43-52.

[54] Combettes, P.L. and Hirstoaga, A. (2005). Equilibrium programming in Hilbert spaces. **J. Nonlinear Convex Anal.**, 6, 117-136.

[55] Moudafi, A. (2009). Weak convergence theorems for nonexpansive mappings and equilibrium problems. **J. Nonlinear Convex Anal.**, 9, 37-43.

[56] Li, S., Li, L. and Su, Y. (2009). General iterative methods for a one-parameter nonexpansive semigeroup in Hilbert space. **J. Nonlinear Analysis.**, 70, 3065-3071.

[57] Cianciaruso, F., Marino G. and Muglia, L. (2010). Iterative methods for equilibrium and fixed point problems for nonexpansive semigroups in Hilbert Spaces. **J Optim Theory Appl**, 146, 491-509.

[58] Yao, Y. and Liou, Y.-C. (2010). Composite Algorithms for Minimization over the Solutions of Equilibrium Problems and Fixed Point Problems. **Abstract and Applied Analysis**. Retrieved September 27, 2010, from http://downloads.hindawi.com/journals/aaa/2010/763506.pdf.

[59] Iiduka H. and Takahashi, W. (2008). Weak convergence of a projection algorithm for variational inequalities in a Banach space. **Journal of Mathematical Analysis and Applications**, 39(1), 668-679.

[60] Xu, H.K. and Ori, M.G. (2001). An implicit iterative process for nonexpansive mappings. **Numer. Funct. Anal. Optim.**, 22, 767-773.

[61] Qin, X., Cho, Y.J., Kang S.M. and Zhou, H. (2009). Convergence of a modified Halpern-type iteration algorithm for quasi-$\phi$-nonexpansive mappings. **Appl. Math. Lett.**, 22, 1051-1055.

[62] Alber, Ya.I. and GuerreDelabriere, S. (2001). On the projection methods for fixed point problems. **Analysis**, 21, 1739

[63] Takahashi, W. and Zembayashi, K. (2009). Strong and weak convergence theorems for equilibrium problems and relatively nonexpansive mappings in Banach spaces. **J. Nonlinear Anal.**, 70, 45-57.

[64] Kohsaka, F. and Takahashi, W. (2008). Existence and approximation of fixed points of firmly nonexpansive type mappings in Banach spaces. **SIAM Journal on Optimization**, 19(2), 824-835.

[65] Matsushita, S. and Takahashi, W. (2005). A strong convergence theorem for relatively nonexpansive mappings in a Banach space. **J. Approx. Theory**, 134, 257-266.

[66] Kim, T. H. and Lee, H. J. (2008). Strong convergence of modified iteration processes for relatively nonexpansive mappings. **Kyungpook Math. J.**, 48, 685-703.

[67] Zhang, S.S., Lee, J.H.W. and Chan, C.K. (2008). Algorithms of common solutions for quasi variational inclusion and fixed point problems. **Appl. Math. Mech.**, 29, 571-581.

[68] Qin, X., Chang, S.S., Cho, Y. J. and Kang, M. (2010). Approximation of Solutions to a System of Variational Inclusions in Banach Spaces. **Journal of Inequalities and Applications**. Retrieved November 10, 2010, from http://downloads.hindawi.com/journals/jia/2010/916806.pdf.

[69] Ceng, L.-C. and Yao, J.-C. (2008). A hybrid iterative scheme for mixed equilibrium problems and fixed point problems. **J. Comput. Appl. Math.**, 214, 186-201.

# BIOGRAPHY

# BIOGRAPHY

| | |
|---|---|
| **Name-Surname** | Uthai Kamraksa |
| **Date of Birth** | May 9, 1983 |
| **Address** | 44/3 Mu 9, Tumbon Nongpai, Nongkhayang District, Uthaithani Province, Thailand 61130 |
| **Work Place** | Naresuan University Secondary Demonstration School, Phitsanulok, 65000, Thailand |

**Education Background**

| | |
|---|---|
| 2007 | M.S. (Mathematics), Chiangmai University, Chiangmai, Thailand |
| 2005 | B.S. (Mathematics), Naresuan University, Phitsanulok, Thailand |